



This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines


Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.


We also ask that you:


- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at <http://books.google.com/>









1761351

7
5







A. L. Linsstock & Co.

A MANUAL
OF
HOMŒOPATHIC
MATERIA MEDICA

BY
J. C. FAHNESTOCK, A. M., M. D.

PUBLISHED BY THE AUTHOR,
PIQUA, OHIO.
1901.

COPYRIGHTED
1901
BY J. C. FAHNESTOCK, A. M., M. D.

T. B. & H. B. COCHRAN, PRINTERS,
LANCASTER, PA.

PREFACE.

The object in preparing this work has been to present, in a condensed form, such material, such important leading symptoms, as are characteristic of each remedy. An outline of prominent features which must be filled in by the study of the original day books to make the picture complete.

Blank pages are furnished for the purpose of noting down further observations upon the remedy in question. That the student may acquire the correct pronunciation, the accentuation is given under each remedy.

In most cases the specific action of the remedy, or its elective affinity upon certain organs, is mentioned.

In placing this Manual before the profession, the author wishes to state that nothing original is claimed in it. It is a compilation from the most reliable authorities on Homœopathic Materia Medica.

The book is simply what its title indicates; namely, a Materia Medica Manual, and as such I hope it will find a place in your study.

Piqua, Ohio, January, 1901.

1
1
1
1
1

.

.

-

MATERIA MEDICA MANUAL.

ABIES NIGRA.

(*Ā'-bī-ēz Nī'-gra.*)

Black or Double Spruce.

Coniferæ.

Very low spirited and melancholy.

Head dull and heavy, unable to think or study.

Sleepy during the day, wakeful and restless at night, with bad dreams.

Dull headache and dizziness. Head and face hot.

Pain after eating, as of a hard boiled egg in the stomach.

Choking sensation as of something lodged at the lower end of the esophagus.

Loss of appetite in the morning, but with great hunger at noon and night. Constipation.

The deranged stomach produces a sense of fullness in the lungs, with shortness of breath and slow beating of the heart. Sharp pain in the region of the heart.



ARTEMESIA ABROTANUM.*(Ār-te-mīzh-e-a A-brōt'-a-nūm.)***Southernwood.****Compositæ**

Child cross, peevish, and irritable.

Anxiety and despondency.

Violent: would like to do something cruel.

Ravenous hunger with progressive emaciation.

Face looks old, pale and wrinkled.

Marasmus. Marasmus of the lower extremities only.

Hemorrhoidal colic. Hemorrhoids worse when rheumatism abates.

Alternate diarrhoea and constipation.


Great weakness, sinking in the stomach.

A kind of hectic fever.

ACETIC ACID.*(A-sē'tik Ās'-īd.)***Glacial Acetic Acid:** **$\text{HC}_2\text{H}_3\text{O}_2$.**This acid produces a profound anæmia, general mal-nutrition, emaciation, cough, night sweats. *Marasmus.*

Very dull and low spirited.

Extreme irritability of temper,



Hemorrhage from every mucous outlet of the body.

No thirst in fever.

Intense thirst in dropsy, diabetes, and diarrhoea.

Croup, membranous, with coldness and prostration.

Respiration hurried, difficult, hissing.

Gnawing and burning in the stomach.

Cold drinks cause distress.

Cider vinegar antidotes Carbollic Acid.

Useful after anæsthetics.

ACONITUM NAPELLUS.

(*Āk-o-nī'-tūm Nā-pel'-lūs.*)

Wolfsbane. Monkshood.

Ranunculaceæ.

In small doses Aconite produces a rapid heart action and rise of temperature followed by alternating chill and heat—an arterial storm ending in sweat and prostration.

In large doses the heart becomes paralyzed and the pulse feeble. There is cold sweat, motor and sensory paralysis, vomiting and purging, which may end in convulsions and death.

The all-pervading symptom of Aconite is the *mental anxiety, fear of death, and great restlessness.* Acuteness of all the senses.

Is afraid to go out or where there is a crowd.

There are no tissue changes, it's action is *sharp* and *decisive*, but *short*.

Useful after fright, chagrin, anger, and exposure to cold, dry winds.

Dry, hoarse, croupy cough. Hoarseness. Spitting of blood, which comes up easily.

Face red and hot, pales on rising, with vertigo. Trifacial neuralgia, left side. Face red, hot. Anxiety, restlessness.

Numbness, formication, and tingling of the extremities as if paralyzed.

Numbness in the left arm, can scarcely move the hand.

Dryness and burning of the skin, with great thirst for cold water.

Useful in the beginning of inflammatory affections of the thoracic organs; anguish, restlessness, breathing, with sticking pains.

Dryness of mouth and throat.

Tongue feels swollen and numb.

With neuralgic pains.

Green diarrhœa, like chopped herbs; bloody, slimy, mucus stools.

Burning, hot, distended abdomen, sensitive to touch, with great anguish.

Vomiting of bile or mucus, green masses, or bloody mucus. Bitter taste with great thirst.

Menses suppressed by fright with vexation.

Menses suppressed by cold.

Ovaritis, with urging to urinate, high fever;



also after menstrual flow is suddenly checked.

Urine dark red, scanty, scalding hot.

After abuse of Aconite use sulphur.

ÆSCULUS HIPPOCASTANUM.

(*Ēs'-kū-lūs Hip-pō-kās'-ta-nūm.*)

Horse Chestnut.

Sapindaceæ.

Hemorrhoids. Large, purple, protruding, with feeling as of sticks in the anus.

Severe pains in sacrum and hips, worse from motion or stooping.

Dullness, depression, irritability, constant yawning. Confusion of head. Eyes heavy.

Patient pale and sickly looking.

Scalded feeling of mouth, metallic taste, and thick, yellow coat.

Nausea, vomiting, eructations.

Abdomen sore, tender, with flatulence.

Region of liver sore.

Stools large, hard, and with prolapsed feeling of anus after.

Frequent passage of hot and scanty urine.

Throbbing sensations in pelvic troubles.

Indicated very often in uterine displacements, inflammations, and leucorrhœa, when conditions of fulness is present with the characteristic pains in back and limbs.

Coryza and sore throat.



Coryza with thin, burning, watery discharge.
Sore throat, dark red congestion of the fauces,
rawness, dryness, sensitiveness to inspired air.
Dry, tickling cough.

ÆTHUSA CYNAPIUM.

(*Ē-thū'-sa Sī-nā'-pī-ŭm.*)

Fool's Parsley.

Umbelliferæ.

Intolerance of milk.

Violent vomiting of milk as soon as taken.

Vomiting of curds so large as to choke the child; greenish phlegm.

Drawn expression of the face, "linea nasalis."

Spasms of children. Eyes turned down, thumbs clenched, face red, pupils dilated, jaws locked, pulse small, hard, quick; cold, clammy sweat.

Child is very *weak* and *drowsy* after vomiting, spasm, or stool.

Absence of thirst is marked.

Especially suited to conditions of children during dentition and in hot weather.

Cholera infantum. Green, slimy stool.



AGARICUS MUSCARIUS.

(*Ā-gār'-i-kūs Mūs-kā'-rī-ūs.*)

Toadstool. Bug Agaric.

Fungi.

Confusion of the head, heaviness, drunkard's headache. Vertigo as if drunk.

Headache: of those who are subject to chorea, or readily become delirious in fever or with pain; from spinal affections.

Complaints after sexual debauches.

Prolapsus of uteri after menopause.

Bearing down pain almost intolerable.

Sudden convulsive coughs, worse forenoons.

Redness, itching, and burning of the face, ears, fingers and toes, as if frozen. Chilblains.

Involuntary movements while awake; ceasing during sleep. Twitching of the muscles, chorea.

Stiffness of fingers from gout.

Unsteady trembling of the hands.

Great pain in lumbar region and sacrum.

Every motion of body causes pain in the spine. Violent shooting, burning pains deep in the spine. Extremely sensitive to cold air.

Uncertainty in walking, pain in legs, worse standing or sitting, better by motion.

AGNUS CASTUS.

(*Āg' nūs Kās'-tūs.*)

Chaste Tree.

Verbenaceæ.

“Old sinners” with loss of sexual power.

Gleet, or yellow urethral discharge. The
“everlasting last drop.”

After frequent attacks of gonorrhœa, im-
potence, gleet.

Absent minded, low spirited, sadness, fear of
approaching death.

Genitals of both sexes greatly relaxed.

Penis cold, relaxed, with loss of sexual power

Testes cold, hard, swollen and painful.

Transparent leucorrhœal discharge passes im-
perceptibly from the very relaxed parts, staining
her linen yellow.

Milk scanty or suppressed, with despairing
mood and fear of approaching death.

Especially useful in prematurely old persons
from abuse of sexual powers, attended by melan-
choly, loss of memory, and general debility, with
frequent loss of spermatic fluid.

AILANTHUS GLANDULOSUS.

(*Ā-lăn'-tūs Glăn-dū-lō'-sūs.*)

Tree of Heaven.

Simarubacæ.

Stupor, loss of memory, muttering delirium, unconsciousness.

Dizzy, face hot, cannot sit up, restless and anxious; later, insensible, with muttering delirium; recognizes no one. Scarlatina.

Eyes suffused and congested; startled look when aroused; pupils dilated and sluggish; photophobia. Burning, smarting and itching of eyes. Copious, thin, ichorous, bloody discharge from the nose.

Scarlatina. Coryza, with rawness about nostrils; the whole nose and upper lip covered with thick brown scabs.

On teeth, brown, slimy sordes. On tongue, thick whitish coat, brown in the middle or dry, parched, and cracked.

Throat livid and swollen. Tonsils studded with deep, angry looking ulcers, with scanty, fetid discharge. Neck tender and swollen. Scarlatina.

Dysentery. Little fecal matter, much blood and mucus. Stool thin, watery, offensive, passing involuntarily with urine.

Eruption, miliary rash in patches of dark, almost livid color, mostly on forehead and face.



The aīlanthus rash comes out imperfectly; it is a dark red or bluish and is mixed with petechiæ.

ALLIUM CEPA.

(*Āl-li-ūm Sē-pa.*)

Onion.

Liliacæ.

Biting and burning in eyes with abundant secretion of tears.

Burning is particularly felt in the margin of the lids.

Profuse, *bland lachrymation.*

Constant sneezing with profuse, *acid coryza*, worse coming into a warm room, better in the open air. The acid watery discharge drops from the end of the nose and excoriates the upper lip, which becomes very red and sensitive.

With coryza there is roughness and rawness of the fauces and trachea. Dyspnoea with feverish heat and accelerated pulse.

Dry, hoarse, rough cough, caused by a tickling in the larynx.

Pain as if the larynx would be torn when coughing. Cough makes the patient wince and brings tears to the eyes.

No other drug produces this splitting in the larynx from cough in conjunction with acid coryza.

General aggravation in evening and warm room. Relieved in cold room or open air.



ALOE SOCOTRINA.

(*Āl'-o-ē Sō-kō-trī'-na.*)

Socotrina Aloes.

Liliacæ.

Lassitude, aversion to mental or physical labor; it fatigues him.

Frontal headache, dull, heavy, pressing downward into eyes and nose; must close the eyes; worse from heat and better from cold applications.

Diarrhœa, driving out of bed, worse from 3 to 9 A. M., with lack of confidence in sphincter ani. Stool yellow, bloody, or jelly-like mucus, may be involuntary *while expelling urine* or flatus, when walking, standing, or after eating or drinking. Escape of fæces almost without being noticed. Passage with much spluttering of flatus; stool and urine escape together. Diarrhœa worse in hot, damp weather; in morning; from vinegar; and cold, damp room.

Frequent urging to pass urine; so urgent that he could hardly retain the urine at stool; when urinating, desire for stool. Thus striking the patient equally 'between wind and water.'

Difficulty of retaining the stool with feeling of fulness and weight in pelvis, as if rectum were full of fluid, which feels heavy and as if it would fall out.

Conscious of insecurity of rectum from weakness and loss of power of sphincter ani.

Burning and cutting in rectum.

Sensation as of plug wedged between symphysis pubis and coccyx.

Loud gurgling in the abdomen before stool. After stool exhaustion and faintness with profuse clammy sweat.

Hemorrhoids large, prominent, tender, hot, relieved by cold water.

Colicky pains, relieved by passing flatus.


Fulness and heaviness in uterine region, with pains in loins and groins, worse when standing.

Menses too early and too profuse.

ALUMINA.

(*A-lū'-mī-na.*)

Metallic Aluminum. Pure Clay.




Memory weak; changing moods; depressed or peevish as soon as one opens the eyes in the morning. Mental efforts difficult.

Weakness of mind and body after menses. Apprehensive of loss of reason.

Bowels inactive, with great deal of urging to stool, even if fæces be soft.

No desire for stool until there is a large accumulation. Stools hard and knotty, like sheep's



dung, with cutting in the anus followed by straining to evacuate bowels and bladder.

Constipation of infants, whether naturally or artificially fed.

Clergyman's sore throat; and that of other public speakers who are thin in flesh.

Dryness of throat; sharp sticking pains in throat, with difficult swallowing of food. "Splinter" in throat.

Œsophagus seems constricted. Uvula elongated. Throat worse evenings and nights. Relief from warm food and drink.

Leucorrhœa, profuse, corrosive, acrid, relieved by cold washing. Transparent, profuse during the day.

Great heaviness in lower limbs, can scarcely drag them; while walking, staggers and has to sit down.

Numbness of heel when stepping.

Pain in back as if hot iron were thrust through lower vertebræ. Violent stitches in middle of back.

Arms feel heavy and paralyzed, with burning sensation.

Nails brittle; rhagades, worse in winter and from washing.

Pale, scanty and delayed menses in girls at puberty, with abnormal craving for certain indigestible articles, such as pencils and chalk.

It causes unmistakable dryness of mucous surfaces.

This fact will give you a keynote to its dyspepsia, nasal catarrh, sore throat, constipation.

Acts best in old people of spare habit, girls at puberty, and delicate, dried-up looking children.

AMBRA.

(*Ām' bra.*)

Ambergris.

A Nosode.

Applicable to children, nervous young girls; and nervous, "worn out" old people.

Emaciated persons who take cold easily.

Great sadness; sits for days weeping.

Presence of others, even nurse, unbearable during stool.

Discharge of blood between the menses, at every little exertion or excitement.

Thick, bluish-white leucorrhœa, worse at night.


Violent, spasmodic cough with frequent eructations.

Whooping cough, but without the crowing inspiration.

Excessive burning of the external parts, especially of women. Heat and soreness of vagina with swollen labia.

Menses too early, too profuse and with labor-like pains.

Folds under tongue sore, like small growths.



Ranula.

Fetor of mouth, worse mornings. Pertussis.

AMMONIUM CARBONICUM.

(*Ām-mō'-nī-ūm Kār-bōn'-ī-kūm.*)

Smelling Salts.

$\text{NH}_4\text{HCO}_3, \text{NH}_4\text{NH}_2\text{CO}_2.$

A well-defined disorganization of the blood with indications of defective nutrition, quite similar to scurvy, with dark fluid hemorrhages, wasting of the tissues, ulceration of the gums, looseness of the teeth, and finally a recurrent fever of a low type.

A general right-sided remedy.

Time of aggravation 3 A. M.

Restlessness, weakness and stupor. Full throbbing, bursting headache.


Burning of the eyes. Photophobia. Nose-bleed when washing the face in the morning.

Stoppage of the nose at night, must breathe through the mouth, with long-lasting coryza.

Throat sore; swelling dark and bluish; tonsils and glands swollen, as in Scarlatina. Cough worse at 3 A. M., as from a feather in the throat. Asthma. Emphysema.

Snuffles of infants. Looses breath when falling asleep, awakes to get breath.

Cholera-like symptoms at the beginning of



menses. Delicate or fat women who take cold easily.

Menses black, clotted, acrid; makes thighs sore.

Leucorrhœa watery, burning, acrid, with itching, burning and swelling of the pudendum.

AMMONIUM MURIATICUM.

(*Ām-mō'-nī-ūm Mū-rī-āl'-ī-kūm.*)

Sal Ammoniac.

NH₄CL.

Suitable to sluggish persons, corpulent, but thin limbed.

Violent inflammation of mucous membranes. Throbbing of arteries attended by anxiety and weakness. Face reddens during animated conversation in a warm room.

Pain in left hip as if tendons were too short, making patient limp. Sciatica, pain worse sitting, somewhat better by walking, but entirely relieved by lying down.

Affects fibrous tissue about joints, causing a feeling of constriction; relieved by continuous motion.

Tensive pains in groins as if she had strained herself, compelling her to walk bent.

Stools crumble while passing anus, with great effort. Tough mucus with stool.

Leucorrhœa, brown and lumpy, or else clear albuminous; follows every urination.

Coryza. Nose stopped up worse at night; one nostril stopped at a time. Excoriating, watery discharge from nose, making nostrils and upper lip sore.

Mouth and throat filled with viscid phlegm expelled with difficulty. Throat swollen, cannot open mouth. Throbbing in tonsils

Violent cough which causes mouth to be filled with saliva. Hoarseness, burning, and rawness in larynx.

Coldness between shoulder blades in chest affections. Heaviness in chest.

Chills and fever return every seven days.

ANACARDIUM ORIENTALE.

(*An-a-kār'-dī-ŭm Ō-rī-ĕn-tā'-lē.*)

Marking Nut.

Anacardiaceae.

Loss of memory, the sequela of disease; variola, typhoid fever, or result of softening of the brain.

Feels that he has two wills which are not in harmony. Great propensity to swear. Inclination to commit suicide by shooting.

Tearing headache in forehead and back part of head, the result of fatigue. Sensation as of plug in the head, or of a band tied about the head.

Hungry much of the time. Better while eating but worse after eating.

Constipation of bowels; but when attempt is

made desire passes away. Rectum seems powerless. Sensation as of plug in rectum.

Umbilicated vesicles, pock like appearance, containing yellow serum, which hardens into crusts in the open air.

Sensation as of plug in various parts is characteristic.

ANTIMONIUM CRUDUM.

(*Ān-tī-mō'-nī-ŭm Kroo'-dŭm.*)

Sulphide of Antimony.

SB, S₈.

Thick, milky white tongue, as if white-washed. Stomach weak; easily disturbed digestion. Gastric catarrh, caused by overeating, bread, pastry, sour wine, hot weather, river-bathing, during measles. Metastasis of gout or rheumatism.


Vomiting of mucus, of food or drink as soon as taken. White tongue and no thirst. Belching with taste of what has been eaten.

Sore, cracked and crusty nostrils and corners of the mouth.

Finger nails grow in splits, like warts with horny spots. Brittleness of nails. Corns and callosities on soles of the feet, with great tenderness. Great sensitiveness of soles when walking.

Arthritic pains in fingers.

Diarrhœa, worse from acids, sour wine, or over-



heating, river bathing, at night, and early in the morning.

Alternate diarrhoea and constipation. Difficult, hard stool, fæces too large. Mucus piles, pricking and burning; sometimes with ichorous discharges.

Stools watery, with little, hard lumps.

Most trouble worse in warm weather, or from heat of sun.

Child cries when washed in cold water.

Chronic redness of eyelids. Eyes inflamed, with itching, and nightly agglutination.

ANTIMONIUM TARTARICUM.

(*Ān-tī-mō-nī-ŭm Tār-tār-ī-kŭm.*)

Tartar Emetic.

$2\text{KsbOC}_4\text{H}_4\text{O}_6$.

The secretions in general are increased, with nausea, vomiting, with great depression of the heart, pulse, and temperature, causing rapid waste of the tissues.

Nausea, vomiting, loose stools, prostration, cold sweats, with drowsines. (Cholera Morbus.)

Relief from nausea after vomiting.

Desire for acids, fruits, and cold drinks.

Nausea, with deathly anxiety. Vomiting of mucus, with diarrhoea. Cutting colic, throbbing; weight in the stomach.



Diarrhœa; cold, pale face, covered with cold sweat.

(Child will not allow itself to be touched, bad humor.)

Tongue coated white, pasty, with raised papillæ, red edges, or very dry in the center.

Fluent coryza, with tension at the root of the nose.

Great accumulation of mucus, with coarse rattling. The chest seems full of phlegm, with inability to get it up.

Child gets angry when it coughs. Cough rattling, suffocative, must sit up to get air.

Violent pain in the lumbo-sacral region or kidneys, the slightest movement causes sharp, sticking pain, and cold, clammy sweat.

Great trembling and weakness of the limbs.

Yawning; irresistible inclination to sleep.

Eruption, vesicular, discrete, becoming pustular with red areola.


APIS MELLIFICA.

(*Ā'-pīs Mēl-līf'-ī-ka.*)

Honey Bee Poison.

Hymenoptera.

General drowsiness, without thirst, even with high temperature. Aggravation 4-5 P. M. and from heat. More or less apathy, with quick, stinging pains which may make patient cry out.



Dropsical, or inflammatory swellings. Erysipelas-like, puffy, with stinging pains.

Prostration. Stupor, interrupted by piercing shrieks. Muttering delirium, with sudden shrill screams.

Hydrocephalus. Child lies in stupor; with sudden shrieking cries, grinding teeth, boring head in the pillow. Head wet from sweating. Urine scanty.

Squinting of eyes with burning, shooting pains, and redness of the conjunctiva. Profuse scalding tears. Photophobia. Œdematous, with bag-like swelling under the eyes.

Swollen, red, hot ears.

Nose swollen and œdematous.

Face red, swollen, with piercing pain. Face pale and œdematous in dropsical affections.

Tonsils swollen, bright red, stinging when swallowing. Throat dry, hot, and stinging. Uvula swollen, like a bag of water. General swelling of the throat with difficult breathing.

Sharp, stinging pains and soreness in abdomen, aggravated by touch.

Burning and stinging pains in region of uterus and ovaries.

Burning, stinging pains throughout entire front of chest, which feels as if bruised or beaten.

Urine scanty, high colored, with burning and soreness when urinating; sometimes suppressed.

Scrotum swollen, red, œdematous; hydrocele.



Periodical chills at 3:00 P.M.

Heat predominates, with drowsiness, and without thirst.

Hemorrhage from bowels with burning pain. Diarrhœa with extreme weakness; stool with every motion of body as if anus stood wide open. Awkward, lets everything drop.

APOCYNUM CANNABINUM.

(*A-pōs'-i-nūm Kān-na-bī' nūm.*)

Indian Hemp.

Apocynaceæ.

Dropsies, especially when due to cardiac or hepatic troubles. General dropsical conditions of serous membranes. Acute hydrocephalus, with open sutures, sight impaired, constant motion of one arm and leg.

Bloating of abdomen and legs in young girls with amenorrhœa. Metrorrhagia.

Hydrothorax after scarlatina. Bloating of face only when lying down.

There is great thirst with the dropsy, but water is immediately thrown from the very sensitive stomach. Nausea and vomiting with great distress on taking food or drink. Distension of abdomen so great as to impede breathing, with short, dry cough.

Weak heart action, sensation of sinking of the heart. Vertigo when rising from stooping.



Constipation, but not from hard stool, but from inactivity of the bowels. Tenesmus with sore feeling in rectum.

Acute inflammatory dropsy.

Excretions diminished, especially urine and sweat.

Dropsy after the abuse of quinine.

ARGENTUM METALLICUM.

(*Är-jën'-tüm Më-täl'-lë-küm.*)

Metallic Silver.

Ag.

Its general action is upon the mucous membranes, pharynx, stomach, bowels, genito-urinary and respiratory tracts.

Spinal irritation, with pains in the extremities, with tendency to spasmodic action of the muscles.

Acts upon the cartilages and joints, producing arthritic, bruised pains in joints.


Tenderness; tearing pains in the long bones.

Violent, fluent coryza, with frequent sneezing, mornings.

Constant tickling of throat produced by coughing or singing.

Hoarseness, rawness, soreness in larynx in professional singers and speakers. Great weakness in chest.

Raw spot in trachea with hoarseness worse when using the voice.



Prolapsus uteri; pain in the left ovary; pain in the small of the back, extending to front and downwards.

Suitable for thin, tall, irritable persons

After abuse of mercury and constitutional effects of onanism.

ARGENTUM NITRICUM.

(*Är-jën-tüm Nî-trî-küm.*)

Nitrate of Silver.

AgNO₃.

Causes violent inflammation with ulceration of throat and stomach and mucous surfaces in general.

It produces a change in the red corpuscles resulting in general mal-nutrition. Ecchymosis.

Muco-purulent discharge from mucous membranes, with sharp, splinter-like pains. Great weakness with coldness.

Increased flow of bile and finally degeneration of the liver.

Loss of memory, apprehensive, always anxious, irritable and nervous.

Time seems to pass too slowly; impulsive, must walk fast.

Head feels enlarged, congestive fulness, aggravated by any exhaustive mental labor, from dancing, etc. Better from pressure or tight bandaging.

Vertigo, with buzzing in the ears, weakness and trembling.

Ophthalmia; conjunctiva swollen. Ulceration of the cornea. Intensely swollen carunculæ lachrymalis. Asthenopia. Ciliary blepharitis.

Eye symptoms better from cold applications, worse from heat, as from stove.

Tongue red at tip. Enlarged papillæ.

Uvula and fauces dark, covered with tenacious mucus. Splinter-like pains in throat, worse when swallowing.

Great craving for sugar.

Flatulent dyspepsia. Belching after every meal. Stomach as if it would burst with wind; belching difficult, finally air rushes out with great violence.

Gastralgia worse after eating and on motion. Pains radiate in all directions.

Diarrhœa: green mucus, like chopped spinach in flakes; turning green after remaining in diaper. After drinking; candy or sugar; masses of mucolymph in shreds with much noisy flatus.

Diarrhœa as soon as he drinks.

Urine passes unconsciously day and night.

Impotence. Erection fails when he makes the attempt.

Coition painful (in both sexes); followed by bleeding from vagina.

Prolapsus with ulceration of os uteri.

Larynx sore and raw. Chronic laryngitis of singers. Raising voice causes cough.

1. The first part of the paper is devoted to a discussion of the general principles of the theory of the structure of the human brain, and the second part to a description of the results of the experiments.

2. The first part of the paper is devoted to a discussion of the general principles of the theory of the structure of the human brain, and the second part to a description of the results of the experiments.

3. The first part of the paper is devoted to a discussion of the general principles of the theory of the structure of the human brain, and the second part to a description of the results of the experiments.

4. The first part of the paper is devoted to a discussion of the general principles of the theory of the structure of the human brain, and the second part to a description of the results of the experiments.

5. The first part of the paper is devoted to a discussion of the general principles of the theory of the structure of the human brain, and the second part to a description of the results of the experiments.

6. The first part of the paper is devoted to a discussion of the general principles of the theory of the structure of the human brain, and the second part to a description of the results of the experiments.

7. The first part of the paper is devoted to a discussion of the general principles of the theory of the structure of the human brain, and the second part to a description of the results of the experiments.

8. The first part of the paper is devoted to a discussion of the general principles of the theory of the structure of the human brain, and the second part to a description of the results of the experiments.

Great weakness and trembling of limbs.

Convulsions preceded by great restlessness.

Periodical trembling of the body.

Paraplegia from debilitating causes.

Bluish black eruptions.

Scarlatina. Erysipelatous bed sores.

Think of *Argentum Nitricum* when seeing old, withered, dried up patient.

The main difference between *Argentum Metallicum* and *Argentum Nitricum* is that the latter acts more on mucous membranes, the skin, and especially on bones and periosteum, and is beneficial to herpetic patients, while the former acts especially on the cartilages.

ARNICA MONTANA.

(*Är'-nî-ka Mön-tä'-nä.*)

Leopard's Bane.

Compositæ.

Has a profound action on the blood, causing anæmia, hemorrhages, ecchymosis, sharp neuralgias, and general mal-nutrition, a low type of typhoid fever; rheumatic and cutaneous affections.

Great soreness of the flesh is characteristic. Bruised feeling of flesh everywhere, aggravated by touch, evening and nights. Ameliorated in clear, cold, stimulating weather.

It so changes the capillaries that the blood oozes through their walls. A venous stasis which causes an extravasation of blood.

Useful in chronic and acute injuries.

Applicable to conditions of traumatic origin.

Stupefaction, loss of sight and hearing.

Stupor with involuntary discharge of fæces, confusion of head, forgetful.

Fear of being touched or struck by persons coming toward him.

Apoplexy, with involuntary evacuation of bowels and bladder.

Retinal hemorrhage. Traumatic ulceration.

Nosebleed from mechanical causes; in typhoid.

After filling of teeth, toothache, gums sore and swollen.

Eruclations: bitter and like rotten eggs, in the morning.

Vomiting of dark red coagula, mouth bitter; general soreness. Hæmatemesis from injuries.

Flatus smelling like rotten eggs.


Ischuria with dysentery. Bloody urine.

Threatened abortion from shock, falls; feels bruised.

Soreness of parts after labor. Mastitis from bruises. Sore nipples.

Whooping cough. Child cries before paroxysm. Cough causes bloodshot eyes, nosebleed, expectoration of blood.

Pleurisy and pneumo-thorax after mechanical



injuries. Lassitude and sluggishness of whole body, with great sinking of strength. While answering falls into deep sleep before finishing.

Is often kept awake by restlessness and constant desire to change position. Everything on which he lies seems too hard.

Head and face alone hot, body cold

Myalgia, gout, and rheumatism.

Mechanical injuries.

Many small painful boils, one after another.

ARSENICUM ALBUM.


(*Ār-sēn'-ī-kūm Āl'-būm.*)

Arsenious Oxide.

As₂O₃.

An irritant poison affecting all the organs and tissues. Especially destructive to the blood, whence the appearance of profound anæmia. With this anæmia there is marked and rapid prostration; great physical and mental restlessness, fear of death, intense anxiety. He cannot find rest anywhere, changes place continually. Wants to go from one bed to another.

Face is pale with pinched looked (especially with abdominal complaints), or is unnaturally red, with cracked, dry lips. The tongue is dry and morbidly red. The gums bleed easily. Aphthæ of the mouth. Great dryness of the mouth with intense thirst. The patient drinks



frequently, but little at a time, on account of the extreme irritability and weakness of the stomach.

Vomits immediately after eating or drinking, with great exhaustion and fear of death.

There is burning in the throat extending to the stomach. Ulceration.

Craving for acids and brandy.

Burning with swelling and soreness of the abdomen, in enteritis.

Hemorrhage from the bowels.

Diarrhœa brownish black, often putrid, or thin, watery, acrid discharge, with burning in the rectum.

Burning on urination; hot, scanty urine with inflammation of the kidneys, and œdema of the lower extremities. Great weariness, unsteadiness, and twitching of the limbs.

Erysipelatous swellings of the sexual organs. Inflammation of the scrotum.

Menses too early and profuse, with dark hemorrhages between the menses.

Corrosive, thick, yellow leucorrhœa.

Exhaustion and dyspnœa from walking.

Feeling as of constriction of the chest, or as of fumes in the larynx, worse at night, must sit up in bed. Asthma worse after midnight.

Palpitation, with rapid, weak, irregular pulse with anxiety and weakness.

Acute coryza with acrid, burning watery discharge.

Burning of the eyes in the margin of the lids.
Redness of conjunctiva. Photophobia.

Burning, stinging pains as from red hot needles.
Neuralgia.

Painful burning, dry, scaly eruptions worse
from scratching and at night.

Fever with dry skin, shivering; wants to be
near the fire.

Great heat, external and internal, with great
restlessness and anxiety.

Sleepless until 3:00 A. M. Then disturbed
sleep until morning.

All conditions worse at night, and from cold;
better by heat.

The marked characteristic of arsenic is the
great burning when associated with great *restless-
ness* and *prostration*. *Burning*.

ARSENICUM IODATUM.

(*Ār-sĕn'-ĭ-kŭm Ī-o-dā'-tŭm.*)

Arsenicum Iodid.

AsJ₂.

Irritability with wakefulness.

Weariness of whole body with heaviness of
limbs.

Headache, dull, heavy, lasting all day. Worse
from stooping.

Burning in the eyes as if lachrymation would
set in.



Chronic strumous ophthalmia with ulceration.

Fluent coryza with paroxysms of sneezing.

(Hay fever.)

Soreness, rawness or scabbiness of the nostrils

Chronic otorrhœa with sanious discharge.

Hardness and distension of the abdomen from flatus. Flatus constantly discharged with burning in the rectum.

Diarrhœa, dark, offensive, worse in the morning when beginning to move about.

Short, dry cough; tightness of the chest.

Asthma.

Dry, scaly, burning, itching eruptions on various parts of the body.

Night sweats of phthisis.

ARUM TRIPHYLLUM.

(*Ā'-rūm Trī-fīl'-lūm.*)

Jack-in-the-Pulpit.

Araceæ.

Produces an inflammation of the mucous surfaces which may go on to the destruction of the tissue, together with a low type of fever.

There is great depression, as in a low type of scarlet fever. The patient is weak, irritable and low spirited. Low types of scarlatina, typhoid and diphtheria in which they continually bore in the nose and pick at the lips until they bleed. Picks at one place until it bleeds.

Fluent, acrid, ichorous discharge excoriating the alæ nasi or upper lips. Nostrils raw, nose obstructed. Discharge in the morning streaked with blood. Thick mucus. Worse left side. Drink passes up through the nose.

Lips burning, swollen, cracked and bleeding.

Tongue cracked, burning, and painfully sore and red. Papillæ elevated. Scarlatina.

Buccal cavity raw, sore and burning. Child refuses to drink.

Swelling of submaxillary glands, worse left side.

Urine scanty or suppressed.

Voice hoarse; clergyman's sore throat.

Uncertain, uncontrollable changing of the voice in singers and public speakers.

Typhoid forms of fever, picking at the ends of the fingers, at the dry lips until they bleed, boring in the nose, restless, tossing about the bed. Wants to escape.

Unconscious of what he is doing or what is said to him. Urine suppressed. Great weakness.

ASAFŒTIDA.

(*Ās'-a-fēŭ'-ī-da.*)

Asafoetida.

Umbelliferæ.

Has a profound action on the nervous system. Hysteria. Chorea. Globus hystericus with great flatulence.

Fits of joy and laughter, or of sadness and ill humor. Hysterical.

Nocturnal throbbing pains in and around the eye. Ulceration of the cornea, with burning, sticking pains from within outward, better from rest and pressure. Syphilitic iritis.

Great flatulence which causes sensation of pressure upward as if a lump were coming up, requiring frequent swallowing to keep it down. Causes great difficulty in breathing.

Burning and soreness in the esophagus with darting pains upward.

Small pulse with nervous palpitation. All symptoms worse after exertion or suppressed discharge. Better in the fresh air.

Swelling and caries of the tibia with splinter-like pains, worse at night and not relieved by motion.

Nervous patients and syphilitics who have taken much mercury.

AURUM METALLICUM.

(*Au'-rüm Mě-täl'-ŭ-küm.*)

Metallic Gold.


Au.

Melancholy, apprehensive, quarrelsome.

Suicidal tendency, wants to jump from a height.

Religious melancholy.

Vertigo; pains in the bones of the skull. Black



spots before the eyes. Double vision or only half vision. Sees only the lower half of objects. Feeling as of sand in the eyes. Corneal ulcer.

Roaring in the ears. Caries of mastoid. Foul odor from the nose. Syphilitic ozæna; caries of the nasal bones. Inflammation of the bones of the face.

Rush of blood to the head.

Anxiety about the heart. Palpitation.

Constrictive pain about the chest.

Swelling and induration of the testicles.

Inflammation of the uterus which is enlarged and prolapsed. Violent backache.

Symptoms all worse in cold weather, better from warmth.

Some complaints only in winter.

BADIAGA.

(*Băd-i-ă'-ga.*)

Fresh Water Sponge.

Spongiæ.

Soreness in the muscles and integument as if beaten.

Pain behind the eyeballs and in the temples, especially in the afternoon.

Stitches in the muscles of the back.

Indurated buboes which have been maltreated, hard as stone.



Enlargement and induration of the lymphatic glands.

Palpitation of the heart after pleasant excitement.

After mercury and tertiary syphilis.

BAPTISIA TINCTORIA.

(*Băp-tîzh'-e-a Tînk-tô'-rî-a.*)

Wild Indigo.

Leguminosæ.

Produces a profound effect on the blood with great depression. Low types of fever, typhoid and malaria.

Sore feeling over the entire body with intolerance of pressure.

Cannot lean against the back of a chair without pain. Feet get sore when resting on the floor.

Constantly changing the position from soreness of the parts lain upon, especially in sacral regions and hips. Thinks he is going to have bed sores, obliged to lie on his face to relieve back and hips.

General restlessness (cannot sleep quietly). Caused by sore feeling everywhere.

Weakness and prostration, especially of the lower extremities. Prostration comes on early.

Sometimes vertigo with tremulous weakness, as if recovering from a long illness.

Mental confusion, indifference. Inability to perform any mental or physical labor. Falls asleep while spoken to, or while answering. Cannot go to sleep because the body feels scattered about the bed, cannot get the pieces together. Thinks herself or limbs double.

Low fever; confused ideas; muttering delirium. Tendency to disorganization of the blood, resulting in offensive secretions; bad smell from the mouth; fetid discharges from the bowels; dark, red, offensive urine. Even sweat is offensive.

Face has a besotted expression, flushed with dusky hue.

Tongue yellow in center or yellowish brown with red, shining edges. Tongue dry, feels as if burnt.

Ulceration of the mouth, bad taste, and offensive breath. Dark, red, putrid ulcers in mouth and on tonsils. Dark red fauces. Tonsils and parotids swollen without much pain.

Restless at night with frightful dreams.

BARYTA CARBONICA.

(*Ba-rî'-ta Kär-bôn'-î-ka.*)

Barium Carbonate.

BaCO_3 .

A remedy which affects especially the glandular structures, showing general degenerative changes,

General physical and mental weakness simulating old age.

Applicable to both extremes of life, with mental and bodily weakness. Memory deficient, forgetful, inattentive. Physical and mental backwardness even to imbecility. Threatened idiocy in children. Child does not play, sits doing nothing; slow in learning; forgets what he is told. Dwarfed children who do not grow. Scrofulous ophthalmia.

Bloated abdomen with frequent attacks of colic, with bloating of the face and general emaciation.

Appetite may be great, but food is not assimilated because of involvement of mesenteric glands.

Old persons, with aversion to strangers, fear the presence of others. Think they are laughed at. Easily angered and cowardly.

Old people with paralysis after apoplexy. Childishness, loss of memory, trembling of limbs and paralysis of tongue.

Child's tongue hangs out with silly, vacant look. Multiple sclerosis.

Hypertrophy and induration of testicles and prostate in old men with mental and physical weakness.

Tonsillitis, especially in children with indurated glands, who take cold easily. Tonsils prone to suppurate.

Induration of submaxillary and cervical glands.

Every little exposure brings on headache, backache and diarrhoea.

Toes and soles of feet get sore from offensive foot sweat.

Throat affected after suppressed foot sweat.

Scanty menses in dwarfish old maids, with great weight about pubes.

Toothache with swelling of gums before the menses.

BARYTA IODIDE.

(*Ba-ri'-ta I-ō-dide.*)

Iodid of Barium.

Ba I, 2H, O.

Has profound action on glandular system causing hypertrophy of connective tissue resulting in sclerosis.

Very excitable, restless, changing position often; seems to dread any little occurrence; dreads strangers.

In chronic cases, bodily and mental weakness.

Imbecility; no desire for mental or physical action.

Induration and enlargement of the glandular system with great torpidity and sluggishness.

Child scrofulous, emaciated, dark complexioned; takes cold very easily, especially in damp weather.

A left sided remedy.

Worse in cold, damp weather.

Induration of testicles, ovaries and breasts,



BELLADONNA.*(Běł-la-dŏn'-na.)***Deadly Nightshade.****Solanaceæ.**

Acts upon the circulatory system, producing a rapid heart's action, full pulse, with dilation of the peripheral vessels. Accompanying there is delirium ending in stupor, dilation of pupils, suppressed secretions, scarlet redness of the skin, with high fever, increased or suppressed urine.

Special senses painfully acute, whence the great irritability, often going so far as to end in convulsions, which are brought on or aggravated by the slightest touch. With convulsions often wild delirium, livid face, violent throbbing of carotids, injected eyes, with dilated pupils; furious delirium; desire to escape with striking or biting.

Rush of blood to the head with intense stupefying headache, pulsating or jerking, worse from the least jar, and from light and noise. Headache worse lying down; sits up in bed.

Bores the head in the pillow. Meningitis.

Dilated pupils, staring expression or squinting with great photophobia. Violent degree of conjunctivitis, spasm of muscles of the eye.

Tearing pains in the ear; great sensitiveness to noise; ringing in the ears.

Parotid gland hot and swollen.

Nose swollen and hot. Upper lip swollen.
Nosebleed with congestion to head in children.

Great heat and redness of face. Tearing pains
in the face and jaws. Tetanic closure of jaws.

Drawing pains in the teeth; toothache from
cold worse from eating.

Grinding of teeth.

Tongue dry and red; soft palate bright red and
swollen.

Great inflammation and dryness of the throat
with shooting pains on swallowing, turning the
head, or touching the neck. Spasm of the throat
when attempting to swallow.

Tonsillitis worse on right side; parts dry, red
(glazed) with throbbing carotids.

Aversion to food. Burning dryness in the
stomach with great thirst, but dread of drinking.
Burning in the stomach after eating or drinking.

Sensitiveness of region of stomach to touch.

Abdomen tender, distended, with constrictive,
cutting pains. Flatulent colic.

Diarrhoea, greenish or bloody, with straining
and tenesmus.

Scanty, yellow or turbid urine, passed in drops
with pressure in region of bladder.

Great dryness of vagina with congestive ful-
ness as if organs would press out. Tenderness
on slight pressure over ovarian region. Menses
too early, clotted, horribly offensive. Discharge
of bright red and hot blood.

Larynx dry with feeling of constriction.

Hoarseness with dry barking cough, in paroxysms from tickling in back of throat.

Violent palpitation of heart, with tightness of chest, extending to abdomen; feeling as of rush of blood to chest.

Mammary glands inflamed, hot and sensitive.

Skin dry, hot, and burning, with scarlet redness, smooth eruption, and desquamation. Scarletina.

Pustular eruptions with great sensitiveness. Skin scarlet and smooth.

Sleep heavy and stupefying, or restless with talking, starting, and spasmodic twitchings. Can sleep only when sitting up. Awakens with frightful dreams.

Persistent fever with dry, burning hot skin; sweat on head only.

Alternating chill and heat. Internal chill with external burning heat. Heat of head and coldness of extremities.

Pains come on suddenly and depart suddenly.

Aggravations: from touch, noise, light, heat of sun, draught of air, lying down, and after 3:00 P.M.

Better from rest, standing or sitting erect; from warm room.

BENZOIC ACID.*(Bĕn-zō'-ic As'-id.)*

Especially adapted to those of gouty or rheumatic diathesis, associated with marked changes in the quantity of the urine, which is brown in color, but deposits little or no sediment, is horribly offensive and of acid reaction.

When occurring with large prostate and dribbling of urine the odor of the clothing is extremely offensive.

Vesical catarrh of suppressed gonorrhœa.

Nocturnal enuresis of children. Irritability of the bladder, with hot, scalding urine.

Tearing, stitching pains in the joints, especially of the great toe and fingers. Gouty concretions in the joints.

Diarrhœa, very offensive and liquid, often white and very exhausting.

Diarrhœa of children.

Prolapsus uteri with fetid urine.

BERBERIS VULGARIS.*(Bur'-be-ris Vül-gä'-ris.)***Barberry.****Berberidaceæ.**

Has especial action on the kidneys, bladder, liver and mucous membrane.



Nutrition is affected as shown by sunken, pale face and excessive prostration. Sickly expression. The eyes are surrounded by dark circles.

Burning and soreness in region of kidneys worse from deep pressure. Cutting pains from kidney to bladder, worse on left side.

Sticking pains radiate from the kidneys.

Small of the back feels stiff and numb. Persistent pains, tearing, shooting, sticking.

Bubbling sensation in the region of the kidneys.

Gall stone colic followed by jaundice, and clay colored stools.

Urine yellow, turbid, with whitish, flocculent sediment, later becoming red and mealy.

Burning soreness in rectum with frequent desire for stool.

Female complaints associated with peculiar urinary symptoms.

All symptoms worse by sudden movement or jarring.

BORAX.

(*Bö'-răx.*)

Borax.

$\text{Na}_2\text{B}_4\text{O}_{10}\cdot 10\text{H}_2\text{O}$.

Marked tendency of the mucous membranes to ulceration.

Aphthæ in mouth, on tongue, or inside of cheek, bleed easily, are painful and prevent the child from nursing. Hot, dry mouth.

Infant is pale, of earthy complexion, its flesh is soft and flabby, refuses the breast and cries out in sleep, easily frightened at every noise, even when distant, at coughing or sneezing; starts at rustling of newspaper or slamming of door.

Hair tangles at tip, and if cut off tangles again.

Great dread of downward motion, as if afraid of falling. Clings to the nurse when attempting to lay it down. This peculiar nervous phenomenon is very characteristic and unlike any other remedy.

Frequent urination with screaming before urination, in children.

Profuse albuminous leucorrhœa.

Muco-purulent otorrhœa.

Skin unhealthy, with tendency of every scratch to suppurate.

BOVISTA.

(*Bō-vīs'-ta.*)

Puff Ball.

Fungi.

Has a marked action on the circulatory system, causing hemorrhages.

General weakness and powerlessness in the joints.

Awkwardness, lets everything fall from his hands.

Weak memory and dulness, with great restlessness.



A general sensitiveness.

A sensation as if different organs of the body were too large; *e. g.*, head, heart, uterus, hands, etc.

Discharge from the mucous membranes tough, stringy, tenacious.

Œdema of the flesh, causing deep impression on the fingers from using scissors.

Diarrhœa before and during menses.

Menses too often, with dark clotted blood; flow only at night, with occasional flow of blood between periods.

Leucorrhœa like the white of an egg a few days before menses; also green and corrosive, leaving spots on clothes.

Intolerable itching of the tip of the os coccyx, with scratching until the parts become raw.

Urticaria covering the entire body caused by tar.

Red, scabby eruption on the thighs and bend of the knees, also tetter on the back of the hand.

BROMIUM.

(*Brô'-mî-ŭm.*)

Bromine.

Br.

In this remedy there is an intellectual weakness and melancholy.

1. The first step is to identify the problem or goal. This involves understanding the current situation and what needs to be achieved.

Anæsthesia of the mucous membranes, especially throat and eyes.

Loss of sexual power, with pimples on the face.

Vertigo worse when looking at running water or when moving rapidly.

Vertigo with an anxious state of the mind.

Enlargement and induration of the glands, which may suppurate, with excoriating discharges and persistent hardness about the opening.

Breast hard, with throbbing, cutting pains which feel as if a string was pulling from the gland into the axilla.

Glandular affections in fair-skinned, blue-eyed persons.

Rawness in the throat with tonsilitis.


Profuse, watery coryza, which excoriates the nostrils; alternately stopped.

Hoarseness, loss of voice, with raw feeling in the throat; worse in the afternoon.

Breath short and obliged to catch for it, as if there was smoke in the air passages.

Spasmodic closure of the glottis.

Every inspiration provokes cough; every time child coughs the larynx seems full of loose mucus.



BRYONIA ALBA.*(Bri-ō'-ne-a Al'-ba.)***White Bryonia.****Cucurbitacæ.**

Produces inflammation of the various internal organs.

It acts upon the serous membranes and the organs they contain, particularly the lungs and pleuræ, associated with a low type of fever.

The pains are stitching and sharp, aggravated by the slightest motion and made better by continued deep pressure, which prevents motion of the parts.

There is a general ill humor, patient wants to be let alone, is easily angered, "wants to go home," dreads the future, is anxious about his condition. Sensation as if he were sliding down in bed. Typhoid. Dreams of work of previous day. Delirium about his business.

Headache, full, pressive, in forehead, with tendency to extend to occiput, neck, and shoulders, especially in morning when awaking, worse raising the eyes and stepping hard. Deep, stitching pain in the brain when coughing.

Headache from ironing, from washing perspiring face in cold water.

Headache as if the head would split.

Scalp very tender to touch, hair greasy. Severe burning of the eyes with lachrymation.

Eyeballs painful, cannot bear to have them touched.

Nosebleed in the morning, at 3:00 A. M.

Fluent coryza, watery or greenish.

Catarrh extending to frontal sinuses or to chest.

Face red and hot, with upper lip and nose swollen. Lips parched and cracked, with great thirst.

Constant motion of mouth as if chewing. (Brain affection.)

Toothache relieved by cold water, aggravated by warmth.

Taste flat, sweetish, offensive, bitter; tongue coated white, or cracked and dark brown color. Great dryness of lips and mouth, with thirst for large quantities of water. Dryness of throat.

Desires things immediately, which when offered are refused.

Sour, bitter eructation, nausea and vomiting in morning brought on by slightest motion; after eating pressure like a stone in the stomach.

Diarrhoea, bilious, acrid stool, with soreness in anus, worse during hot weather. Obstinate constipation, large, dark, hard stool, as if burnt, or rather scanty.

Urine scanty and dark, with deposit of pinkish sediment.

Severe pain in the region of ovary, aggravated by motion and touch.

Menses too early and too profuse, blood dark;

or menses suppressed, with frequent bleeding from the nose.

Lochia suppressed, with pain in the head as if it would burst.

Inflammation of mammæ, pale, but hard and painful. Milk suppressed or very scanty.

Tickling in the larynx and trachea with tough mucus loosened with difficulty. Dry hacking cough in upper part of trachea with sticking under the sternum. Cough seems to come from the stomach.

Sharp sticking pains in the chest; obliged to hold chest with hands when coughing. All pains through the chest are sharp, sticking and worse from motion.

Stitching in the region of the heart. Heart beats violently and rapidly. Pulse full, hard, rapid, and tense.

Extremities, sore; bruised feeling.

Hot, pale, swelling of the joints, worse from motion. Rheumatism with redness and swelling of the joints.

Sleeplessness on account of bad dreams and rush of ideas. Thoughts crowd upon one another.

One chief characteristic of Bryonia is aggravation from any motion, relieved by absolute rest, either mental or physical.

CACTUS GRANDIFLORUS.

(*Käk' tūs Grän-dī-flō'-rūs.*)

Night Blooming Cereus.

Cactaceæ.

Has a decided influence upon the heart, disturbing its action, and at the same time predisposing to hæmorrhages.

Hypochondriasis, fear of death, believes his case incurable. Sadness, weeping mood, love of solitude. Vertigo from congestion, face red and bloated; pulsation in the brain; congestion to brain, with pain like a weight on vertex; pulsating headache worse on right side, at night, caused by excitement.

Hæmorrhage from all outlets of the body.

Great characteristic of this remedy is the sensation as if an iron band surrounded the affected organ.

Difficult breathing, with oppression and uneasiness as if the chest were constricted by an iron band.

Suffocation with fainting; cold sweat on face, and loss of pulse.

Oppressed breathing with a sensation as of weight on chest.

Pain in the middle of sternum as if part were seized with iron pincers, becoming worse on motion with oppression of breathing.

100

101

102

103

104

105

106

107

108

109

110

111

112

113

114

115

116

117

118

119

120

Acute stitching pain in the heart with oppression of breathing.

Constriction of heart as by an iron band. Rapid, short, irregular beating of the heart on rapid motion, with sensation of pressure and weight.

Palpitation worse when working and at night when lying on left side.

Dysmenorrhœa with prostration. Menses too early, dark and rather abundant. Menstrual flow ceases when lying down.

Fever paroxysms return at 11:00 A. M. and 11:00 P. M.

CALCAREA CARBONICA.

(*Kāl-kā'-re-a Kār-bōn'-ī-ka.*)

Calcium Carbonate.

CaCO_3 .

“Fat, fair, and flabby.” Leuco-phlegmatic temperament; children who take cold readily because of their tendency to perspire easily. Head sweats profusely when sleeping, wetting the pillow. Head large, with open fontanelles and sutures. Tendency to curvature and irregular development of the bones, with delayed and difficult dentition.

Rachitis. Child can not and will not try to walk. Abdomen swollen like an an inverted saucer.

Girls who grow too rapidly, are fleshy and plethoric, with menses too early and too profuse and too long lasting, later with amenorrhœa and chlorosis. Great sensitiveness to cold.

Women with above-mentioned menstrual troubles associated with habitually cold and sweaty feet as if they had on cold, damp stockings, even in bed. Menses return at the least mental excitement. Fears loss of reason, or that people will observe her confusion of mind.

Applicable to diseases the result of faulty nutrition; rachitis, scrofula, tuberculosis. Lung diseases of rapidly growing, tall, slender youth.

Sweat of single parts, often with coldness. Foot sweat offensive, with rawness of soles of feet.

Troubles arising from working with feet in cold water, clay, or on cold damp pavements.

Feels better when constipated.

“A sour baby;” sour eructation, sour stomach, sour vomiting, sour stool, even the odor from the body is sour.

Stools at first hard, then pasty, then liquid, offensive, like rotten eggs. Yellowish, gray, or clay-like, watery, undigested and hard, often of a sour smell. Stools like lumps of chalk, in children during dentition.

Bleeding hæmorrhoids, worse from walking, better from sitting, cause pain even from loose stool,

Will not eat meat, but great desire for wine, eggs, and sweet things.

Sour vomiting after taking milk.

Self-willed children inclined to fatten.

Child scratches the head when sleep is disturbed or it is awakened.

General sense of weakness and lassitude of limbs such as one feels after a fever.

CALCAREA PHOSPHORICA.

(Käl-kär'-e-a Fös-för'-i-ka.)

Calcium Phosphate.

Ca_2PO_4 .

Persons of dark complexion, dark hair and eyes; thin spare subjects with general tendency to emaciation. Children slow in learning to walk, emaciated, unable to stand; with sunken, flabby abdomen.

Thin and brittle cranial bones; both anterior and posterior fontanelles remain open long, or close and reopen; with delayed or complicated teething. All complaints worse when thinking about them.

School girls that grow rapidly, but are anæmic and suffer from headaches.

All complaints worse in damp, cold, or changeable weather, or when snow melts with east winds, or when thinking about his symptoms. Craving for bacon or ham.



Neck is thin or weak and cannot support the head, which falls from side to side.

Spine weak, disposed to curvatures. Rachitis. Non-union of bones; promotes callous.

Colic after feeding; stools green, slimy, accompanied by a great deal of fetid flatus. Mentally depressed, stupid.

Rheumatic pains in the extremities after getting wet.

Women with uterine displacements whose joints ache at every change of the weather, worse by passage of stool or urine or in damp, cold weather. Sacro-iliac symphysis sore as if separated or broken.

CAMPHORA.

(*Kām-fō'-ra.*)

Camphor.

$C_{10}H_{16}O$.

Camphor produces various nervous conditions, such as convulsions, hysterical and epileptiform.

Great coldness of the body, with profound collapse and feeble action of the heart. Pain better while thinking of it.

Mental excitability, afraid to be alone. Anxiety and restless tossing about, with palpitation of the heart.

Fluent coryza on sudden change of the weather. Icy coldness all over the body, with deathly pallor, at the same time desire to be uncovered.

Cold, clammy, exhausting sweats, with a complete prostration of the vital forces.

After taking cold, loose watery discharges; dark or black or rice water stools. Summer complaint. Diarrhœa, great prostration, very cold, yet will not be covered.

Diarrhœa, colicky pains with great sensitiveness to cold air.

Absence of discharges; body icy cold. Cholera.

Surface of body cold, pinched face, lips blue, profound prostration from effects of shock.

Sudden and great sinking of strength.

Vomiting and diarrhœa suddenly cease; child lies almost unconscious, with blue face and hands, cold tongue, icy coldness of body, and hoarse weak voice.

Cerebro-spinal meningitis. Coldness of the whole body.

Camphor antidotes a great many homœopathic remedies.

CANNABIS INDICA.

(*Kān'-na-bīs Īn'-dī-ka.*)

Indian Hemp.

Urticacæ.

Affects chiefly the mind.

Extreme forgetfulness and absent mindedness; forgets what he is about to do or say or what he has just said. Unconsciousness every few minutes.

Time and distance seem immensely exaggerated; a few seconds, years; and objects near at hand a great distance away.

Imagines he hears music, shuts his eyes and is lost in delicious thought.

Exaltation of spirits. Loquacity.

Incoherent talk. Uncontrollable laughter, until the face becomes purple and the back aches.

Headache, with feeling as if the head opened and shut.

Sensation as of a ball in the rectum and urethra.

Stitching in the urethra during and after urination. Copious colorless urine.

Oozing of white, glairy mucus on squeezing glans penis. Penis relaxed and shrunken. Itching of glans. Chordee.

Erections while walking, riding, or sitting, not caused by amorous thoughts.

Sensation as of water dropping from the heart.

Drowsy, stupid expression of the face.

Lips dry and sticky, with thick sticky saliva.

CANNABIS SATIVA.

(*Kān'-na-bīs Sa-tī'-va.*)

Hemp.

Urticaceæ.

Acts especially on the mucous membrane lining the urinary tract, producing excessive irritation, inflammation and mucus discharge; a picture of gonorrhœa.

Burning while urinating, worse just after urinating. Burning pain in forepart of urethra when not urinating, compelling him to urinate almost constantly, even when there is no more urine to pass.

Urine scanty, red, or white and turbid; full of mucus and pus Strangury.

Burning, biting pain, extending backward from orifice when urinating, posteriorly more sticking and biting when not urinating.

Micturition in a split stream.

Urethra very sensitive; constrictive pain in anus, cannot walk with legs close together, because of the pressure on the urethra. Gonorrhœa. Painful erection with swollen penis.

Soreness and inflammation of the kidneys and bladder, drawing pain from kidneys to inguinal region with nausea in pit of the stomach.

Increased sexual desire particularly in sterile women.

Oppressed breathing with pain in the middle of the sternum. Obligated to breathe deeply. Wheezing and mucus râles.

Tough mucus in the lower part of the trachea, worse in morning, only dislodged after long coughing.

Sensation as if drops of cold water were falling on the head; from anus; from heart.

THE HISTORY OF THE

THE HISTORY OF THE

THE HISTORY OF THE

THE HISTORY OF THE

THE HISTORY OF THE

THE HISTORY OF THE

THE HISTORY OF THE

THE HISTORY OF THE

THE HISTORY OF THE

THE HISTORY OF THE

THE HISTORY OF THE

THE HISTORY OF THE

THE HISTORY OF THE

THE HISTORY OF THE

THE HISTORY OF THE

THE HISTORY OF THE

THE HISTORY OF THE

THE HISTORY OF THE

THE HISTORY OF THE

THE HISTORY OF THE

THE HISTORY OF THE

THE HISTORY OF THE

THE HISTORY OF THE

THE HISTORY OF THE

CANTHARIS.*(Kān'-tha-rīs.)***Spanish Fly.****Cantharis Vesicatoria.**

Cantharis has a special affinity for the mucous and serous membranes and the skin; setting up a violent inflammation of the entire gastro-intestinal canal, especially the lower bowel and the urinary organs.

There is a burning and urging to urinate.

Desire comes on every few minutes, so urgent he cannot resist; but the urine does not pass freely but dribbles away, with burning cutting pains. Painful erections. Priapism, chordee.

Violent tenesmus and stranguary.

Urine deep red color or mixed with blood; deposits a sediment of mucus and casts of parts of the urinary tract.

Cutting pains in the urethra before, during, and after urination. Cutting and contractive pain from kidneys down to penis. Calculi.

Burning, sticking, lancinating pains in the region of kidneys.

Pain in the loins with incessant desire to urinate.

White or pale reddish mucus stools like scrapings of intestines.

Bloody; worse at night with pressing, urging,

1

2

3

4

5

6

7

8

9

10

and burning at the anus. Burning, biting, and stinging in the anus.

Anxious and restless with pale death-like appearance during pains.

Burning pain while surface of body is cold.

Sexual desire increased, so violent as to disturb sleep.

Inflammation of the ovaries with cutting, burning pains.

Uterine hæmorrhages with great irritation at neck of bladder.

Swelling, itching of vulva with strong sexual desire.

Stitching burning pains in the chest with exudation from the pleuræ. Pleurisy. Expectoration of blood or of a pink mucus.

Burning biting in larynx. Air passages covered with a tough mucus, with painful hawking.

Erysipelas, vesicular form, begins on nose.

Blisters from rays of sun.

Burns before blisters form.

CAPSICUM.

(*Kăp'-sî-kûm.*)

Red Pepper.

Solanaceæ.

Produces an inflammation of mucous membranes, with bloody mucus discharges, from bowels, bladder and throat.

A pronounced chill and fever, neuralgias and inflammations.

Tendency to abscesses of lungs and ears.

Phlegmatic temperament, tendency to obesity, easily exhausted, indolent, dreads any sort of exercise.

Gets angry at trifles.

Chilly; dread of open air. Clumsy, fat, and dirty, disinclined to work.

Violent headache as if the skull would burst on coughing.

Influenza, with violent sneezing and discharge of thin or bloody mucus; with burning.

Mucous membranes in general burning and smarting, with mucous discharge.

Burning spasmodic constriction of the throat worse between the acts of swallowing.

Bloody, tenacious mucus, or greenish, frothy stools. Smarting, stinging, burning in the anus. Tenesmus and at the same time strangury of bladder. Erections.

Drinking after stool which causes shuddering.

Hæmorrhoids burning, swollen, itching, throbbing, with mucous discharge.

Chills begin in back with thirst worse after drinking, followed by heat or violent burning.

Hoarseness; irritation in trachea in evening after lying down, with a dry hacking cough. Cough expels offensive breath from the lungs. Threatening gangrene of the lungs.

CARBO ANIMALIS.

(*Kār'-bō An-ī-mā'-līs.*)

Animal Charcoal.

Suitable for old people or after debilitating disease; with veins distended and skin blue, especially of hands and feet.

Weakness with apprehension and melancholy, want of energy and confusion of the head, so that she could scarcely speak (after appearance of menses).

Weaker every day, although he eats and drinks.

Desires to be alone, is sad, reflective, and avoids conversation.

Severe pain in the vertex as if it would burst, must hold it with her hands.

Sensation as if brain would fall forward when stooping, followed by vertigo on rising.

Hearing obtuse, cannot tell where sounds come from.

Epistaxis in mornings, preceded by vertigo or by sense of pressure and confusion in the head.

Burning in mucous membranes of the mouth with looseness of teeth. Gums red, swollen and painful.

Taste of food eaten a long time previous. Waterbrash.

Induration of glands with lancinating, burning, cutting pains. Tendency to malignancy.

Hæmorrhoids swollen with burning pain when walking.

Menstruation, diarrhœa, and leucorrhœa are all attended by great prostration. So weak after menses appears that she can hardly speak.

Weakness and debility of joints which are easily strained from lifting. Weakness of ankles when walking so that they turn.

Offensive sweat at night which colors the linen yellow. Exhausting night sweats.

Abdomen greatly distended by flatus, many symptoms of flatulence.

CARBO VEGETABILIS.

(*Kär'-bō Věj-ět-äb'-i-lis.*)

Vegetable Charcoal.

The remedy preëminently for *debilitated states*. The *weakness* of Carbo vegetabilis is the most marked of any remedy. Weakness resulting from long continued debilitating sickness. Often indicated in the last stages of disease when the vital forces are nearly exhausted.

The patient is very pale, of almost greenish-yellow color, with swelling and cracking of the lips. The surface of the body is *cold* and especially the limbs from knees to feet, with cold sweat; even breath seems cold.

The adynamic condition is non-febrile.

Venous stasis, with blueness of the skin, and eschymotic spots.

Pulse is weak and thread-like and seemingly insufficient æration of the blood, for the patient gasps for breath and desires to be fanned constantly.

From the bowels there are dark unclotted hemorrhages; also oozing from the gums and nostrils.

Typhoid fever, and debilitating condition dating from some previous illness or injury.

Digestive derangements characterized by great flatulence. The over-fed patient with weak digestion; simplest food disagrees; everything seems to turn to gas. The "windy remedy." Distension of the abdomen, with rumbling and passage of much flatus. Flatulent dyspepsia.

Eructations of food; aversion to meat, fat, milk.


Salty taste of food and acidity of the stomach.

Distress worse when lying down.

Mental condition is one of inactivity, weakness of memory, anxiety and irritability.

Scalp is sensitive. Hat presses on head like a heavy weight, and sensation remains after hat is removed as if head is bound tightly with a cloth. Vertigo, must hold on to something.

Drawing pain in eyes as if from over-strain. Pain in muscles when looking up.



Tip of nose red; varicose veins of the nose. Persistent nose bleed, with pallor.

Gums retracted and sensitive. Teeth loose. Drawing toothache. Tongue sensitive and raw.

Roughness of voice, hoarseness in evening, worse in damp air.

Spasmodic suffocative cough. Chronic bronchial catarrh of old people. Fetid sputum. Epistaxis with pale face.

Burning pain in chest like a glowing coal.

Pulsation of the heart, weak, irregular, with palpitation.

Tearing pains in muscles of back and limbs; extremities go to sleep readily from pressure. Cramps in soles of feet.

Great restlessness at night, cold feet and knees. Chilliness and coldness, with thirst during coldness. Sour sweat in the morning.

Useful in last stages of disease where there is *cold skin, cold sweat, cold breath, cold tongue, voice lost.*

CARDUUS MARIANUS.

(*Kär'-dū-ūs Mär-ī-ā'-nūs.*)

St. Mary's Thistle.

Compositæ.

Acts prominently on the liver, causing soreness, pain, and jaundice, with general discomfort and weariness, sadness, and inclination to weep; forgetfulness.

Shooting pains in the hepatic region with moist skin. Pain in right hypochondrium and gastric region worse on pressure. Full feeling in right hypochondrium. Jaundice, with dull headache, bitter taste in mouth; tongue white, especially middle, with tip and edge red. Gall stones.

Stools pappy or difficult, brown and knotty. Bilious stool, with golden yellow urine.

Constipation alternates with diarrhœa.

Duodenal catarrh.

Has been used in cirrhosis of the liver with dropsy.

CAULOPHYLLUM.

(*Kāw-lo-fil-lūm Thāl-ik-troi'-dēz.*)

Blue Cohosh.

Berberidaceæ.

Has a profound action on the uterus. The characteristic is the intermittency of the pains. If they are neuralgic and reflex from uterine disorders they are intermittent in character.

Pains crampy, sharp, in bladder, groins, and lower extremities.

Uterine pains severe, but not expulsive; a kind of uterine atony.

Pains seem intolerable. Pains seem to fly about. Spasmodic, in groins, abdomen, and chest.

Labor pains; painful bearing down sensation; false labor pains.

Sensation as if uterus were congested with fullness in the hypogastric region.

Spasmodic dysmenorrhœa, with labor-like pains.

Passive hemorrhage after confinement or abortion. Lochia from atony of uterus. Threatened abortion from atony of uterus.

Severe after-pains, labor-like.

Rheumatism of small joints, with drawing pain in joints of arms, legs, hands, and feet.

Constant flying pains in arms and legs. Severe pains in wrists and joints of fingers.

Amenorrhœa; spasms, cramps, or great atony.

CAUSTICUM.


(*Kaw'-stî-kûm.*)

Hahnemann's Causticum.

The keynote to the action of this remedy is the paralytic weakness, weak pulse, lowered temperature, and diuresis.

Face is sallow and sickly looking with marked expression of low-spiritedness. Fearful and melancholy. Child nervous, anxious, and full of fears. Afraid to go to bed.

Weakness produces a weariness, with general sick feeling, as if severe illness were imminent.



Anxiety about the heart, with general bodily uneasiness. Apprehensive, conscious stricken. Inability to lie still a moment at night. Mental labor causes stitches in temples. Tension of head and scalp worse in evening.

Morose silence. Melancholy before the menses. Menses with great prostration, with weeping mood and inclination to scold.

Vertigo with falling forward or sideways.

Burning stinging in the eyes with dryness and photophobia. Involuntary closure of the lids. Upper eyelids heavy, can scarcely raise them. Ptosis, from catching cold. Difficulty of opening the eyes. Eyelids close from weakness.

Roaring and ringing in the ears with difficult hearing; rëechoing of her own voice.

Skin generally dry and hot.


Constipation with urging, with defective expulsive efforts and red face. Stool possible only while standing. Diarrhoea caused by fresh meat.

Paralysis of bladder from long retention. Involuntary urination when coughing, sneezing, blowing nose, at night when asleep, when walking. Unconscious of the passage of urine.

Retention with urging and dribbling of urine. Urine cloudy, dark brown.

Hoarseness worse morning and evening. Paralysis of laryngeal muscles. Aphonia.

Violent, deep, hollow cough, with rawness and



soreness in chest, with inability to expectorate; relieved by swallow of cold water.

Cough with pain in the hips and involuntary spurting of urine.

Paralysis of single parts, vocal organs, eyelids, face, extremities, bladder; from exposure to cold wind; worse on right side.

Weakness and trembling of the limbs. Paralytic weakness, with intolerable uneasiness in the limbs.

Rheumatic stiffness of neck and back.

Paralysis of deltoid; cannot raise hand to head, worse at night, causing continued motion but does not relieve.

Rheumatic pains always come on in the evening, diminish in the morning.

Pain excites continual motion but this does not relieve.

CEANOTHUS AMERICANUS.

(*Sē-ăn-ō'-thūs A-mēr-ī-kān'-nūs.*)

New Jersey Tea.


Rhamnaceæ

Ceanothus produces a depressing effect upon the entire system, a general tired feeling.

Not inclined to do mental or physical work, with forgetfulness.

A special action upon the spleen and liver.

Enlargement of the spleen, with deep, sticking



pains; worse from touch and lying on left side.
Conscious of a spleen all the time.

A full feeling in the liver with enlargement,
cannot lie on right side.

Dull pains in the anterior part of the thighs.
Legs so tired and weak, does not feel able to
move them.

Weakness of knees; must lie down.

Weakness in the lumbar region; soreness in
the umbilical region.

Urine frothy like soapsuds, green bile in urine

Pain in the urethra with frequent desire to
urinate; pain in urethra from end of penis back
to bladder.

Dirty white coating in center of tongue.

Loss of appetite.

Pulse full and strong, can see heart's action
through clothing.

Head feels as if brain was too large.

Sleep disturbed with horrible dreams of snakes,
robbers, etc.

Chilliness up and down the back, after chill,
heat with throbbing carotids and fulness in head.


Dull frontal headache.

Congested feeling in lungs.

Pain in wrists and forearm.

Headache, throbbing in forehead on any extra
exertion, with paleness of face and pain in spleen.

School girls' headache.



CEDRON.*(Sĕ-drŏn.)***Cedrone.****Simarubacæ.**

The clock-like periodicity of all symptoms produced by this drug is its chief characteristic.

Periodical neuralgias about eye and head. Shooting pains over left eye. Neuralgic pains through temples and across eyes.

Intermittent fevers occurring in low marshy regions in warm countries. No stage of paroxysm is well marked.

After paroxysms general ma'aise and great debility.


Chills with periodicity clock-like in regularity.

The eyes burn as if on fire. Pains recur regularly at the same hour each day.

CHAMOMILLA MATRICARIA.*(Kă-m-ŏ-mil'-la Măt-rĭ-kār'-ĭ-a.)***Chamomile.****Compositæ.**

Produces a peculiar excitability of the nervous system, characterized by an intense and morbid susceptibility to pain.

Cross and excitable. Morbidly sensitive, so that slight impression produces distress.



Also affects mucous membranes producing a catarrhal condition.

Irritable, peevish, whining, restless; child only quiet when carried or caressed. Wants different things and refuses them when given.

Pains cannot be endured; felt very keenly, so that pains which might be supposed to be only moderately severe are to the patient intolerable.

Child starts during sleep, with twitching of muscles of face and hands, and generally with this, colic.

One cheek red the other pale and cold, head and face covered with sweat.

Pains worse before midnight; with heat, thirst, and fainting, with numbness of the affected parts.

Pains aggravated by heat.

Nearly all pains of Chamomilla are semi-lateral, headache, toothache, etc.


Toothache, stitching, gnawing, as from taking cold, worse from eating, coffee, anything warm, and in a warm room, in bed, during menses; worse on left side and at night.

Food is repulsive, taste slimy, sour, or bitter. Sour eructation. Nausea frequently occurs of food and slimy mucus.

Abdomen distended. Abundant flatus moving about with griping and rumbling.

Cutting or tearing colic making the child bend double and draw up its knees.

Stool green, slimy, mucus, mixed with green



and white mucus, like chopped eggs and spinach; hot, small, frequent, smells like rotten eggs. These symptoms worse during dentition and after taking cold.

After anger, chagrin; at night, after tobacco, in child-bed, after suppression of perspiration.

Over-sensitiveness to open air.

Aversion to wind, especially about the ears.

Sneezing, with crawling, dry heat, stoppage with mucus discharge. Sniffles in babies who are unable to sleep.

Violent rheumatic pains driving him out of bed at night, compelling him to walk about.

There must always be an intolerance of pain, aggravation at night, and by warmth, or Chamomilla will most likely fail.

CHELIDONIUM MAJUS.

(*K'el'-i-dō'-ni-ŭm Mā'-jus.*)

Celandine.

Papaveraceæ.

The center of action of this remedy is the *liver*. Its most characteristic symptom is constant pain under the angle of the right shoulder blade.

With the inflammatory conditions of the liver are associated jaundice and disturbance of the functions of the bowels and kidneys; also a pneumonia, especially of the right lung.

As with liver troubles in general, there is mental depression, despondency, and disinclination to mental labor; dull heaviness of the head with pressive, bursting headache.

Neuralgia, supra-orbital, in right side of face and in teeth. Better in open air.

The whites of the eyes are yellow, with sore feeling of the eyeballs, and blinding spots before the eyes.

Face is red and jaundiced, but without heat.

Tongue yellow, with red edges, flabby, showing tooth marks.

Bitter taste in mouth with much spitting.

Distension of abdomen with soreness and tenderness in the region of the liver. Pains in the liver dull or sticking, better from eating and from hot drinks.

Alternating diarrhoea and constipation.

Constipation; hard stool, of small balls.

Diarrhoea, watery, white, light brown, or bright yellow, with burning.

Gall-stones with characteristic pains.

Chelidonium affects markedly the *right* side; the right eye, lung, hypochondrium, and abdomen, right hip and leg, with drawing pains extending to the abdomen.

Coldness of right foot, normal heat of left foot.

A leading remedy in pneumonia when associated with liver troubles, persistent cough and pains in the chest.

Affections of the liver ranging from acute congestions to chronic troubles, such as fatty liver, etc.

CHIMAPHILA UMBELLATA.

(*K'im-ăf'-i-la Ům-běl-lă-ta.*)

Pipsissewa.

Ericaceæ.

Its principal action is on the bladder and possibly on kidneys and liver.

Fluttering sensation in the region of the kidneys, sometimes on one sometimes on the other, without pain or uneasiness.

Urging to urinate, waking constantly; urine increased, of a greenish color. Urine offensive, turbid, containing *ropy or bloody mucus*, and depositing a copious sediment, with burning and scalding during micturition and straining afterwards.

Acute prostatitis with retention of urine, and feeling as of a ball in perineum when sitting.

Pain in vagina and labia.

Labia sensitive and swollen; excitement of sexual system.

Sharp pain in right hypochondrium and liver feels enlarged.

the first of these is the fact that the
the second is the fact that the
the third is the fact that the
the fourth is the fact that the
the fifth is the fact that the
the sixth is the fact that the
the seventh is the fact that the
the eighth is the fact that the
the ninth is the fact that the
the tenth is the fact that the
the eleventh is the fact that the
the twelfth is the fact that the
the thirteenth is the fact that the
the fourteenth is the fact that the
the fifteenth is the fact that the
the sixteenth is the fact that the
the seventeenth is the fact that the
the eighteenth is the fact that the
the nineteenth is the fact that the
the twentieth is the fact that the
the twenty-first is the fact that the
the twenty-second is the fact that the
the twenty-third is the fact that the
the twenty-fourth is the fact that the
the twenty-fifth is the fact that the
the twenty-sixth is the fact that the
the twenty-seventh is the fact that the
the twenty-eighth is the fact that the
the twenty-ninth is the fact that the
the thirtieth is the fact that the
the thirty-first is the fact that the
the thirty-second is the fact that the
the thirty-third is the fact that the
the thirty-fourth is the fact that the
the thirty-fifth is the fact that the
the thirty-sixth is the fact that the
the thirty-seventh is the fact that the
the thirty-eighth is the fact that the
the thirty-ninth is the fact that the
the fortieth is the fact that the
the forty-first is the fact that the
the forty-second is the fact that the
the forty-third is the fact that the
the forty-fourth is the fact that the
the forty-fifth is the fact that the
the forty-sixth is the fact that the
the forty-seventh is the fact that the
the forty-eighth is the fact that the
the forty-ninth is the fact that the
the fiftieth is the fact that the
the fifty-first is the fact that the
the fifty-second is the fact that the
the fifty-third is the fact that the
the fifty-fourth is the fact that the
the fifty-fifth is the fact that the
the fifty-sixth is the fact that the
the fifty-seventh is the fact that the
the fifty-eighth is the fact that the
the fifty-ninth is the fact that the
the sixtieth is the fact that the
the sixty-first is the fact that the
the sixty-second is the fact that the
the sixty-third is the fact that the
the sixty-fourth is the fact that the
the sixty-fifth is the fact that the
the sixty-sixth is the fact that the
the sixty-seventh is the fact that the
the sixty-eighth is the fact that the
the sixty-ninth is the fact that the
the seventieth is the fact that the
the seventy-first is the fact that the
the seventy-second is the fact that the
the seventy-third is the fact that the
the seventy-fourth is the fact that the
the seventy-fifth is the fact that the
the seventy-sixth is the fact that the
the seventy-seventh is the fact that the
the seventy-eighth is the fact that the
the seventy-ninth is the fact that the
the eightieth is the fact that the
the eighty-first is the fact that the
the eighty-second is the fact that the
the eighty-third is the fact that the
the eighty-fourth is the fact that the
the eighty-fifth is the fact that the
the eighty-sixth is the fact that the
the eighty-seventh is the fact that the
the eighty-eighth is the fact that the
the eighty-ninth is the fact that the
the ninetieth is the fact that the
the ninety-first is the fact that the
the ninety-second is the fact that the
the ninety-third is the fact that the
the ninety-fourth is the fact that the
the ninety-fifth is the fact that the
the ninety-sixth is the fact that the
the ninety-seventh is the fact that the
the ninety-eighth is the fact that the
the ninety-ninth is the fact that the
the hundredth is the fact that the

CICUTA VIROSA.

(*Sik-û-ta Vî-rō'-sa.*)

Water Hemlock.

Umbelliferæ.

Produces *most terrific convulsions* with loss of consciousness; falling to the ground unconscious; convulsions with wonderful distortions of the limbs; head turned backward, back bent as in opisthotonos; frightful distortion with unconsciousness. Spasms of all the muscles; spasms with dark redness of the face, blue lips and bloody froth from the mouth. Epilepsy, with swelling of stomach as from spasms of diaphragm.

Hiccough, screaming, redness of face, trismus, unconsciousness and distortion of limbs.

Convulsions after injuries, after opium, chorea-like epileptiform, tetanic, puerperal, from worms and indigestion.

Pupils dilated and insensible; alternating dilation and contraction of pupils.


Face red, pale, and drawn. Lockjaw.

Herpes on face; elevations over face with burning pain on face.

"Pustules which run together, forming thick yellow scabs on the face, head, and other parts of the body."

Eczema forms into hard lemon-colored crusts.

Letters seem to move when reading.



CIMICIFUGA RACEMOSA.

(*Sīm-ī-sīf'-ū-ga Rās-e-mō'-sa.*)

Black Cohosh.

Ranunculaceæ.

Acts upon the cerebro-spinal nervous system especially upon motor nerves and the nerves distributed to the muscles, producing a perfect picture of myalgia.

It also produces a neuralgia of different parts of the body reflex from uterine and ovarian diseases.

Sensation of heat on top of head; feeling as if the top of the head would fly off. Sharp, lancinating pain over the eyes. Pain shooting up to the top of the head.

Pain in the occiput extending to the vertex.

Vertigo with fulness and aching in vertex, with impaired vision. Headache with feeling as if going crazy, with uterine symptoms.

Soreness in occiput caused by pain through the whole brain, worse from motion.

Pressure outward and upward in upper part of cerebrum as if there were not room enough.

Severe pain in center of eyeballs aggravated by moving head or eyes.

Tickling in larynx causing dry cough; in evening. Speaking causes desire to cough.

Rheumatism attacks the belly of the muscle;

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100.

rheumatic pains in muscles of neck and back with stiffness and contraction.

Drawing and tensive pain in the upper cervical region. Cervical and upper dorsal vertebræ very sensitive.

Aching in lumbar and sacral regions.

Head and neck retracted. Spotted fever.

Labor pains, severe, spasmodic.

Shivering in first stage of labor.

After pains worse in groins.

Infra-mammary pains worse on left side.

Menses with labor-like pains. Rheumatic dysmenorrhœa.

Very gloomy, thinks she is going insane.

CINA.

(*Sî'-na.*)

Wormseed.

Compositæ.

Cina acts upon the nervous system and digestive tract.

The action upon the stomach and bowels is such as to suggest that which results from the presence of worms.

The face is pale, with dark rings around the eyes. Pupils dilated.

Sickly white or bluish appearance about the mouth; a sickly pallor of the face.

Child grinds the teeth during sleep; picks or

bores in the nose with the fingers; restless sleep attended by crying out.

Child is cross and irritable, cannot bear to be touched, or to be approached; refuses everything when offered it; nothing seems to please it; seems to be uneasy and distressed all the time. Proof against all caresses.

Piteous cries if one attempts to touch or lead him.

White turbid urine, or white jelly-like urine.

Will not sleep without rocking.

Great hunger soon after eating.

Desires many and different things.

Hoarse, hacking cough in the morning after rising, with a sound of gurgling going downward.

Patient is anxious; catches her breath; is pale. (Whooping cough.)

Cough. then the child cries as if pained.

Child raises herself suddenly before coughing, looks wildly about, becomes stiff, loses consciousness, as if she would have epilepsy, then coughs.

Twitching and jerking of the limbs. Spasms.

CINCHONA OFFICINALIS.

(*Sĭnk-ō'-na Ōf-fĭs-ĭ-nā'-lĭs.*)

Peruvian Bark.

Rubiaceæ.

A protoplasmic poison, producing a devitali-

zation of the blood and tissues and causing a retention in the system of the waste products, whence its application to debilitated states. Also applicable after loss of fluids of the body, such as hemorrhage, nursing, leucorrhœa, etc. Also after long continued diarrhœa and suppuration.

The patient is usually pale, sallow, with sunken face, dark circles about eyes. He has throbbing headaches, night sweats, and perspiration at least effort; is anxious, ill-humored, and easily disturbed, very intolerant of noise.

Intense. throbbing headaches after loss of fluids. Headache is deep, throbbing, with pressure at the sides of the head and feeling as if everything would come out at the forehead.

Headache in the occiput after sexual excesses.

ringing in the ears and cold surface after hemorrhage.

Great flatulence and distension not relieved by eructation, worse from eating fruit; great fermentation and belching of sour gas. Great thirst but drinks little.

Region of the liver is very sensitive even to slight touch.

Diarrhœa of undigested stool with colic.

Urine dark with brick red sediment. Urine dark but rather copious.

Jerking, tearing pains in the muscles.

Sensation as of band about different parts.

Weakness of the extremities with aversion to all exercise.

Applications. Intermittent fever with chill every second day.

Debilitated persons "broken down" after exhausting disease, exhausting discharges, seminal emissions, or onanism.

CLEMATIS ERECTA.

(*Klēm'-a-tīs Ē-rēk'-ta.*)

Upright Virgin's Bower.

Ranunculaceæ.

Clematis expends its action upon the genito-urinary organs, lymphatic glands, and skin.

Vesical neuralgia; urethra or seminal cord affected. Urine frequent but scanty; interrupted flow of urine, with burning at the beginning of micturition. Urine becomes purulent. Mucus in urine, which flows by fits and starts, or patient has to wait before urine starts, with pain along urethra.

Long lasting contraction and constriction of urethra, urine emitted by drops, as in spasmodic stricture.

Right spermatic cord sensitive, testicles drawn up.

Painful, inflamed, swollen testicles.

Pain in the testicles with drawing to the spermatic cord.

Swelling of inguinal glands, with sensitiveness on walking.

Burning, biting pains in the eyes, vision indistinct.

Moist eczema, itching terribly worse from washing in cold water, from wet poultices, and warmth of bed.

Eruption on neck and occiput.

COCCULUS INDICUS.

(*Kök'-ū-lūs Īn'-dī-kūs.*)

Indian Cockle.

Menispermaceæ.

Produces violent convulsions, loss of control over muscles; paralysis of muscles; excessive vertigo and nausea.


Vertigo as from intoxication, inclined to vomit when rising up in bed; must lie down.

Head befogged, dulness, worse after eating and drinking. Sensation of hollowness in head, and cavities of the body.

Stupidity; slowness of comprehension; *gets angry very easily.*

Vertigo, nausea, with dulness in the forehead as if board were across the forehead.

Metallic taste in mouth; loss of appetite; aversion to food, even to smell of food.



Nausea and vomiting from riding in a carriage, boat, or railroad car; sea-sickness; car-sickness.

Spasmodic flatulent colic; flatus passed without relief; belching relieves; pain severest in epigastric, umbilical and right iliac regions.

Menstruation too early, with distension of abdomen, and contracting pains in abdomen on every motion and every breath, with contraction of rectum.

Pain in abdomen on every motion and when sitting as from sharp pressure of a stone.

During menstruation she is scarcely able to stand on account of weakness of legs. The debility is of spinal origin.

Paralytic feeling in lower limbs; feet and hands go to sleep alternately.

Knees threaten to sink from weakness, totters when walking, and threatens to fall to one side.

Hysteria and other nervous troubles arising from over anxiety, night watching and consequent loss of sleep.

Nausea of pregnancy made worse by riding or swinging.


COCCUS CACTI.

(*Kòk'-kūs Kāk'-ti.*)

Cochineal.

Homoptera.

Finds its chief sphere of action in the respi-



ratory organs, causing secretion of much tenacious mucus, with cough.

Tickling in larynx, waking patient at midnight, causing cough with expectoration of much tenacious mucus.

Whooping cough with morning aggravation.

Child awakes in the morning and is immediately seized with a paroxysm of coughing ending in vomiting of clear ropy mucus hanging in long strings from the mouth.

Apices of lungs sore; patient coughs up ropy mucus. Catarrhal phthisis, with ropy phlegm. Sharp sticking pains under the clavicles.

Frequent micturition of clear, pale urine with tenesmus. (In whooping cough.)

COFFEA CRUDA.

(*Kôf'-fe-a Kroo'-da.*)

Crude Coffee.

Rubiaceæ.

Great acuteness of all the senses, smell, taste, touch and perception of slight passive motion.

Great activity and exaltation of mind and body. Full of ideas, with absence of sleep. Variable mood. Mental shock, joy or sorrow. Sleepless from mental activity.

Headache especially in one side of head as if a nail were driven into it, worse in open air.

Jerking, tearing toothache only relieved by cold water, worse when water becomes warm.

Pains insupportable, would like to rub or scratch the part but it is too sensitive.

Chill in nervous persons, chill worse from movement, with dry external heat and internal chilliness.

COLCHICUM AUTUMNALE.

(*Köl'-kĭ-kŭm Au-tŭm-nā'-lē.*)

Meadow Saffron.

Liliaceæ.


Acts upon the gastro-intestinal canal producing an inflammation, with profound depression of heart and temperature. Inflammation of kidneys. Gout.

General sensitiveness to slightest touch. Weakness and exhaustion with paralytic feeling of the limbs. Pains are jerking, tearing, sticking, like electric shocks in all parts of the body. Pains generally worse towards evening. Tearing pains worse in warm weather. Sticking pains worse in cold weather.

Great tendency to collapse with internal coldness.

All his troubles, pains and external impressions, such as bright light, strong odors or touch, make him beside himself because of intolerance.

Memory weak. Smell unusually acute; nausea



and faintness from odor of cooking food, especially eggs, fish or fat meat.

Asks for different things, but as soon as he sees them or smells them he shudders from nausea and cannot eat.

Burning in stomach or icy coldness. Distension of abdomen with flatulence.

Great thirst, increased secretion of saliva, often very profuse.

Diarrhoea with tenesmus, with only little faeces at first, then jelly-like mucus with spots and streaks of blood. Bloody, mingled with skin-like substance.

Stools watery, containing a large quantity of white shreddy particles.

Spasm of sphincter ani with chilliness running up back, with urging stool.


Urine scanty, dark brown, with strangury.

Articular rheumatism with great sensitiveness to touch, shifting from one point to another, worse from motion and at night.

Paralytic pains so that he can hold nothing firmly.

Metastasis of gout or rheumatism to internal organs, especially heart, with weak heart's action and dyspnoea.

Sudden sinking of strength with extreme prostration and paralytic feeling with pains.



COLLINSONIA CANADENSIS.*(K'öl-l'in-sō'-nī-a K'än-a-d'en'-sīs.)***Stone Root.****Labiatae.**

Hemorrhoids with sharp, sticking pains in rectum, as if the rectum were filled with sticks. Bleeding piles. Proctitis.

Constipation with inertia of lower bowel, especially when occurring in later months of pregnancy. Violent itching of the genitals. Pruritus with hemorrhoids; unable to lie down.

Chronic, painful, bleeding piles.

Useful in prolapsus uteri complicated with hemorrhoids.


Constipation; stools hard, lumpy, and light colored.

Dropsy from cardiac disease associated with pelvic congestion and hemorrhoids.

COLOCYNTH.*(K'öl'-o-sīnth.)***Bitter Apple.****Cucurbitaceae.**

A violent hydrogogue cathartic, producing terrible colic. Pain in nearly all of the nerves of the body, usually relieved by pressure.

Extremely irritable and impatient; bad effects



of indignation and anger. Greatly affected by misfortune.

Violent, tearing, digging pains through the brain; attacks of violent, one-sided headache, with nausea and vomiting.

Headaches, nearly always sharp, cutting, or boring, and relieved by pressure.

Agonizing pain in abdomen with intense gripping, cutting, or squeezing pains, causing the patient to bend double; better by pressure.

Restless, continually turning about, with colic. Pains worse by eating or drinking, causing cramp-like pains. Compels the patient to bend double.


Diarrhoea brought on from vexation, indignation, or grief from ill treatment, from eating or drinking. Stools: watery with mucus, then bilious, and lastly bloody, or greenish, slimy and watery, with violent cutting, colicky pains.

Shooting, lightning-like pains down the limbs; pains as if the hips were screwed together in a vise, more frequently the left side.

Dysmenorrhœa; with cramping pains, must bend double. Sometimes worse after eating or drinking.

Cramp-like pains in left ovarian region as if parts were squeezed in a vise.

Metritis from indignation with colicky pains, and a feeling as if intestines were squeezed between stones.



Urinates small quantities with frequent urging, fetid, thick, viscid, jelly-like urine.

Great tendency of muscles of all parts of the body to become painfully cramped.

CONIUM MACULATUM.

(*Kō-nī'-um Māk-yū-lā'-tūm.*)

Poison Hemlock.

Umbelliferæ.

The first effect of Conium is a depression of the motor functions; and its last is a complete obliteration of all muscular motion derived from the cerebro-spinal motor tract.

It also has the power to produce enlargement of glands with induration.

Want of memory, depression of mental faculties.

Aversion to being with people and afraid of being alone. Hypochondriasis. Melancholia.

Vertigo, like turning in a circle, on rising from a seat; worse when lying down; when turning over in bed, or looking around.

Bad effects of suppressed sexual desire or from excessive indulgence.

At every menstrual period the breasts become sore and painful.

Induration of the glands, mammæ, ovaries, uterus, testicles, sub-maxillary glands, with lancinating pains.

During micturition flow intermits.

Enlarged prostate. Spasmodic stricture.

Spasmodic cough, excited by tickling in the chest and throat, or by a dry spot in the larynx, worse at night and when lying down.

Loose cough with inability to expectorate what is raised.

Weakness and dazzling of the eyes with dizziness. Photophobia without inflammation.

Sweat day or night when asleep or when closing the eyes.

COPAIVA OFFICINALIS.

(*Kō-pā'-ba Ōf-fīs-ī-nā'-līs.*)

Balsam of Copiaba.

Leguminosæ.

Copiaba affects mucous membranes of stomach, bowels and skin, and especially of the urinary tract.


Irritation in larynx and bronchi.

Husiness in the chest with dry and painful cough, or an expectoration of semi-purulent, greenish, and nauseously smelling mucus. Frequent sneezing, coryza, and headache.

Catarrhal condition, takes cold easily.

Diarrhœa after taking cold; stool white, fecal, or greenish, with mucus masses.

Irritation of urethra and bladder, with burning in neck of bladder and urethra. Constant



urging to urinate. Micturition painful and by drops. Strangury.

Micturition painful with milky, acrid discharge.

Urticaria-like eruption in large red blotches, sometimes with fever.

CORALLIUM RUBRUM.

(*Kō-rāl'-lī-ūm Roo'-brūm.*)

Red Coral.

Actinoida.

Convulsive, spasmodic cough, occurring in paroxysms. Whooping cough. During day, cough short and quick; at night, paroxysms decidedly worse, seems to take child's breath completely, so that when it has ceased coughing it falls back exhausted. The "minute gun" cough.

Red, flat ulcer on glans and prepuce with yellowish discharge.


Chancres. Coral red hue.

CREOSOTUM.

(*Krē-o-sō'-tūm.*)

Kreosote.

Its influence is manifest upon the mucous membranes, setting up a catarrhal condition. Its key-



note is the corrosive, acrid character of its secretions.

Face has an old, sickly look. Complexion, earthy pale, green, with swelling of cervical glands; pale, bloated, coppery appearance.

Painful dentition, swelling of gum over tooth, not quite through with infiltration of dark fluid, causing convulsions.

Gums bleed readily, spongy, scorbutic.

Teeth begin to decay as soon as they appear.

Bleeding of gums and nose, blood dark, quickly coagulating. General tendency to hemorrhage.

Putrid odor from mouth.

Distension of the stomach, nausea, belching, sour, empty, or of food. Craving for smoked meat.

Constipation; stools hard and expelled only after much pressing.

Child wets the bed; wakes with urging, cannot retain urine.

Urine passed with great haste. Urine copious.

Frequent urging at night with small quantity of urine.

Menses too early, too profuse and protracted, succeeded by an acrid smelling ichor with biting in the parts. Flow intermits.

Leucorrhœa; putrid, acrid, corrosive, staining clothes yellow, with great weakness.

Violent itching of vagina and labia, external



genitals swollen, hot, hard and sore, obliging to rub the parts.

Metrorrhagia dark, offensive.

Violent pain during coition, with burning of the parts; dark, bloody discharge the next day.

Cough with copious, purulent expectoration and frequent blood spitting. Hemorrhage.

Fatiguing cough with old people; copious sputa, white or yellow.

General lassitude and pain in the limbs. Numbness of the hands. Pain in the left thumb as if sprained.

Diarrhoea during dentition with greenish, watery, cadaverous-smelling stools.

Dry or moist eruption with much itching.

CROCUS SATIVUS.

(*Krō'-kūs Sa-tī'-vūs.*)

Saffron.


Iridaceæ.

Hemorrhages, tenacious, black, clotted, stringy; every drop can be turned into a thread from the bleeding orifice.

Hemorrhage from nose, lungs, stomach, or uterus, in long black strings.

Moods vacillating, hysterical, with great changeableness of mental symptoms, from the greatest hilarity to the deepest despondency.

A sensation of something alive or moving in



the stomach, abdomen, or other parts of the body.

Feeling in the eyes like after much weeping; dimness of the eyes, must wink frequently.

Twitching and itching in the upper eyelids.

CROTALUS.

(*Kröt'-a-lüs.*)

Rattlesnake.

Orphidia.

It produces a general disorganization of the blood, causing hemorrhages, and hæmatogenous jaundice.

Sudden hemorrhages from all the orifices; from eyes, ears, nose, gums, and beneath nails. Blood dark, fluid, non-coagulable.

Weakness; tired on slightest exertion, faintness, trembling as from apprehension.

Delirium, worse at night.

Weak memory. Answers disconnected, skin cold, pulse rapid.


Yellow color of the conjunctiva.

Aqueous humor cloudy, with dim vision. (Keratitis.) Face yellow, leaden-colored.

Gums bleed, tongue swollen, with inflamed mouth, tongue red.

Distended abdomen; hot and tender, cannot bear to be touched.

Pain in region of liver, with vomiting.



Offensive diarrhoea, black coffee grounds.

Hemorrhage from urethra. Urine looks like that in jaundice.

Cough with bloody expectoration.

Difficult respiration.

Prostration of vital forces, hemorrhagic, broken-down constitution.

CROTON TIGLIUM.

(*Krō'-tōn Tīg'-lī-ūm.*)

Croton Oil.

Euphorbiacæ.

Acts upon the mucous membranes of intestinal tract and upon the skin, producing pustular eruption with inflamed areolæ.

Stools yellow, watery, or a dark green, or greenish-yellow liquid, with sudden expulsion and aggravation from drink and food.

Yellowish stool pouring out with a rush, like water from a hydrant. Stools preceded by urging, gurgling, and rumbling in the abdomen.


After stool gurgling in the left side, burning in rectum, with great pallor and weakness.

Colic better from hot milk.

Vesicular eruption on scrotum and penis with intense itching; worse while walking, better from scratching.

Intense itching of female genitals.

Nipples very sore to touch, excruciating pains



running from nipple through the scapula of same side when the child nurses.

Croton tiglium antidotes Rhus tox. poisoning.

CUPRUM.

(*Kü'-prüm.*)

Metallic Copper.

Cu.

Delirium: with disconnected talking, in attacks with full, rapid, hard pulse, inflamed eyes, wild look, ending in sweat. Obligated to think a long time before one can answer. Mental and physical exhaustion from over-exertion of mind and loss of sleep. Anxiety and tossing about.

Lack of reaction. Collapse and great prostration. Exceedingly difficult for patient to rally.

Stools frequent, watery; violent diarrhoea like cholera with coldness and cramps.

Spasm of stomach, deathly feeling of constriction beneath the sternum.


Violent spasms in the abdomen and upper and lower limbs with piercing screams.

Spasms of throat preventing speech.

Dyspnoea so great that he cannot bear even handkerchief before face.

Intense coldness and blueness of the surface, with long continued general cold sweat and great prostration, with lack of reaction.

General convulsions. Spasms, with blue face,



thumbs clenched across the palms of the hands.

Clonic spasms beginning in the fingers and toes and spreading over the entire body.

Hoarseness, cannot speak.

Cough with interrupted almost suppressed respiration. Spasmodic dyspnoea with constriction of chest, then spasmodic vomiting. Whooping cough.

Desire for warm food and drink.

Drink descends the esophagus with gurgling sound.

Bad effects of reperculated eruptions.

Meningitis, convulsions.

Urine scanty and suppressed.

Cramps in all parts of the body. Even to muscles of the eyes, producing a turning in of the eyes.

DIGITALIS PURPUREA.

(*Dij-ĭ-tā-lĭs Pur-pū-re-a.*)

Foxglove.

Scrophulariaceæ.

The important action of this remedy is upon the circulation possibly through its action on the vaso-motor centers.

Great weakness and faintness worse when rising. Cold, pale, and covered with profuse sweat.

Very restless. Anxiety (at 6:00 P. M.), with dread of future.

Symptoms, especially circulatory, are worse when rising.

Pulse small, irregular, and slow; weak, intermitting every third, fifth, or seventh beat.

Slow, thready, intermittent pulse, with pale face, death-like appearance or bluish-red.

Distended veins, blueness of skin. Cyanosis.

Irregular respiration, performed by frequent deep sighs. Seems as if the chest could be only half-filled or as if there was some impediment in the chest.

Œdema of lungs.

Dragging in the bladder as if distended, with frequent urging to urinate and burning in urethra.

Function of kidneys suspended; scanty and dark urine, depositing a red sediment.

Nightly emission with great weakness.

Diarrhœa, with grayish-white stools with liver symptoms. *Ash-colored stool.*

Constant nausea and gagging with clean tongue.


DIOSCOREA VILLOSA.

(*Dī-ōs-kō'-re-a Vil-lō'-so.*)

Wild Yam.

Dioscoreaceæ.

Violent twisting colic occurring in regular paroxysms with remissions. Severe drawing, writh-



ing pains in sacral regions and bowels, radiating upward and downward, until the whole body, even the fingers and toes, becomes involved in spasms, so severe as to elicit shrieks.

Abdominal pains suddenly shift and appear in distant localities, as in fingers and toes.

Colicky pains worse from bending forward and while lying, better when standing erect or when bending backwards.

Lascivious dreams with two or three emissions in a night, followed by weakness, especially about the knees.

Felons, early when pains are sharp and agonizing.

DOLICHOS PRURIENS.

(*Döl'-i-kös Proo'-rî-enz.*)

Cowhage.

Leguminosæ.

Eyes yellow. Jaundice.

Constipation during teething and pregnancy.


Cough only when lying down at night.

Neuralgic pains following Herpes Zoster.

Violent itching all over body without any visible eruption.

Pain in throat below right angle of jaw as if splinter were imbedded vertically; worse swallowing.

Soreness and tenderness of gums in teething children, with neuralgic pains worse at night.



DROSER A ROTUNDIFOLIA.*(Drös'-e-ra Ro-tün-dī-fŏ-lī-a.)***Sun Dew.****Droseraceæ.**

Rough, dry, scraping sensation in fauces and soft palate, causing hacking cough with yellow mucus expectoration, and hoarseness, so that he speaks with exertion in a base voice; with oppression of chest as if the air were withheld in talking or coughing so that the breath could not be expired.

Cough in the morning at 2 A. M., paroxysmal so that he could scarcely get his breath. Whooping cough.


Sensation as of a feather in larynx causing cough, worse from talking or laughing.

DULCAMARA.*(Dül-ka-mā'-ra.)***Bittersweet.****Solanaceæ.**

Aggravation from cold, damp weather or from change from hot to cold weather, especially if the changes are sudden.

General catarrhal symptoms, with free secretions.

Rheumatic pains in the muscles, all worse in cold, wet weather.



Coryza with free secretion in cold, wet weather.

Nose bleed of hot, bright red blood.

Difficulty of speaking owing to paralysis of tongue from taking cold.

Yellowish green mucus stools or slimy mucus stool with colic after taking cold.

Burning in meatus while urinating.

Urine offensive, depositing a slimy sediment. Catarrh of the bladder.

Cough with expectoration of mucus, at times violent like whooping cough, with expectoration of bright red blood, worse in damp, cold weather, but better in open air.

Pain in nape as if head had been lying in an uncomfortable position.


Pain in small of back as after long stooping.

Deep, cutting pains in loins better from pressure.

Nettle rash over entire body coming out in cold weather.

Papular eruption bleeding when scratched, better from exposing parts to the air.

Rash before menses. Menses or Lochia suppressed by cold or damp.



ERIGERON CANADENSE.

(*Ėr-ij-e-rõn Kăn-a-děn'-sě.*)

Canada Fleabane.

Compositæ.

Congestion of the head, red face, nose bleed.

Stools streaked with blood. Hemorrhoids, bleeding, with hard, lumpy stool.

Urination painful or suppressed.

Frequent desire to urinate with crying when urinating.

Metrorrhagia with violent irritation in rectum and bladder.

Metrorrhagia with flow of bright red blood.

Bloody expectoration. Incipient phthisis.

EQUISETUM HYEMALE.

(*Ek-wł-sě'-tũm Hĩ-e-mā'-lē.*)

Scouring Rush.

Equisetacæ.


Pain in bladder not relieved by micturition.

Pain and tenderness in region of bladder.

Pain in bladder as from distention with burning in the urethra during and after micturition.

Constant desire to urinate, the quantity growing less each time while the desire increases.

Scanty high-colored urine with feeling as if he had not urinated for hours.



Paralysis of bladder in old women.

Enuresis.

Pain in region of right kidney with urging to urinate.

General aggravation immediately after micturition.

EUPATORIUM PERFOLIATUM.

(*Yü-pa-tō'-rī-üm Pur-fō'-lī-ā-tüm.*)

Boneset..

Compositæ.

General soreness and aching in the bones; bruised feeling as if broken all over the body.

The more general and severe the bone pains the more surely indicated.

Coryza, with aching in every bone.

Soreness of eyeballs, with redness of margin of the lids.


Influenza with weak pulse, prostration, great bone pains.

Chill usually begins 7:00 to 9:00 A. M.; thirst several hours before the chill, continuing during chill and heat.

Knows chill is coming because he cannot drink enough.

Chill early morning one day, light chill about noon next day.

Bitter vomiting at the close of the chill with great bone pains and profuse perspiration.



Cough with soreness and heat in the bronchi.
Rough scraping cough, chest sore; must support it with the hand.

Flushed face and rawness in the chest.

Soreness and oppression in the middle of the sternum.

EUPHRASIA OFFICINALIS.

(*Yü-frä'-zhe-a Öf-fis-ì-nā-lis.*)

Eyebright.

Scrophulariaceæ.

Has especial action on conjunctival and nasal mucous membranes.

Upon the eyes producing inflammation with mucus discharge and acrid tears excoriating the cheeks. Cornea feels covered with sticky mucus.

Smarting of eyes with photophobia, from sunlight, but still worse from artificial light.

Smarting and biting in lids with agglutination.

Lids inflamed and swollen. (Conjunctivitis Marginalis.)

Phlyctenulæ near cornea. Feeling of sand in the eyes.

Coryza and pain in the forehead.

Profuse, bland, fluent coryza, with scalding tears and photophobia.

Catarrhal hoarseness, with cough on rising in the morning continuing until lying down again. Cough during day, but not at night.



Sudden violent cough from tickling in the larynx. Profuse expectoration of mucus by frequent hacking cough.

FERRUM METALLICUM.

(*Fě'r'-rŭm Mě-tăl'-lĭ-kŭm.*)

Metallic Iron.

Fe.

Iron possesses the property of producing a condition simulating anæmia.

Face ashy pale, greenish, or earthy color; cheeks become bright red with pain and other symptoms, a masked plethora; an unequal distribution of blood.

The parts affected become light red upon emotion or exertion.

Head confused, muddled, not inclined to talk or study; nervous, restless.

Violent hammering headache, pulsating congestion to the head, worse after 12 P. M.; returning periodically; face red. Hot head, sensitive; cold feet.

Pressure in eyes as if they would protrude, worse at night.

Ringings in the ears.

Nose continually filled with clotted blood during an attack of catarrh.

Appetite alternately good and bad with diarrhœa.

Aversion to meat with desire for bread. .

Vomiting food especially after midnight.

Fulness and tenderness in region of liver and spleen. Tightness in the hypochondriac regions. Abdomen hard, distended. Flatulent colic at night; violent rumbling. Bowels feel sore when touched as if bruised or weakened by cathartics.

Stools hard and difficult or watery with burning at the anus. Prolapsus recti; with children.

Piles with copious bleeding or ichorous oozing.

Menses too late, long lasting, and profuse. Watery, or in lumps with labor like pains, attended by mental and physical depression, and red face from any little emotion.

Dyspnœa. Asthma worse after 12 P. M., must sit up; better walking slowly about, which is characteristic of all troubles calling for iron.

Hemorrhagic diathesis, blood bright red, coagulates easily.

Cough only in daytime, better when lying down or when eating.

Nearly all symptoms relieved when slowly walking about.

FLUORIC ACID.


(*Flū-ōr-ic Ās-īd.*)

Hydrofluoric Acid.

HFl.

Disagreeable and inimical mood.

Congestion of blood to the forehead.



Headache from nape extending through the center of the head to the forehead, with dull feeling.

Pain along the sutures; caries of temporal bone.

Falling of the hair, new hair breaks off.

Itching in canthi, with increased lachrymation.

Fistula lachrymalis.

Pale face or heat in face. Wants to wash in cold water. Tubercles in skin of face and forehead, suppurating. Syphilis infantum.

Sensation as of sand in the eyes or as if fresh wind were blowing in them.

Increased sexual desire in old men with violent erections at night. Gleety discharge at night staining linen yellow.

Dropsical swelling of penis. Hydrocele.

Menses too early, too copious, discharge thick and coagulated.

Pain in bones generally, especially long bones.

Numbness and lameness of the hand.

Ulcers; painful, better from warmth, worse from cold, with copious discharge.

Itching in small spots here and there over the body. Persistent itching.

Old cicatrices become red around the edges surrounded by itching vesicles.

Weakly constitutions, sallow skin, emaciation.

Complaints of old age, also premature old age in consequence of syphilitic or mercurial dyscrasæ.



GAMBOGIA.

(*Gām-bō'-jī-a.*)

Gamboge.

Guttiferæ.

Irritable mood.

Violent itching of eyes in evening, at inner canthi. Violent burning of eyes with photophobia, with nightly agglutination of lids.

Violent chronic sneezing.

Diarrhœa, thin, yellow, coming out all at once, with a single, somewhat prolonged effort. Sudden urging, with hot pinching in the abdomen. Strong urging which causes the stool to pass quickly.

Feeling of great relief in the abdomen as if some irritating substance had been removed. After stool rumbling and pinching in abdomen.

Anus excoriated and burning.

Violent itching in various parts of the body, burning after scratching worse evenings and nights.

Biting as from ants over the whole body, worse at nights.



GELSEMIUM SEMPERVIRENS.

(*Jěl-sěm'-i-ŭm Sěm-per-vi-rěnz.*)

Yellow Jessamine.

Loganiacæ.

Dulness, drowsiness, dizziness. "Don't care."

Weakness and trembling through the whole system, with relaxation of the muscles and motor paralysis.

Listlessness and languor. Inability to fix attention.

Headache dull and at the base of the brain. A "drunken headache;" *better* when lying with the head high and when perfectly still; *worse* from mental labor, lying with the head low, from smoking and from sun.

Headache relieved by profuse flow of urine.


Sick headache preceded by blurring of the vision, but without extreme nausea.

Face expression heavy, dull, and drowsy; red, yellow, jaundiced, sickly look.

Eyelids heavy. Ptosis. Double vision from paresis.

Foul taste with yellowish-white tongue and breath fetid. Tongue and glottis partially paralyzed.

Speech thick as if drunk, from congestion at base of brain. Fauces dry, burning, irritated. Dysphagia. Paralysis of the organs of deglutition.



Stools yellow, fecal, bilious, cream-colored.

Diarrhœa after sudden emotion, as grief, fright, bad news, or anticipation of any unusual ordeal.

Sexual organs irritable and weak. Involuntary emissions without erections.

Genitals cold, relaxed. Profuse warm sweat on the scrotum.

Sharp labor-like pains in the uterine region extending to back and hips.

Ovarian irritation with characteristic headache. Rigidity of the os.

Pulse frequent, soft, weak, and almost imperceptible, slow and full.

"Fears that unless constantly on the move the heart will stop beating."

Desire to be quiet, to be let alone.

Little or no thirst.

Chilliness with great languor; aching in back; sense of fatigue; does not want to move.

Low fever. Typhoid when nervous symptoms are present.

Eruptive fevers, especially in children. Tendency to convulsions at the time of eruptions.

Convulsions from reflex irritation.

Neuralgia; acute, sudden, darting pains, along the tracts of the nerves aggravated by change in the weather.

the first of these is the fact that the
the second is the fact that the
the third is the fact that the
the fourth is the fact that the
the fifth is the fact that the
the sixth is the fact that the
the seventh is the fact that the
the eighth is the fact that the
the ninth is the fact that the
the tenth is the fact that the
the eleventh is the fact that the
the twelfth is the fact that the
the thirteenth is the fact that the
the fourteenth is the fact that the
the fifteenth is the fact that the
the sixteenth is the fact that the
the seventeenth is the fact that the
the eighteenth is the fact that the
the nineteenth is the fact that the
the twentieth is the fact that the
the twenty-first is the fact that the
the twenty-second is the fact that the
the twenty-third is the fact that the
the twenty-fourth is the fact that the
the twenty-fifth is the fact that the
the twenty-sixth is the fact that the
the twenty-seventh is the fact that the
the twenty-eighth is the fact that the
the twenty-ninth is the fact that the
the thirtieth is the fact that the
the thirty-first is the fact that the
the thirty-second is the fact that the
the thirty-third is the fact that the
the thirty-fourth is the fact that the
the thirty-fifth is the fact that the
the thirty-sixth is the fact that the
the thirty-seventh is the fact that the
the thirty-eighth is the fact that the
the thirty-ninth is the fact that the
the fortieth is the fact that the
the forty-first is the fact that the
the forty-second is the fact that the
the forty-third is the fact that the
the forty-fourth is the fact that the
the forty-fifth is the fact that the
the forty-sixth is the fact that the
the forty-seventh is the fact that the
the forty-eighth is the fact that the
the forty-ninth is the fact that the
the fiftieth is the fact that the
the fifty-first is the fact that the
the fifty-second is the fact that the
the fifty-third is the fact that the
the fifty-fourth is the fact that the
the fifty-fifth is the fact that the
the fifty-sixth is the fact that the
the fifty-seventh is the fact that the
the fifty-eighth is the fact that the
the fifty-ninth is the fact that the
the sixtieth is the fact that the
the sixty-first is the fact that the
the sixty-second is the fact that the
the sixty-third is the fact that the
the sixty-fourth is the fact that the
the sixty-fifth is the fact that the
the sixty-sixth is the fact that the
the sixty-seventh is the fact that the
the sixty-eighth is the fact that the
the sixty-ninth is the fact that the
the seventieth is the fact that the
the seventy-first is the fact that the
the seventy-second is the fact that the
the seventy-third is the fact that the
the seventy-fourth is the fact that the
the seventy-fifth is the fact that the
the seventy-sixth is the fact that the
the seventy-seventh is the fact that the
the seventy-eighth is the fact that the
the seventy-ninth is the fact that the
the eightieth is the fact that the
the eighty-first is the fact that the
the eighty-second is the fact that the
the eighty-third is the fact that the
the eighty-fourth is the fact that the
the eighty-fifth is the fact that the
the eighty-sixth is the fact that the
the eighty-seventh is the fact that the
the eighty-eighth is the fact that the
the eighty-ninth is the fact that the
the ninetieth is the fact that the
the ninety-first is the fact that the
the ninety-second is the fact that the
the ninety-third is the fact that the
the ninety-fourth is the fact that the
the ninety-fifth is the fact that the
the ninety-sixth is the fact that the
the ninety-seventh is the fact that the
the ninety-eighth is the fact that the
the ninety-ninth is the fact that the
the hundredth is the fact that the

GLONOINUM.*(Glön o-ī'-nūm.)***Nitro-glycerin.** **$C_3H_5(NO_3)_3$.**

Glonoïn paralyzes the vaso-motor nerves, resulting in a tendency to sudden and violent irregularities of the circulation.

The beating of the heart is felt through all the blood vessels, especially the neck and head.

Head and neck feel enormously enlarged, as if he were strung up by the heels with head downwards.

Brain feels too large; bursting feeling; fulness, throbbing of the arteries; all the blood seems to be pumped upwards; red face, worse from least jar.


Headache worse from shaking or jarring, stooping, bending head backwards. after lying down, in damp weather, in the sun, working under gas-light, cold water, reading, writing, and wine. Better from uncovering it in open air.

Confusion of ideas: well-known streets seem strange, forgets where he lives.

Instead of menses, congestion to head with fulness and throbbing.

At climaxes flushes of head and throbbing.

Heart's action easily excited; violent palpitation, throbbing carotids, pulsating headache.



Convulsions; with cerebral congestion, red face and throbbing carotids.

Milk white tongue.

GRAPHITES.

(*Gräff'-i-tēz.*)

Graphite.

Graphite acts best in constitutions which have a tendency to unhealthy obesity and a condition of the skin characterized by cracking or fissuring, and an eruption which exudes a honey-like fluid, much like the gum exuding from the bark of a peach tree.

The eruption or cracking is found on any part of the body, but especially behind the ears, on head, face, eyelids, genitals, and between toes.

The graphite patient is sad, anxious, irritable, melancholy, depressed, easily fatigued, especially from scientific work.


Face pale and haggard, or chlorotic flushed. Moist eczema of the face. Erysipelas with burning and stinging.

Hair of beard falls out.

Dull, numb headache with feeling of constriction or tension in the occiput.

Eczema capitis of entire scalp, forming massive dirty crusts which mat the hair together.

Hair falls out even on the sides of the head.



Ulcers on cornea with moist, fissured, eczematous eruptions.

External canthus, sore, fissured, bleeds easily.

Biting, stinging pains in the eyes. Styes of lower lid.

Behind ears fissures and scabs, with sticky discharge. Glands below ear swollen.

Bloody, or gluey, sticky discharge from the ears.

Dry scabs in nose, with sore, cracked, ulcerated nostrils. Frequent discharge of bloody mucus. Nose bleed with rush of blood to head and face.

Bad taste in mouth, urinous, foul odor.

Aversion to animal food and sweats. Constipation; large, knotty fæces, with mucus shreds. Fissure ani with sharp cutting pains. Hemorrhoids, with pain on sitting down, or taking wide steps; as if split with a knife.

Nocturnal emissions with flaccid penis.

Impotence with dislike for coition.

Leucorrhœa discharge occurs in gushes day and night.

Menses too late, pale and scanty with violent colic.

Horny callosities on hands and feet.

Thick, crippled nails.

Old scars from ulcers.

Skin dry and inclined to crack.

Takes cold easily.

GRATIOLA OFFICINALIS.

(*Gră-tî'-o-la Őf-fis-î-nă'-lis.*)

Hedge Hyssop.

Scrophulariaceæ.

Diarrhœa; yellow, greenish, watery, with burning in anus.

Stools frequent, gushing out with force; cold feeling in the abdomen.

Nausea with inclination to vomit.

Appetite for nothing but bread.

Violent thirst.

Diarrhœa resulting from drinking an excessive quantity of water.

HAMAMELIS VIRGINICA.

(*Hăm-a-mě'-lis Vur-jîn'-î-ka.*)


Witch Hazel.

Hamamelaceæ.

Acts on the blood vessels producing a venous congestion, resulting in venous hemorrhages from all orifices of the body, nose, lungs, bowels, uterus, bladder, also extravasation into the chambers of the eye from coughing.

Rheumatism, articular and muscular, attended by bruised soreness of the affected parts.

Hæmorrhoids, bluish color, with burning soreness and heaviness, as if the back would break.



Drowsy, constant somnolence; can be aroused, but not to full consciousness.

Stools white jelly-like mucus, with smarting and burning in the anus.

Urine scanty and dark, with floating black specks, or containing a deposit looking like coffee grounds.

Cold, dry skin; pulse often intermits.

Dropsy, of brain, chest, or abdomen, after scarlatina, nephritis and intermittents.

Weakly, scrofulous children, with brain symptoms, during dentition.

Soporose sleep, with starting and screaming.

HELONIAS DIOICA.

(*Hē-lō'-nī-as Dī-oi'-ka.*)

False Unicorn.


Liliaceæ.

General weakness and atonic condition of the female pelvic organs. Prolapsus uteri with dragging in the sacral region and through the uterus. Weight and soreness in the region of the womb. Vaginal irritation with pain in the back. Consciousness of the presence of the womb.

Women with prolapsus from atony, enervated by indolence and luxury.

They feel better when their thoughts are engaged and therefore when the doctor comes.

Women worn out with work; do not care for



sleep; the tired and strained muscles burn and ache. Face sallow and with expression of suffering.

Dull, gloomy, irritable, better when the mind is engaged.

Burning and weight in the kidneys in afternoon and evening. Frequent urging with burning and scalding on urination. Strangury.

Profuse flooding with serous leucorrhœa. Much uterine and ovarian pain, with atony and anæmia.

Pudendum hot, itching, and with exfoliation of epidermis.

HEPAR SULPHURIS CALCAREUM.

(*Hē-pār Sūl-fū-rīs Kāl-kā'-re-ūm.*)


Hepar Sulfur. **Impure Calcium Sulfid. CaS.**

Over-sensitiveness of the nervous system. Pains seem to be intolerable to the patient. Wherever there is an inflamed part there is a sore and bruised feeling with this characteristic sensitiveness, so that the parts cannot be touched.

Extreme sensitiveness to draughts of air; takes cold from slightest exposure and cannot bear to be uncovered.

Easy perspiration, profuse secretions and suppurative tendencies are very characteristic.

Sad, low-spirited, weakness of memory, with



over-sensitiveness and irritability; quick, hasty speech.

Cough when any part of the body is uncovered.

Cough, croupy, hoarse, with slight suffocative spasms and at the same time rattling of mucus.

Tonsils swollen; sticking pains as from a splinter when swallowing, extending towards ear when yawning.

Threatened suppuration of tonsils.

Semi-lateral pressure in head as from plug or dull nail.

Unhealthy condition of skin. Slight injuries suppurate.

Humid soreness on genitals and scrotum and folds between scrotum and thighs.

Boils, carbuncles, etc.; suppurative diseases.

Eczema spreading by formation of new pimples just beyond the old part.

Constipation; stool hard and dry, especially with eruptions in bend of elbow and in popliteal space.

Fæces not hard but expelled with difficulty.

Clay colored, sometimes with bloody mucus and tenesmus. Diarrhœic stool with sour smell.

Aversion to fat but longing for acids.

Stomach easily disordered, with inclination to vomit.

Urine passes tardily and without force, feels as if the bladder could not be entirely emptied.

1. The first part of the paper is devoted to a discussion of the general principles of the theory of the structure of the human mind. It is shown that the human mind is a complex system, which is not reducible to a simple sum of its parts. The author argues that the human mind is a system of interacting elements, which are organized in a hierarchical manner. The first level of organization is the individual, which is composed of various organs and systems. The second level is the social group, which is composed of individuals. The third level is the society, which is composed of social groups. The author argues that the human mind is a system of interacting elements, which are organized in a hierarchical manner. The first level of organization is the individual, which is composed of various organs and systems. The second level is the social group, which is composed of individuals. The third level is the society, which is composed of social groups.

Burning and soreness in the urethra during micturition.

Hepar Sulfur antidotes Iodine, Iodide of Potash, and Mercurial preparations.

General aggravation of this remedy is from cold air, touching parts, when swallowing, and at night.

Amelioration.

Warmth in general, wrapping up warmly, especially the head, and in *damp weather*.

HYDRASTIS CANADENSIS.

(*Hî-dräs'-tîs Kăn-a-dên'-sîs.*)

Golden Seal.

Ranunculacææ.

Hydrastis acts upon the mucous membranes, setting up a catarrhal process, especially the mucous membranes of the outlets of the body.

The discharges are thick, white, tenacious, or yellow, green, or bloody, can be drawn out in strings.

Also expends part of its force upon the skin and glandular system.

Dull frontal catarrhal headache; smarting burning in the eyes; thick mucus discharge. Otorrhœa; mucus discharge.

Excoriating discharge from the nostrils.

Purulent or thick tenacious mucus from the nose.



Tongue feels as if burned or scalded.

Excessive thick tenacious mucus from the mouth; stomatitis after mercury, chlorate of potash; nursing women.

Faintness at the stomach, *goneness*.

Cutting, burning, colicky pains in stomach and bowels, *goneness*.

Stools lumpy, covered with mucus. Constipation with hæmorrhoids.

Catarrh of the bladder, with thick, ropy, mucous sediment in the urine.

Gonorrhœa, second stage, thick yellow discharge. Gleet.

Leucorrhœa, tenacious, ropy, thick, yellow. Ulceration of the cervix and vagina.

Bronchitis of old exhausted people; thick, yellow, tenacious sputa.

Yellow skin, bright-colored stools, with pain in the liver.

Variola, itching and tingling of the eruption; useful in all stages.

Cancerous ulceration.


HYOSCYAMUS NIGER.

(*Hî-ös-sî'-a-müs Nî'-jer.*)

Henbane.

Solanaceæ.

Acute mania, without evidence of absolute inflammation.



Its keynote is the extreme excitation of the sensorium.

Answers properly when spoken to, but delirium returns immediately.

Illusions and hallucinations; will not stay in bed; restlessness and delirium. Picks the bed-clothes. Mania with ridiculous gestures and actions. Lascivious mania, uncovers the whole body, especially the sexual parts; sings amorous and obscene songs.

Cries and laughs alternately, gesticulating violently.

Lively imagination; complains of imaginary wrongs. Fear of being left alone; of being bitten or poisoned. Suspicious.

Disappointed love, jealousy and imaginary fears.

Constriction of the throat and inability to swallow, particularly liquids. Hiccoughs.

Great thirst and at the same time dread of liquids.

Stools yellow, watery, involuntary, painless; during typhoid fever.

Urine scanty or retained, or passed involuntarily in bed, leaving *streaks of red sand* on the sheets.

Sexual desire excessive.

Dry hacking cough, spasmodic cough, worse on lying down, at night, has to sit up, when it at once disappears.

Pneumonia; with cerebral symptoms, delirium, and sopor; dry, fatiguing cough at night with rattling in chest.

“Every muscle in body twitches from eyes to toes.” Subsultus tendinum.

HYPERICUM PERFORATUM.

(*Hî-për'-î-kûm Per-fo-râ'-tûm.*)

St. John's Wort.

Hypericaceæ.

The “arnica of the nerves.”

Especially applicable to injuries of the nervous tissue, *e. g.*, mechanical injuries of the spinal cord or the nerves at their peripheral extremities; bad effects of falls, blows upon the head, punctured wounds, etc.

Wounds of the parts where great pain shows that the nerves are severely involved.

Threatened lockjaw from wounds resulting from treading on nails, etc.


Great nervous depression after wounds.

Headache, with vertigo and dizziness as after a fall. Tearing stitches in the brain. Meningitis.

After a fall slightest motion of limbs or neck extorts cries.

Local congestions; nervous erethism, with or without hæmorrhage.

Next to the nervous tissue the joints are affected. All articulations feels bruised.



of the head, worse when smoking or smelling tobacco smoke.

Children after having been reprimanded or scolded are put to bed and get sick.

Stitches in throat only between acts of swallowing.

Dry, spasmodic cough, the longer they cough the more the irritation to cough increases.

Sensation of lump in throat. Hysteria.

Diarrhœa painless, worse at night, from fright, with great timidity. Constriction of anus with stitches up the rectum. Prolapsus from moderate exertion at stool.

General nervousness with sensation of great weakness, sinking in the pit of the stomach. Hiccough after eating or smoking.

Especially suitable to nervous and hysterical females of mild, but easily excited nature.

Remember the contradictions in this remedy.

IODIUM.

(*Ī-ō'-dī-ŭm.*)

Iodin.

I.

Nearly every organ and tissue is affected by this remedy.

Useful in persons of scrofulous diathesis with dark hair and eyes.

Acute catarrh of all mucous membranes, especially the eyes and nose.

Primarily the lymphatic glands are enlarged followed by atrophy, especially the mammæ and testicles, with general emaciation.

Glandular enlargements are usually painless. Goitre.

The very indolence of the disease is the keynote for Iodine.

Controls inflammatory troubles in parenchymatous structures, particularly the lungs, with high temperature.

Mental irritability and sensitiveness, with sadness.

Scrofulous children emaciate rapidly despite their ravenous appetites.

Better in open air, worse in warm room.

Great weakness with palpitation of the heart worse from least motion; loss of breath when going up stairs.

Face pale or yellow changing to sallow; pale alternating with redness.

Stool watery, foamy, *whey-like*, always worse in morning and in a warm room.

Restlessness, inclination to constantly change position so that one can neither sit nor sleep.

Induration of uterus and ovaries.

Metrorrhagia with mammæ dwindling with acute pains.

Leucorrhœa, acrid, corroding the limbs, worse at time of menses.

Membranous croup, with wheezing and sawing

respiration, dry, barking cough, especially children with dark eyes and hair; child grasps the throat with the hand.

Cough with expectoration frequently streaked with blood. Tendency to bronchial and pulmonary congestion and hæmorrhage.

Cancer of the uterus with uterine hæmorrhage, with cutting pains in the loins and back.

Cancerous tendency. Goitre.

Enlargement of the spleen which is sensitive to touch.

IPECACUANHA.

(*Īp-e-kāk-yū-ān'-a.*)

Ipecac.

Rubiaceæ.

Nausea.

Nausea with nearly all troubles.

Constant and continual nausea.

Face pale and body rather cool; child cries and screams constantly.

Ill-humored, impatient, scornful.

Bruised feeling in the brain and skull, piercing through the skull into the roots of the tongue with nausea.

Violent sneezing, thin mucus discharge, bleeding from the nose.

Paroxysmal coughing with expectoration.

Salivation, obliged to swallow constantly;

1. The first step is to identify the problem or question that needs to be answered.

2. The second step is to gather relevant information and data.

3. The third step is to analyze the information and data.

4. The fourth step is to develop a solution or answer.

5. The fifth step is to implement the solution or answer.

6. The sixth step is to evaluate the results of the solution or answer.

7. The seventh step is to communicate the results of the solution or answer.

8. The eighth step is to reflect on the process and learn from the experience.

9. The ninth step is to apply the lessons learned to future problems or questions.

10. The tenth step is to continue to learn and grow from the experience.

11. The eleventh step is to share the results of the solution or answer with others.

12. The twelfth step is to seek feedback from others.

13. The thirteenth step is to use the feedback to improve the solution or answer.

14. The fourteenth step is to repeat the process as needed.

15. The fifteenth step is to continue to learn and grow from the experience.

16. The sixteenth step is to apply the lessons learned to future problems or questions.

17. The seventeenth step is to continue to learn and grow from the experience.

18. The eighteenth step is to share the results of the solution or answer with others.

19. The nineteenth step is to seek feedback from others.

20. The twentieth step is to use the feedback to improve the solution or answer.

21. The twenty-first step is to repeat the process as needed.

22. The twenty-second step is to continue to learn and grow from the experience.

23. The twenty-third step is to apply the lessons learned to future problems or questions.

24. The twenty-fourth step is to continue to learn and grow from the experience.

25. The twenty-fifth step is to share the results of the solution or answer with others.

26. The twenty-sixth step is to seek feedback from others.

27. The twenty-seventh step is to use the feedback to improve the solution or answer.

28. The twenty-eighth step is to repeat the process as needed.

29. The twenty-ninth step is to continue to learn and grow from the experience.

30. The thirtieth step is to apply the lessons learned to future problems or questions.

31. The thirty-first step is to continue to learn and grow from the experience.

32. The thirty-second step is to share the results of the solution or answer with others.

33. The thirty-third step is to seek feedback from others.

34. The thirty-fourth step is to use the feedback to improve the solution or answer.

35. The thirty-fifth step is to repeat the process as needed.

36. The thirty-sixth step is to continue to learn and grow from the experience.

37. The thirty-seventh step is to apply the lessons learned to future problems or questions.

38. The thirty-eighth step is to continue to learn and grow from the experience.

39. The thirty-ninth step is to share the results of the solution or answer with others.

40. The fortieth step is to seek feedback from others.

41. The forty-first step is to use the feedback to improve the solution or answer.

42. The forty-second step is to repeat the process as needed.

43. The forty-third step is to continue to learn and grow from the experience.

weakness with pale, sunken face and blue rings around the eyes.

Griping pinching pain in the stomach.

Stomach feels relaxed as if hanging down, with an indescribable sick feeling in the stomach.

Gastric catarrh from indigestible food.

Stools green as grass, mucus, bloody, fermented; dark, looks like frothy molasses.

Tongue clean; cold sweat on forehead, nausea.

Flatulent colic, cutting pain with every movement, running from left to right.

Rattling in bronchi during respiration.

Bronchial catarrh.

Suffocative cough, whereby the child becomes blue in the face.

Cough causing inclination to vomit without nausea.

Expectoration of bright red blood.

Dyspnoea, with wheezing and weight about the præcordia, with constriction across the chest; violent convulsive cough.

Bright red hæmorrhages from all orifices of the body.

Uterine hæmorrhage bright red and with oppressed breathing.

Intermittent fevers after the abuse of quinine, especially if there is much nausea.

Whooping cough, with nose bleed, bleeding from the mouth, vomiting, loses breath, becomes pale, rigid.

IRIS VERSICOLOR.

(*Ī-rīs Vur-sīk'-o-lōr.*)

Blue Flag.

Iridaceæ.

Low spirited.

Dulness of the mental faculties.

Headache resulting from gastro-hepatic derangements.

Sick headache generally beginning with blurred vision.

Sick headache, *eighth day*.

Neuralgia of face and orbits, worse in morning; copious urine; sciatica with intense burning pain.

Mouth and tongue feel as if they had been scalded.

Profuse flow of saliva, which is usually stringy.

Nausea and vomiting of sour fluid; great burning and distress in the epigastrium.

Inflammation, burning distress in the pancreas, sweetish vomit.

Cutting pain in region of the liver.

Intermittent colicky pains about the navel, before each vomiting or purging.

Stool thin. tinged with bile, undigested bloody mucus, with great straining and burning in the rectum after stool.

Prolapsus of rectum.

Burning from mouth to anus as if on fire.

Violent vomiting of ingesta; of bile; of an extremely sour fluid which excoriates the throat.

Much exhaustion and debility from the first.

Pustular eruptions on scalp, face, and about the mouth.

Herpes Zoster on right side of body.

All discharges are so acrid as to produce burning of the parts over which they pass, whence burning in the rectum after stool, burning in the urethra after passage of urine, burning in throat after vomiting.

JALAPA.

(*Jäl'-a-pa.*)

Jalap.

Convolvulaceæ.

An active hydragogue cathartic.

Stools watery, sour smelling, bloody.

Violent, excessive stools.

Cutting colic, with great restlessness and anxiety.

Nausea and vomiting, with severe griping, cutting pain in the bowels, worse at night.

Child is quiet all day, but screams and tosses about all night.

General coldness; weak pulse, with blueness of the face.

Nightly colic, with or without diarrhœa.

JATROPHA CURCAS.*(Jät'-ro-fa Kür'-käs.)***Physic Nut.****Euphorbiaceæ.**

Dreads to drink on account of nausea.

Vomiting; easy, of much watery albuminous substance, with watery diarrhœa.

Profuse, watery diarrhœa, gushing out like a torrent, accompanied with noises as of liquids in the abdomen.

Stools preceded and followed by rumbling, and at times noise as if a bottle were emptied.

Violent cramps in the legs and feet.


Coldness of the body, with general cold, clammy perspiration.

Remember the albuminous vomiting.

KALI BICHROMICUM.*(Kä'-li Bî-krö'-mî-kûm.)***Potassium Bichromate.** **$K_2Cr_2O_7$.**

A deep acting tissue remedy; setting up an inflammation of the mucous surfaces, with tendency to plastic exudation and formation of pseudo-membranes.

All the mucous membranes secrete a tough, stringy, adherent mucus, which can be drawn out in long strings.



The ropy discharges are characteristic in coryza, pharyngitis, laryngitis, gastric catarrh, leucorrhœa, gleet, entero-colitis, and proctitis.

Nasal catarrh with characteristic stringy discharge or with plugs and clinkers in the nose. Septum perforated, with bloody discharge.

Dull, pressive pain in the root of the nose.

Diphtheria and tonsilitis with characteristic exudation and discharge. Uvula cedematous.

Headache with blurred vision, blindness precedes the attack, patient must lie down, aversion to light and noise.

Sight returns as the headache increases.

Pains appear in small spots which can be covered with the end of the finger.

Pains often shift rapidly. Rheumatism. Syphilis.

Periodical supra-orbital neuralgia. Sunpains.

Ulcers deep with smooth edge as if punched out.

With conditions requiring Kali bichromicum there is very little fever.

Especially adapted to fat, light-haired persons, and to fat, chubby children.



KALI BROMATUM.*(Kā'-lī Bro-mā'-tūm.)***Potassium Bromid.****KBr.**

Primarily decreases reflex action.

Secondarily depresses the mind.

Convulsions; as from pressure on peripheral nerves. Eclampsia from pressure of the foetal head. Spasms from indigestible substances in the child's stomach.

Acute mania, sleeplessness and strange imaginings; fears that he will be poisoned or is pursued by some demon; that he is hated by everybody; that his honor is at stake; fear and anguish.

Pupils dilated, bright red face.

Tremblings and twitchings.

Night terrors of children, reflex from excitement, dentition and worms.

Nervous irritability, feels better when busy; plays with dress or watch chain.

Headache, patient rubs the head against the pillow.

Melancholia, forgetful of words. Cares nothing for his occupation or any one.

After excesses in venery. Hard working business men; with numbness in back of head.

Skin of face covered with little hard, red papules surrounded by vesicles and ending in suppuration. Acne after masturbation.

Pustules with umbilicated center somewhat like smallpox.

Eczema. Affections of the sebaceous or sudoriparous glands.

KALI CARBONICUM.

(*Kā'-lī Kār-bōn'-ī-kūm.*)

Potassium Carbonate.

K_2CO_3 .

The condition presented by the patient is one of great debility and exhaustion as after, disease, after abortion, uterine hæmorrhage, pregnancy; exhaustion and anæmia.

The hæmo-globin of the blood is greatly diminished, but the serous element is normal in quantity; whence the anæmia with apparent plethora, the paleness, and dropsical effusion in different parts.

A qualitative anæmia.


Aggravation of all symptoms from 3:00 to 4:00 A. M., also from cold air.

Sharp, sticking pains worse from slightest motion, cold air, and early morning.

Takes cold from slightest exposure.

Weariness and backache, the keynote of Kali Carbonate.

Darting, sticking pains in the chest; worse from lying on the affected side, whether moving or not.



Swelling between the brows and lids like a sac.

Tenacious mucus in back part of the throat in the morning, which can neither be swallowed nor hawked up.

Sticking in the pharynx as of fish-bone.

Stitches in the liver, stomach, and abdomen, with excessive flatulency.

Nose bleed while washing face in the morning.

Inactivity of the rectum, stool large, difficult, with sticking, colicky pains.

Weak eyes after measles, abortion, and sexual excesses.

Stitching pain in the uterus, labor-like; leucorrhœa, acrid, covering thighs with eruption.

Phthisis; acts on the lower part of right lung; fainting spells; sputum contains pus globules, blood and albumen.

Pneumonia, with stitching in right chest, worse from lying on right side.

Pleurisy, stitches in left chest; dry cough, worse 3:00 A. M.


KALI CHLORICUM.

(*Kā'-lī Klō'-rī-kūm.*)

Potassium Chlorate.

KClO₃.

Has a profound action on the mucous membranes, producing gangrenous ulceration of the mouth, throat, stomach, and bowels, and terrible



and violent dysentery with profound prostration.

A violent nephritis.

Stomatitis; ulcerative and follicular, mucous surfaces red and tumid; gray based ulcers in the cheek and lips.

Submaxillary gland swollen, throat red and edematous.

Swallowing difficult, with rawness and dryness.

Nephritis.

Frequent urging, could pass only a few drops of bloody urine.

Hæmaturia.

Urine scanty, black and albuminous.

KALI IODATUM.

(*Kā'-lī Ī-o-dā'-tūm.*)

Potassium Iodid.


KI.

Affects the lowest tissues; fibrous tissues and periosteum and ultimately the nervous tissue through the neuroglia.

Also shows a tendency to produce infiltration and œdema.

Anxiety about the heart, hot head, flushed face, talkative.

Headaches of the external head, probably in aponeurosis of occipito-frontalis; hard, painful lumps on the scalp.



Inflammation of the choroid and iris. Pustular keratitis. Syphilitic iritis after mercury.

Coryza after mercurialization repeatedly occurs.

Nose red, swollen; acrid watery discharges. Eyes smart and water, alternately hot and cold. Ozena of scrofulous, syphilitic, or mercurialized patient.

Discharge thick, green, offensive, burning.

Pneumonia where hepatization has commenced.

Cerebral symptoms may accompany lung affections, with red face, pupils dilated, and not reacting to light.

Pulmonary œdema, with frothy expectoration like soapsuds, somewhat greenish.

Phthisis pulmonalis, frothy expectoration, night sweats, loose stools. Cough violent, racking, tearing. 2 to 5 o'clock.

Heart: horrible smothering feeling, awakes him from deep sleep, must get out of bed.

Endo-carditis and peri-carditis, of rheumatic origin.

Pain in spine as if back were being crushed. Spinal meningitis, with œdema and exudation, especially syphilitic.

Gummatous tumors of every nerve tissue.

Rheumatism, especially of the knees, swollen, doughy to feel, no fluctuation; skin about joints spotted; pains gnawing and boring, worse at night.



Sciatica of syphilitic and mercurial origin worse at night.

Pustular eruptions on scalp and down the back.

Tertiary syphilis.

Rupia.

Best antidote, Hepar Sulfur.

KALI NITRICUM.

(*Kā'-lī Nī'-trī-kūm.*)

Potassium Nitrate.

KNO₃.

Its action upon the heart and kidneys is similar to that of all the other salts of potash.

It produces a marked inflammation of the alimentary canal, also bronchial catarrh and asthma.

Great prostration and threatening collapse.

Rheumatic stiffness, worse from cold, better from warmth.

Sneezing with purulent offensive discharge; hæmorrhage; nasal catarrh.

Faint-like weakness in the pit of the stomach.

Thirst, but cannot drink for want of breath.

Diarrhœa from eating veal.

Loss of voice, hoarseness, dry cough morning and evening. Dyspnoea. Difficult respiration, expectoration like soapsuds. Asthma.

KALMIA LATIFOLIA.

(*Kăł'-mĭ-a Lăt-i-fō'-lĭ-a.*)

Mountain Laurel.

Ericaceæ.

Produces shifting rheumatic pains with restlessness, and has a marked action on the heart.

Vertigo seems to be marked and accompanies every group of symptoms.

Paroxysms of anguish about the heart, dyspnoea and febrile excitement. Rheumatic endocarditis, with consequent hypertrophy and valvular disease. Extremely slow, feeble pulse.

Pains suddenly leave limbs and go to heart.

Stitches in the eyes with a sensation of stiffness around the eyes and eyelids.

Pain occurs at irregular times, continuing for no definite period, coming suddenly or gradually and leaving as uncertainly.

Rheumatic pains are worse from least motion. Weakness the only general symptom with neuralgia.

Oppressed short breathing. Dyspnoea. Angina pectoris.

Shooting, stabbing pain from the heart through to the scapula, causing violent beating of the heart.

Rheumatic affections of the heart.

Acute rheumatism going from joint to joint; fever with intense pain; ankles most painful and swollen, worse from least motion.



LACHESIS.

(*Lăk'-e-sis.*)

Venom of Lance-headed Viper.

Ophidia.

Evidently produces an irritation of the peripheral nerves which causes a peculiar sensitiveness of the surface of the body.

Cannot bear any constriction of the chest, throat, or abdomen.

The greatest sensitiveness, even to the touch of the bed clothes on the throat, or of common bedclothing on the abdomen.

Mania with great loquacity, frequently jumping from one subject to another.

Lachesis affects the *left side* of the body.

Sleeps into an aggravation.

Hæmorrhages. Ecchymoses, asthenic inflammations, malignant inflammation, gangrene, with general typhoid condition.


Face; red in apoplexy or yellow; hæmatogenous jaundice.

Diphtheria, tonsilitis, beginning on the left side and extending to the right, dark purplish color

Debility, with intolerance of least pressure about the throat.

In sore throat pain out of all proportion to lesion.

Amblyopia with lung or heart affection.



Hæmorrhage into eye, anterior chamber.
Retinitis apoplectica.

Hot flushes and hot perspiration at or after menopause. Weight and burning at vertex at climacteric. Headache extends into root of nose. Rush of blood to the head in alcoholics, at the menopause. Left-sided apoplexy.

Ulcers, boils, carbuncles, malignant pustule, dark, bluish, purple appearance and very sensitive.

Cadaverous-smelling stools, dark chocolate-colored, worse at night in warm weather. Extremes of heat and cold produce debility.

Menses scanty, black and very offensive. Pain in hips and bearing down in left ovary; all better when flow is established.

Uterus intolerant of least pressure.

Typhoid fever, stupor and delirium, sunken countenance, falling of lower jaw, tongue trembles, catches on the teeth when protruded. Yellow or orange-colored conjunctiva. Perspiration cold, stains yellow.


LEDUM PALUSTRE.

(*Lē-dŭm Pa-lŭs'-trē.*)

Wild Rosemary.

Ericaceæ.

Rheumatic pains going from below upward; joints pale, swollen, tense, hot, with stinging,



drawing pains; worse from warmth of bed and bed covering, from motion, and in evening before 12:00 P.M.

Gout, worst in feet, nodosities on joints; rheumatism begins in lower limbs and ascends.

Gouty nodosities on hands and finger joints; drawing pains from hands upward.

Severe stitching in shoulder joints.

Panaritium from external injuries.

Want of animal heat.

Parts cold to touch, but not to patient.

Hæmoptysis alternating with rheumatism.

Menstruation too early, too profuse, with absence of vital heat.

Pimples and blood boils on the forehead, which have a sticking pain on touch.

Biting and itching on chest, with red spots and miliary eruption.

Useful for punctured wounds, stings of insects, especially of mosquitoes. Ailments from abuse of alcoholics.

LEPTANDRA VIRGINICA.


(*Lěp-tăn'-dra Vur-jîn'-i-ka.*)

Culver's Root.

Scrophulariaceæ.

Despondency with hepatic derangements.

Dull aching in the liver, worse near gall bladder. Jaundice with clay colored stool.



Constant dull aching in the umbilical region.

Stools; black, tarry, bilious, undigested, followed by great distress in the liver; mushy, with weak feeling in the bowels; greenish, muddy, spouting out like water; worse mornings as soon as he moves; from meat or vegetables.

After stool, griping but no straining.

LILIUM TIGRINUM.

(*Lil'-i-um Ti-grī'-nūm.*)

Tiger Lily.

Liliaceæ.

Congestion of the pelvic viscera, especially of women. Uterine and ovarian pains very marked, attended by many reflex symptoms.

Dragging down of the whole abdominal contents extending even to the organs of the chest.

Must support the abdomen.


Bearing down in uterus, pains in left ovary and mammæ.

Severe neuralgic pains in abdomen and uterus, could not bear touch or slightest jar.

Bearing down in uterine region as if everything would be pressed out; relieved by pressing hand against vulva.

With bearing down, low spirited, weeping, apprehensive; irritable; opposite and contradictory mental states.

Urgent desire for stool, anorexia; faint in close



room and when standing; frequent, scanty, burning urine.

Pain in sacrum; bloated feeling in abdomen; limbs cold and clammy.

Heart feels as if squeezed in a vise.

Constant hurried feeling as of imperative duties and utter inability to perform them.

Menses, scanty, flow only when moving about.

Excoriating leucorrhœa, with labor-like pains in lower part of back.

Constant pressure on the bladder with frequent urination during the day with burning in the urethra.

Weak, trembling, nervous, with aimless hurry and motion; walks to and fro; cannot be amused by thinking or reading.

LITHIUM CARBONICUM.

(*Lith'-i-ŭm Kār-bŏn'-i-kŭm.*)

Lithium Carbonate.

LI₂CO₃.


Gouty disposition; rheumatic soreness or sudden shocks in region of heart. Pains in the heart during urination also before and during menstruation.

Fluttering of the heart from mental agitation.

Valvular deficiencies.

Violent pains in the heart when bending over.

Urine deposits much mucus, pus, and uric acid.



Swelling and redness of joints with great tenderness.

Mucous membrane dry; later a thick mucus secretion.

Erythema of the skin, especially about the joints with rheumatism. Erythema like barber's itch.

Vertex headache after suppression of menses.

Eyes pain as if sore. Right half of the object vanishes.

Nose swollen and red.

Cough from a single spot in the throat.

Gastralgia with pain in the left temple and orbit better from eating.

Diarrhoea after cocoa.

Pains go down the limbs.

Body increases in weight and becomes puffy.

LYCOPODIUM CLAVATUM.

(*Lī-ko-pō'-dī-ŭm Kla-vā'-tŭm.*)

Club Moss.


Lycopodiaceæ.

It has the power of setting up a peculiar indigestion.

Uric acid diathesis. Catarrh of the nose, throat, and lungs.

Particularly adapted to atonic and sluggish types of disease; in old people and children.

Face pale and sallow, eyes sunken, or face



ploughed with wrinkles, indicating deep-seated disease.

Irritable, impatient, getting angry easily, or very sad and depressed; weeps all day. Confused thoughts, uses the wrong words for correct ideas.

The great characteristic of *Lycopodium* is the production of flatus in the intestines.

After eating sudden repletion, with drowsiness and tension in the liver.

Great fulness in the stomach and bowels, with sour eructations; everything tastes sour. Fulness in the stomach relieved by loosening the clothes.

Tension in the region of the liver.

Hepatitis, chronic forms; abscesses; fan-like motion of the *alæ nasi*; one hot, one cold foot.

Great fermentation in the abdomen; rumbling and croaking; colic and discharge of much flatus; worse 4:00 to 8:00 P. M.

Diarrhœa; thin, yellow, or reddish yellow fluid, or constipation with hard lumps; after stool feels as if much remained unpassed; with much flatulence.

Urine; scanty, dark red, albuminous with strangury; deposits a red sandy sediment; frequent and copious at night, scanty before day. Child cries before urinating, urine stains the diaper red, urging to urinate, must wait long before it will pass.

Penis small, cold, relaxed; impotent from

sexual excess; erection feeble; during an embrace falls asleep.

Child disturbed by frequent waking; springs up terrified and screams, is angry and cross, striking, kicking, and scratching every one who approaches.

Vagina dry; burning in the vagina during and after coition.

Varicose veins on the pudenda.

Menses usually too long continued and too profuse; sometimes scanty. Depressed mood before menses. Catarrh of the chest of infants; rattling; seems full of mucus.

Neglected pneumonia; especially with hepatization and purulent sputum.

Burning as from glowing coal between scapulæ.

Diphtheria, tonsillitis, deposit spreads from right tonsil to left; worse from cold drinks.

LYCOPUS VIRGINICUS.

(*Lî'-ko-pūs Vur-jîn'-î-kūs.*)

Bugle Weed.

Labiatae.

Protrusion of eyes, with tumultuous action of the heart; exophthalmos, from cardiac disease. Pains in the chest with oppressed respiration.

Pulse quick, intermittent; feeble, irregular, quickened at each inspiration; extremely variable; irregular in rhythm; extremely compressible.

MAGNESIA CARBONICA.*(Mäg-ně'-she-a Kār-bōn'-ī-ka.)***Magnesium Carbonate.** $(\text{MgCO}_3), \text{Mg}(\text{OH}), 5\text{H}_2\text{O}.$

Produces an acid dyspepsia, with great flatulence. Neuralgia, which is marked in all the Magnesias, especially about the head.

Face pale and earthy, the evidence of defective nutrition. Tension on the face as if the white of an egg had dried on it.

Nightly tearing, digging and boring in the malar bone, insupportable during rest, and driving one from place to place.

Toothache; while riding in a carriage, worse in cold; at night compelling one to rise and walk about, intolerable when at rest; during pregnancy.

Eructations sour; sour taste and sour vomiting.

Pressing, spasmodic, contractive, colicky pains; relieved by green stools.

Stools green, watery, frothy, with a green scum, like that of a frog pond.

White lumps like masses of tallow, floating in the green watery stool.

Sour smelling, undigested stools.

Menses; late and scanty; stopped in the afternoon; dark acrid flow, with cramping in the abdomen; profuse and too early, flow more at



night and on first rising, also between uterine pains.

Acrid leucorrhœa, white mucus preceded by colic.

Neuralgic pains, shooting like lightning, worse on left side; worse in draft, change of temperature and touch; must get out of bed and walk the floor.

MAGNESIA MURIATICA.

(*Măg-ně'-shě-a Mû-rî-ăł'-î-ka.*)

Magnesium Chlorid.

MgCl₂.

Coryza, with dulness of the head, and loss of smell and taste.

Discharge of acrid, corrosive water from the nose; nose obstructed at night.

Slow dentition with distended abdomen and constipation.

Stools; in large, hard lumps; crumbling at the verge of the anus; knotty like sheep's dung; abdomen distended.

Bearing down in the ovarian region; menses black and clotted, profuse and early, or late; pain in the back and thighs; pale face, debility, nervous excitement.

Uterine diseases complicated with hysterical complaints.

Nearly all symptoms appear while sitting and are relieved by motion.



Women; especially hysterical, with uterine affections.

Children during dentition.

MAGNESIA PHOSPHORICA.

(*Mäg-ně'-shě-a Fös-för'-ĭ-ka.*)

Magnesium Phosphate.

MgHPO₄7H₂O.

Neuralgia; sharp, cutting, *cramping*; lightning-like in coming and going.

Distinctively a right-sided remedy.

Cannot bear cold air, being uncovered, cold bathing, or even touching the affected parts.

Cutting, cramping pains in the stomach.

Cutting, cramping, colicky pains in the abdomen, better by warmth and hard pressure.

Menstrual colic; pains darting like lightning, or cramping, better by bending double and by heat.

Spasms during dentition, no fever.


MELILOTUS ALBA.

(*Měl-ĭ-lō'-tūs Āl'-ba.*)

White Melilot.

Leguminosæ.

Engorgement of blood vessels in any part or organs of the body. Congestions are relieved by hæmorrhage.



Violent congestive, or nervous headache relieved by nose bleed.

The great characteristic of *Melilotus* is an intense redness of the face, flushing of the face and throbbing of the carotids, which is relieved by nose bleed.

Flushed red face precedes hæmorrhages.

MENYANTHES TRIFOLIATA.

(*Měn-î-ăn'-thēz Trī-fō-lī-ă'-ta.*)

Buckbean.

Gentianaceæ.

Twitching of small parts of the muscles in all parts of the body. Visible twitching of the facial muscles, worse on the right side and at rest.

Cramp-like pains in the muscles of legs and arms.


Pressure in the head from above downwards, relieved during hard pressure with the hand.

Headache from the nape of neck, overhead a bursting pain as if brain were forcing the skull open; relieved by pressure.

Icy coldness of hands and feet with warmth of rest of body.

A sense of tension in the different parts of the body, in limbs, hands, fingers, as if the skin were much too small for the parts.

In ague when chill predominates.



MERCURIUS.*(Mër-kü'-rî-ÿs.)***Quicksilver.****Hg.**

Mercurius acts profoundly on every tissue and function of the body.

Produces degeneration of the red corpuscles, diminished coagulability of the blood, from loss of albumen and fibrin; a marked tendency to destruction of mucous membranes, skin, teeth and bones; with various nervous phenomena.

Memory weak, answers questions slowly.

Sad, wretched, thinks he is losing his reason and will die.

Dull pressing headache, with feeling as if band were tied about the head.

Scalp very sensitive and painful to touch.


Moist eruption on scalp, soreness with loss of hair.

Eyes inflamed and swollen, very sensitive to light. Ulcers of the cornea. Ciliary blepharitis, caused by working over the fire. Eyes forcibly drawn together when attempting to look at anything.

Dimness of vision. Intolerance of firelight.

Bloody, offensive discharge from the ears with stinging, tearing pains.

Much sneezing, with fluent corrosive discharge;



offensive odor. Nasal bones swollen and sensitive to the touch.

Face sickly, earthy colored.

Gums swollen, spongy, sometimes bleeding. Swollen tongue, flabby, taking the imprint of the teeth; with salivation, soapy, or stringy. Intense thirst with horribly offensive odor from the mouth.

Aphthæ in the mouth. Superficial ulceration of mucous membranes of mouth with much salivation. Teeth loose and black.

Suppuration of tonsils, with sharp sticking pains.

Salivary glands swollen and painful.

Nightly pains in jaws, teeth, and head.

Hard distended abdomen, with violent colic. Inguinal glands swollen or suppurating.


Stools green, bloody, slimy, acrid, burning, with tenesmus and that "never get done" feeling.

Urine frequent, scanty, with burning in urethra. Urine dark, scanty, bloody, albuminous, depositing sediment.

Leucorrhœa greenish, with burning, smarting, and corroding, with itching worse at night.

Weakness and weariness in all the limbs, worse at night, in warm bed, with profuse sweat which gives no relief. Bone pains worse at night.

Ulcers, superficial, bleeding easily, margins everted like raw meat.



Perspires easily, but gives no relief.

Troubles in general are worse at night from heat of bed, in wet weather, from lying on right side.

MERCURIUS CORROSIVUS.

(*Mër-kū'-rī-ūs Kōr-ro-sī'-vūs.*)

Corrosive Sublimate.

HgCl₂.

Its action is similar to Mercurius, but symptoms are attended by more pain and more fever, more tenesmus, more strangury, with tendency of ulcerations toward a phagedenic type.

Stools scanty, chiefly of blood and mucus, with constant desire.

Stools containing shreds of mucous membrane.

Constant tenesmus, with great tormina.

Incessant tenesmus, stools do not relieve it.

Tenesmus may begin in the rectum and extend to the bladder, or *vice versa*.

Tenesmus vesicæ with intense burning in the urethra, discharge of mucus and blood with scanty urine.

Urine scant, hot, bloody, retained or suppressed

Cold face and hands with small, feeble pulse. Trembling of limbs, faintness, weakness and shuddering.

Greenish discharge from urethra, worse at night, with great burning and tenesmus.

Gonorrhœa.

Catarrhal inflammation of the ears and eyes.
Syphilitic iritis.

MERCURIUS CYANATUS.

(*Mër-kû'-rî-ÿs Sî-a-nâ'-tûs.*)

Mercurius Cyanid.

Hg(CN)₂.

General prostration with cold, moist skin, the weakness being so great that he cannot stand up.

Swelling of the salivary glands.

White opalescent coat, resembling superficial mucous patches of syphilis, on pillars of velum palati and tonsils.

Redness of fauces and pharynx with great difficulty in swallowing.

Necrotic destruction of soft parts of palate and fauces.

In malignant gangrenous diphtheria.

MERCURIUS DULCIS.

(*Mër-kû'-rî-ÿs Dûl'-sîs.*)

Calomel.

Hg₂Cl₂.

Allies—the mercurials in general.

In infantile diarrhœa, stool dark green, with



gripping in the bowels. Stools scanty, bloody mucus, with bile, with constant desire.

Deafness and catarrhal affection due to inflammation of the middle ear. Eustachian tube closed

Flabby bloatedness and pallor are the indications for Calomel.

In scrofulous children who are pale and have swelling of cervical and other glands.

MERCURIUS IODATUS FLAVUS.

(*Mēr-kū'-rī-ūs Ī-o-dā'-tūs Flā'-vūs.*)

Proto-iodide of Mercury.

Hg₂I₂.


Tongue coated thick yellow at the base; bright yellow at the back part, tips and edges red.

Easily detached patches on the inflamed pharynx and fauces; worse on the right tonsil; salivary glands much swollen, fetid discharge.

Trouble usually worse on right side, worse at night. Throat better by warm drinks and empty swallowing.

Frequent, profuse, light-colored stool, or stools like putty, requiring great straining.

Stools yellow green with tenesmus.



MERCURIUS IODATUS RUBER.*(Měr-kū'-rĭ-ūs Ī-o-dā'-tūs Roo'-ber.)***Mercurius Biniodide.****HgI₂.**

Partakes more of the features of Iodine than the other Iodide of Mercury, consequently the troubles are worse on the *left side*.

Left tonsil swollen; fauces dark red; diphtheritic patches, submaxillary glands painfully swollen.

Hawks much, spits tough, white phlegm, or hard, greenish lumps.


Difficult deglutition, with ulcers in the throat worse from empty swallowing.

MEZEREUM.*(Me-zě'-re'-üm.)***Mezereon.****Thymelacæ.**

Mezereum produces an inflammation of the skin and mucous membranes.

Violent itching of the skin and burning of the mucous membranes Neuralgias, principally of the face.

Affects the long bones, nightly pains; pains going from above downward; after the abuse of Mercury or after venereal diseases.



Hypochondriacal, with low spirit and weeping;
indifferent to everything and everybody.

Head covered with a thick leathery crust,
under which pus collects and mats the hair.

Burning, biting, and itching on the scalp.

Hair covered with scruff, falling out; scalp and
face itch violently.

Neuralgia of the left side of face and eye; worse
from warmth.

Child continually scratches the face, which is
covered with blood, with intense itching, worse
at night.

During stool, prolapsus recti; anus becomes
painful and constricted about fallen rectum.

Leucorrhœa like the white of an egg, corroding.

Bones inflamed, swollen, especially the long
bones; after the abuse of Mercury.

Violent itching, worse in bed, from touch;
burning and change of place after scratching.

Scruff-like fish scales on back, chest, thighs,
scalp.

MILLEFOLIUM.


(*Mil-lē-fō'-lī-ūm.*)

Nose-bleed.

Compositæ.

Produces hæmorrhages from all the mucous
surfaces.

Hæmorrhages from the lungs or bowels, of
mechanical origin.



The hæmorrhage is painless, and the blood very light colored and fluid.

In painless drainings from the uterus (or nose or lungs) after abortion or threatened abortion, bright red blood, without pains.

MUREX PURPUREA.

(*Mū'-rex Pur-pū'-re-a.*)

Murex.

Mollusca.

Its center of action seems to be upon the uterus, causing uterine congestion, epigastric "goneness," cystic irritation. Muscular debility and mental depression.

"A distinct sensation of a womb."

Bearing down sensation as if internal organs would extrude; must sit down and cross the limbs.

Sore pain in the uterus.

Menses, profuse, protracted, in large clots.

Sexual excitement; desire so violent as to fatigue the reason. Least contact of part causes violent sexual excitement.

A feeling as though something were pressing on a sore spot in the pelvis.

Lancinating pains upward to abdomen or thorax; thick green or bloody leucorrhœa.

Copious urination at night; urine pale; wakes



with a start and a violent desire to urinate. (This symptom very marked.)

Inclined to be melancholy, with great depression of spirits.

MURIATIC ACID.

(*Mū-rī-āt-ik Āś'id.*)

Hydrochloric Acid.

HCl.

Typhoid states with great debility, deep stupor and unconsciousness, even when awake; muttering delirium; lower jaw hangs down; patient slides down in bed.

Paralysis of the tongue and sphincter ani.

Tongue *coated at edges*, shrunken, dry, leather like.

Involuntary, fetid stools while passing urine.


Stools dark, watery, or of dark thin blood.

Diseases of asthenic type.

Diphtheria, scarlatina, etc., with foul breath, ulcerated mouth; ulcers deep perforating and with bluish base.

Protrusion of dark purple varices, much worse from bathing in cold water.

Pulse weak and slow, intermitting every third beat.



NAJA TRIPUDIANS.*(Nä'-ja Trī-pū'-dī-ānz.)***Naja.****Reptilia.**

The mental and physical powers are greatly depressed.

Suicidal insanity.

Melancholy; has a great many imaginary troubles.

Diphtheria; when the larynx is invaded; patient grasps at the throat; choking sensation; fauces dark red, bad breath, short, hoarse cough, with rawness in the larynx and upper part of the trachea.

Impending paralysis of the heart in diphtheria.

Pulse slow and irregular in both rhythm and force; weak, scarcely perceptible.

Body cold and collapsed.

NATRUM CARBONICUM.*(Nä'-trūm Kār-bōn'-ī-kūm.)***Carbonate of Sodium.****Na₂CO₃10H₂O.**

Acts upon the mucous membranes, setting up a catarrhal condition of the eyes, and throat with an acid indigestion.

Great weakness of the entire system; a general relaxed condition.



Melancholy; extremely depressed; apprehensive.

Inability to think, or to perform any mental labor; the head feels stupefied if he tries to exert himself.

A general aggravation by mental exertion.

Stupefying frontal headache; from sun; from slightest mental effort.

Inflammation of the eyes, with photophobia.

Ulcers on the cornea, with stinging, shooting pains.

Violent sneezing, from coryza; thin or thick mucus or green mucus. Much nasal discharge; extending to posterior nares and throat.

Violent hawking up of thick mucus, which constantly collects again.

Ravenous hunger in the forenoon.

Frequent empty or sour eructation. Stomach easily disordered.

Yellow stools; soft or watery, with violent, sudden urging and tenesmus; watery, yellow, discharged with a gush; worse from milk or after eating, and from taking cold; spotted with blood.

Pressure in hypogastrium as if everything would come out.

Menses too early and long lasting.

Weakness in the limbs in general, but especially in the ankles in children; the ankles refuses to support them; easily dislocated or sprained.

A general aggravation from mental exertion;

summer; heat of sun; a thunder storm; an electrical condition

NATRUM MURIATICUM.

(*Nā'-trūm Mū-rī-āl'-ī-kūm.*)

Common Salt.

NaCl.

Produces a marked scorbutic cachexia. Anæmia.

Weakness of mind and body; great emaciation, most conspicuous about the neck, which is very thin and shrunken.

Face pale, earthy, yellowish, shining, greasy-looking.

Fever blisters, like pearls around the lips; lips sore, cracked, ulcerated.

Sad and tearful, low-spirited condition of the mind.

Weeping mood made worse by any attempt at condolence.

Tearful condition is accompanied by palpitation of the heart and intermittent pulse.

Child is cross and irritable, will cry from slightest cause.

Headache from any use of the mind. Headache, 10 A. M., throbbing, mostly in forehead, as from little hammers beating the head.

Headache beginning with blindness, sharp, sticking about the head, bruised feeling in the



eyeballs, worse from motion. School girl's headache.

Eruption at the nape of the neck, itching; with glutinous discharge, which mats the hair.

Inflammation, with ulceration of the eyes.

Great muscular weakness, letters run together, resulting in headache and inflammation. Asthenopia.

Eyelids inflamed and agglutinated in the morning.

Hearing difficult; roaring; with purulent discharge.

Takes cold easily.

Coryza, with loss of smell and taste.

Catarrh, secretion clear mucus.

Nose sore, interior of wings swollen; scabs in nose.

Sensation of a hair on the tongue.

Vesicles and ulcers in the mouth and on the tongue, with smarting and burning when touched by food.

Longs for salt. Aversion to bread and coffee. Unquenchable thirst.

Constipation from inactivity of the rectum.

Stool hard, difficult, or crumbling; smarting and burning in rectum.

Urine passed involuntarily; or has to wait long for urine to pass.

When she gets up in the morning she must sit down to prevent prolapsus.



Prolapsus uteri, with aching in the lumbar region, better lying on back.

Watery leucorrhœa, with backache, relieved by lying on the back or by hard pressure.

Dry, scaly, herpetic eruption in bend of knees.

Falling of the hair, brows, and beard.

Natrum muriaticum antidotes; nitrate of silver, quinine, bee-stings.

NATRUM SULPHURICUM.

(*Nä'-trüm Sül-fü'-rì-küm.*)

Sodium Salt or Glauber Salt.

$\text{Na}_2\text{SO}_4 \cdot 10\text{H}_2\text{O}$.

An active cathartic. Exhibits states similar to the uric acid diathesis. Hydrogenoid constitution. Sycosis.

Aggravation, with every change to damp weather.

Sad, depressed, irritable, worse in the morning.

Irritation of brain, after lesions of the head.


Burning in eyes, lachrymation, dim sight; worse near fire; also morning and evening; burning of edges of the lids.

Unpleasant taste; slimy; tongue coated with mucus.

Blisters, with burning pain, on end of tongue.

Mucus in throat, at night; hawks a salt mucus in morning.

Disgust for bread, great thirst.



Stitches in region of liver, great sensitiveness to touch, stepping, deep breathing, or sudden jar.

Abdominal flatulency; much rolling and rumbling; incarcerated; especially in right side, worse at night.

Diarrhœa worse in wet weather; in morning; after farinaceous food.

Stools thin, yellow fluid; yellowish green; gushing; in morning after rising and moving about.

Violent colic and rumbling, before stool.

Passage of large quantity of flatus, mostly fetid.

Asthma, during damp, cloudy weather.

Cough, with some sputum, stitch in left side of chest; worse at night; obliged to sit up and hold chest with both hands.

Gonorrhœa. Sycosis.

Eczema, moist, oozing profusely.


NITRIC ACID.

(*Ni'-tric As'-id.*)

Nitric Acid.

HNO_3 .

Acts markedly upon the skin and mucous membranes; with a general tendency to destructive ulceration, with sharp sticking pains.



It has some resemblance to Mercury, Iodine, and the Potashes.

A marked resemblance to the lesions of syphilis.

Outlets of the body; where the mucous membrane and the skin come together, there is a tendency to fissure and crack; with splinter-like pains.

Headache, as if head were tightly bound, as in a vise; profuse falling off of the hair.

Sensitiveness of the scalp.

Inflammation of the eyes, after syphilis or Mercury.

Violent coryza, with soreness and bleeding of the nose.

Tip of nose red, with splinter-like pains, on touch.

Foul odor from mouth with profuse flow of saliva.


Blisters and ulcers on tongue and inner side of cheek and corners of the mouth; with the splinter pains.

Raw, ulcerated, swollen throat; with pricking pain.

Diphtheritic membrane on tonsils and fauces, extending to mouth, lips and nose.

Protruding, bleeding hæmorrhoids with burning, sticking pains.

Burning and sticking in the rectum with spasmodic constriction of the anus; fissures.



Sticking, needle-like pains in the orifice of the urethra.

Urine scanty, dark brown color with very strong odor.

Ulcers, deep, irregular and ragged; edges often raised and lead-colored; bleeding easily when touched.

Syphilis.

Gonorrhœa with chancres or warts.

Menses early, irregular, scanty, like muddy water.

Stitches up the vagina.

Itching, swelling and burning of the vulva and vagina.

Hæmorrhages, bright red from the bowels, in typhoid.

Discharges in general are offensive and excoriating.

Tearing pains in bones worse at nights.

NUX MOSCHATA.

(*Nûx Mös-kâ'-ta.*)


Nutmeg.

Myristicaceæ.

Great stupor. Inconquerable sleep. Great drowsiness. Loss of memory.

Changeable mood. Hysteria Great dryness of the mouth.

No thirst. Great flatulence.



Slow action of the senses, from over-exertion of the mind; sleepy, gastric ailments, hysteria.

NUX VOMICA.

(*Nŭx Vŏm'-ĭ-ka.*)

Poison Nut.

Loganiacæ.

Produces an extreme hyperæsthesia of general nervous system. The chief action is upon that portion of the spinal marrow which presides over the reflex function of the muscular system.

Spasms of the muscular fibers, both voluntary and involuntary. Tetanic spasm. Consciousness rarely affected.

Marked gastro-intestinal catarrh, usually associated with irregular peristalsis of the stomach and bowels.

A clearly-defined chill, fever, and sweat.

Through all its action we find running an over-sensitiveness to external impressions, sounds, odors and noises.


Hyper-sensitiveness is the key to the general action of *Nux vomica*.

Slightest touch causes spasms and convulsions.

Opisthotonos. A general bruised, contractive feeling of the entire body, worse in the morning.

Takes cold from the slightest draft.

Debauchees of all kinds. Thin, irritable, nervous disposition, quarrelsome, spiteful. Impa-



tient temperament, disposition to anger, spite or deception.

Nux is suitable to the all-around bum.

Dread of manual or literary work. Inability to think.

Symptoms corresponding, it may be used for the bad effects of alcoholic stimulants, tobacco, coffee, over-seasoned food, hot medicines, nostrums in general; over mental exertion, sedentary habits, loss of sleep.

Cannot sleep in fore part of night, later falls asleep and awakes at 3 or 4 o'clock; falls asleep again and awakens with "terrible used-up" feeling, dull headache, coated tongue and bitter taste in the mouth.

Hypochondriac mood of persons of sedentary habits. Night dissipations with abdominal complaints and constipation.

Scalp sensitive to wind, better when warmly covered. Photophobia in morning. Sniffles, especially in the new born.

Coryza, dry at night, fluent by day, worse in warm room, better in cold air.

Face yellow, florid with yellow ground; pale, distressed.

Pimples on the face from dissipation.

Bitter, sour, putrid taste in the morning; tongue heavily coated yellow or white.

After eating, pressure in the stomach an hour or two after meal with hypochondriacal mood.

Sour, bitter vomiting in the morning or after eating, with depression of spirits.

Heavy weight in stomach an hour or two after eating. Pyrosis, with full feeling, must loosen clothing.

Pain in small of back as if bruised or broken, worse 3 to 4 P. M.

Spine affected by sexual excesses.

General sore, bruised, or paralytic feeling of limbs in general.

Cramps in calves at night, also in soles of feet, must stretch the foot.

Constipation with frequent unsuccessful desire for stool, passes small quantity of fæces.

Flatulent colic from indigestion.

Periodical colic before breakfast.

Hæmorrhoids, from high living and sedentary habits, with congestion to head.

Painful and ineffectual desire to urinate. Spasmodic strangury. Dribbling of urine from paralysis of bladder.

Bad effects of masturbation or sexual excesses.


Crampy, stitching pains in the pelvis; soreness across pubes.

Uterine spasms. Pressure toward the genitals in the morning.

Bearing down toward the sacrum with ineffectual urging to stool.

Menses too early and profuse.

Leucorrhœa staining yellow.



Morning sickness during pregnancy.

Jaundice; with colic. Difficult breathing from upward pressure.

Spasmodic labor pains cause urging to urinate and to stool. Pains worse in the back.

Chill on least movement; must be covered in every stage of fever—chill, heat, or sweat.

Fever with great heat and burning of body; red face, but at same time cannot uncover without being chilly.

Symptoms of *Nux vomica*; better while at rest, in evening, lying down, and in damp weather.

OLEANDER.

(*Ō-le-ăn'-der.*)

Rose Laurel.

Apocynaceæ.

A narcotic poison producing paralytic symptoms, with general weakness and weak, irregular pulse.


Acts upon the skin, especially the scalp.

Weak memory, forgetfulness, slowness of perception.

Difficulty of comprehension of what he reads or what is said of him.

Vertigo, the result of weakness, or which may precede paralysis.

Biting, itching on scalp, as from vermin. Worse back part of the head and behind the ears.



Better when first scratched, but followed by burning and soreness. Worse in the evening when undressing.

Humid, scaly, biting itching eruption, especially on back part of the head.

Herpes and ulcers on and around the ears. Ravenous hunger, with trembling of hands and hasty eating, without appetite.

Emptiness in pit of the stomach, even after eating; from nursing.

Sinking in the pit of the stomach with nausea and vomiting; wants brandy, which relieves.

Rolling and rumbling with emission of flatus smelling like rotten eggs.

Stools thin yellow, undigested; involuntary when emitting flatus; passes food undigested which he had eaten the day before.

In children every time they pass wind they soil the diaper.

Chafes very easily with itching eruption between the nates. Violent itching eruption bleeding, oozing out a fluid forming scabs.

OPIUM.

(*Ō·pī ūm.*)

English Poppy.

Papaveraceæ.

Produces profound stupor and coma, with stertorous breathing, contracted pupils, slow feeble pulse and respiration.

There is diminished secretion with obstinate constipation. Retention of urine.

Has the power of destroying the consciousness of pain.

Unconscious, eyes glassy, half-closed; face pale; deep coma. Delirious talking. Eyes wide open, face red and puffed. Sees animals; affrighted expression of face.

Insensibility with apoplectic respiration; with loud snoring; with immobility.

Ailments from excessive joy, fright, anger, or pain.

Great sensitiveness to sound, light, odors.

Congestion to the head. Dull, stupid, as if drunk.

Eyes red, half closed; dilated, immovable pupils. Eyes burning, hot and dry.

Acuteness of hearing; hears noises at a great distance which keep him awake.


Bloated, dark red, and hot face; or may be pale with sunken eyes. Lower jaw hangs down.

Dry mouth and tongue with difficult articulation.

Abdomen distended; squeezing pains through abdomen. Colic from lead.

Stools watery, black, fetid; thin, offensive and involuntary with great stupor.

Constipation of corpulent, good-humored women and children. Constipation from inactivity of the bowels. Stool of round black balls.



Urine suppressed; drowsiness and stupidity.

Retention of urine from contraction of sphincters or paralysis of the fundus of the bladder.

Amenorrhœa from fright with great drowsiness.

Cough with dyspnœa, and blue face.

Dry, tickling, paroxysmal cough, worse at night.

Very troublesome itching all over the body.

General lack of reaction. The well chosen remedy fails to act.

OXALICUM ACIDUM.

(*Ōx-ăġ'-i-kūm Ās'-īd-ūm.*)

Oxalic Acid.



Gastro-enteritis. Inflammation of the spinal chord with symptoms of spinal softening. Great weakness about loins and hips.

Numbness in the back; which extends down the legs, with motor paralysis.

Pain in small spots; as soon as he thinks about the pains they return.

Vertigo, when rising from a seat, or lying down, or looking out of a window.

Heartburn, worse evenings.

Eructation, empty or sour.

Nausea, colic, thirst.

Empty feeling compelling one to eat.



Stomach sensitive; slightest touch causes excruciating pain.

Sugar aggravates pain in the stomach.

Wine aggravates the headache.

Involuntary stools, stool of mucus and blood.

Difficulty of breathing, with constrictive pain in the larynx and wheezing, oppression more to the right side.

Jerking inspiration, and sudden forced expiration, as though he made a sudden effort to relieve intense pain by expelling the air from lungs.

Sudden lancinating pain in left lung.

Sharp darting pain in heart and left lung extending down to epigastrium.

Agina pectoris.

Pulse, increased in frequency, almost imperceptible, with deathly coldness, clammy sweats, livid nails.

Paralysis from inflammation of spinal chord, limbs stiff, paroxysm of dyspnœa.

Cold numb extremities and livid nails; especially the legs and feet.

PETROLEUM.

(*Pē-trō'-le-ŭm.*)

Coal Oil.

Acts especially on the skin and mucous membranes.



Its action upon the skin is evinced by the production of a moist itching eruption behind the ears, on the scrotum, etc., or the eruption may be in the form of a wheel, looking like a hive, which itches and burns.

Vesicular eruption which later forms thick scabs with oozing of pus. Eczema.

Harshness and dryness of the skin with deep cracks. Chilliness in open air with headache, cold face and hands.

Chilblains which itch and burn much.

Chapped hands worse in winter.

Suppuration of small scratches.

Cracking of the lips.

Blepharitis marginalis.

Fetid sweat of axillæ and feet.

On the mucous membranes it produces a condition of great dryness. The lips crack, the throat is very dry. Much mucus is hawked from the posterior nares. Nasal secretion purulent. Ozæna.

Feeling as of a cold stone in the heart.

Dry, teasing cough at night after lying down.


Ravenous hunger and speedy satiety. Aversion to meat and fats.

Pain in stomach relieved by eating.

Sea-sickness. Nausea and vomiting of pregnancy.

Diarrhœa from sauer kraut, cabbage, etc.

Diarrhœa only during the day.



In old rheumatics the joints crack.

Back and neck are stiff and weak, with leaden heaviness in occiput, with pulsating pain extending to the vertex.

Forgetfulness, loses her way in well-known streets.

Illusion of some one lying by his side in bed.

PETROSELINUM SATIVUM.

(*Pët-ro-se-lî-nûm Sa-tî'-vûm.*)

Parsley.

Umbelliferæ.

Produces a decided action upon the urethral mucous membrane.

Great desire to urinate.

Sudden desire to urinate in children; if not at once relieved, jumps up and down with pain.

Frequent desire to urinate, caused by a crawling stitch behind the navicular fossa.

Orifice of the urethra agglutinated with mucus.

Burning in the navicular fossa when urinating; changed after urinating to cutting and biting.

With this intense biting and itching in the urethra, wants to push some rough article up the urethra.

Pain at the root of the penis, with irresistible desire to urinate.

PHOSPHORUS.*(Fös'-fo-rüs.)***Phosphorus.****P.**

Phosphorus produces fatty degeneration of every tissue and organ in the body. Produces an inflammation of all the mucous membranes, setting up a gastritis, an entero-colitis and dysentery which may go on to hæmorrhages.

Acute inflammation of the kidneys and liver.
Fatty degeneration of the kidneys and liver.

Inflammation of the respiratory tract.

Degeneration and inflammation of the spinal chord with paralysis. Myelitis.

Necrosis of the bones, especially the jaw and tibia.

Disorganization of the blood with tendency to hæmorrhages. Hæmatogenous jaundice.

Disinclination to mental or physical exertion; to study; to conversation.

Apathy; inability to think. Stupor from which he can be aroused for a moment only to lapse into a muttering lethargy.

Shamelessness; she uncovers herself and wishes to go naked as if insane. Amativeness.

Congestion to the head. Brain fag.

Softening of the brain with persistent headache.

Slow in answering questions. Vertigo; feet drag. Formication.

Acute atrophy of brain and medulla oblongata with uræmia.

Hair turns gray and falls out with copious dandruff.

Aching in eyes, forehead, and orbits.

Eyes tire easily on reading. Momentary blindness as from fainting.

Black floating points before the eyes.

Hardness of hearing with noises in the ear.

Nose red, swollen, shining. Inner nose very dry. Dry crusts in nose. Blows blood from nose. Foul odor from nose.

Face pale, ashy, sickly yellow, hippocratic.

Eyes sunken with blue rings around eyes.

Nose, lips, and mouth dry. No relief from water.

Necrosis of lower jaw.

Toothache. Takes cold every time the hands are placed in cold water. Gums puffy and bleed easily. Tongue coated white or with black crusts; cracked and parched.

Angina with burning in the throat and œsophagus.

Sour, offensive fluid ejected in large quantities; looks like water, ink, or coffee grounds. Soon as water becomes warm in the stomach it is thrown up.

Oppression and burning in the stomach. Loss



of appetite. Inextinguishable thirst, worse after eating or drinking.

Hæmorrhage from the stomach.

Hepatitis, liver large, hard, with subsequent atrophy. Malignant jaundice. Jaundice with pneumonia and brain disease. During pregnancy and from excitement.

Profuse watery stools or blood with small, white particles.

Chronic painless diarrhœa of undigested food.

Constipation. Fæces long, dry, hard, voided with difficulty and bleeding. Hæmorrhoids.

Urine pale watery or milky.

Hæmaturia, with debility after sexual excesses. Impotence after excessive sexual excitement and onanism.

Nymphomania. Metrorrhagia.

Amenorrhœa with blood spitting.


Hoarseness with rawness in the larynx, with cough. Aphonia. Laryngeal croup.

Spasmodic constriction of chest which feels full and heavy.

Dry tickling with tightness across the chest, with hollow, spasmodic cough.

Cough worse from change from warm to cold, from laughing, talking, or change of weather; eating or drinking, or lying on back or left side.

Pneumonia, sputa frothy, rust colored, bloody, with great weight in chest and tightness.



Hepatization, especially of lower lobe of right lung.

Tuberculosis in tall, slender, rapidly growing; repeated hæmoptysis.

Great debility with frequent attacks of bronchitis.

Disease of the right heart.

Dilatation of heart followed by endo-carditis or fatty degeneration.

Pain in small of back; weakness of the limbs.

Hæmorrhages from internal organs.

Hæmorrhagic diathesis.

Suited to tall, slender persons disposed to stoop. Children who grow too rapidly.

PHOSPHORIC ACID.

(*Ās'-īd-ŭm Fōs-fōr'-ī-kŭm.*)

Phosphoric Acid.

H₃PO₄.

It produces nervous prostration, general weakness, with an apathetic state.

Symptoms corresponding to diabetis mellitus.

Pale, sickly complexion, hair turns gray, eyes sunken and surrounded by blue margins, with a worn, weary, hopeless, haggard look.

Torpidity of both mind and body, a morbid depression of the sensorium.

Quiet, apathetic, speaks unwillingly, cannot collect his thoughts in proper order.

Perfectly indifferent to the affairs of life.

Indifferent from the deep effects of grief.

Muttering delirium in a stupid sleep, but when aroused he is fully conscious.

Chronic congestion of the head due to grief.

School girls' headache.

Eyes lustreless. Eyeballs feel too large.

Inflammation of the margins of the lids.

Roaring in the ears with difficult hearing.

Nose bleed in typhoid, giving no relief.

Hippocratic face, lips and tongue very pale.

Skin of face feels very tense, as if white of an egg had dried on it.

Gums bleed easily, swollen.

Tough, clammy mucus in the mouth and on tongue. Bites side of tongue involuntarily.

Loss of appetite; little food taken comes up with acid eructations.

Unquenchable thirst.

Aversion to spirituous liquors and coffee.

Desire for refreshing or juicy things.

Meteoric distension in abdomen, and noise as from water.

Diarrhoea does not debilitate; painless. Stools thin, whitish gray, or yellow watery.

Bleeding hemorrhoids, with intolerable pain in sitting.

Urine like milk, decomposes very rapidly; loaded with earthy phosphates.

Passes large quantities of urine at night, clear like water.

Great weakness after coition or onanism.

Frequent debilitating emissions.

Erections without sexual desire.

Hypochondriasis from over-sexual indulgence or onanism.

Ovaritis and metritis from debilitating influences.

Menses too early and too long.

Spasmodic tickling cough, as from "down" in larynx.

Weak feeling in chest, from talking, coughing, or sitting too long; relieved by walking.

Palpitation; in children and young persons who grow too fast; after grief; after self-abuse.

Burning pain in small of back.


Heaviness in lumbar region, increases to pain in the legs.

Weak feeling of limbs in general from loss of vital fluids, with no other pain than burning.

Feeling as if periosteum were scraped with a knife, after injuries.

Interstitial inflammation of bones, scrofulous, syphilitic or mercurial.

Bad effects of growing too rapidly, rheumatism, or the so-called growing pains.



PHYTOLACCA DECANDRA.*(Fi-to-läk'-a Dêk-ân-drî.)***Poke.****Phytolaccaceæ.**

The three aspects of the operation of *Phytolacca* are, the throat, the mammary glands and its power over certain manifestations of syphilis and rheumatism.

Great fear; is sure he will die, or indifference to life.

Complete shamelessness. Indifference to exposure of person. No disposition to adjust their persons under any circumstance.

Pain in the back, head, and neck with great soreness.

Feeling of sand in the eyes with soreness and burning. Catarrhal ophthalmia.

Supra-orbital pains in syphilitic ophthalmia.

Thin watery discharge from nostril, flow of mucus from one nostril with stoppage of the other. Acrid excoriating discharge. Scarlatina.

Parotid and submaxillary glands swollen.

Disposition to bite the teeth or gums together; difficult dentition

Profuse saliva, often thick and ropy.

Sore throat, worse right side; fauces dark, bluish red; worse when swallowing saliva.

Hot burning sensation in fauces; cannot bear the touch of clothing about the neck.



Tonsils large, bluish ulcerated.

Dirty, washed leather pseudo-membrane, mucus hangs down in strings: severe pain in head, neck and back; great prostration. Diphtheria.

Violent vomiting every few minutes. Vomiting of clotted blood and slime.

Hard painful nodosities in the breast. Breast full, hard and painful.

When child nurses pain goes from the nipple all over the body.

Mammary abscess; fistula, gaping, angry ulcers discharging watery fetid pus.

There is a general bruised feeling of the muscles, with stiffness, worse at night and in wet weather.

Rheumatism in the lumbar muscles; also of the left hip and knee.

Rheumatism and gout; pains shift; joints red and swollen; periosteum affected, especially in mercurialization and syphilis.

Worse at night and in damp weather.

PICRIC ACID.

(*Pic'-ric As'-id.*)

Picric Acid.

$C_6H_2(NO_2)_3OH.$

It produces a degeneration of the spinal chord, attended with paralytic symptoms. Disintegra-

tion of the blood corpuscles. Inflammation of the kidneys.

Disinclination for physical or mental work; the slightest excitement, or mental exertion, brings on exhaustion and headache.

Neurasthenia with burning pain along the spine.

Headache from literary work; brain fag.

Violent occipital headache, may extend to supra-orbital region or extend down the neck and spine, aggravated by the least mental effort.

Conjunctivitis, worse from cold water or cold air.

Buzzing and hissing in the ears, with pain at the base of the brain. Chronic deafness.

Small boils, especially in external auditory canal.

Urine dark colored, strong odor, scanty, albuminous, bloody.

Contained much indican, numerous granular cylinders, and fatty degenerated epithelium.

Weakness of back and lower limbs; burning along the spine; softening of the cord.

Priapism, violent and long-lasting erections from spinal disease; emissions.

Persistent erections day and night without sexual desire.

Great heaviness and weakness of the legs, worse from least exertion.

Cold, clammy sweat on the extremities; tendency to coldness.

“ Nervous prostration.”

PLANTAGO MAJOR.

(*Plăn-tă'-gō Mă'-jör.*)

Plantain.

Plantaginacææ.

Shooting pain in the left ear.

Sticking before and above the ear, with stiffness and feeling as if the bone were swollen.

Earache usually associated with toothache.

Teeth seem too long, worse on left side. Toothache in decayed teeth.

Stabbing pains along the superior branch of the trifacial nerves, cannot lie on the affected side.

Urine copious; frequent micturition of clear urine. Nocturnal emissions.

PLATINUM.

(*Plăt'-i-nŭm.*)

Platinum.

Pt.

Its chief action seems to be upon the nervous centers.

Arrogant, proud, contemptuous, looking down pitifully on people usually venerated, with a kind of casting them off.



All things seem too small, all persons physically and mentally inferior, but she herself physically large and superior.

Hysterical, alternately gay and sad.

Everything seems joyous, could laugh at the saddest things, then weeping at joyous and laughable things.

Thinks she stands alone in the world.

Great dread of death, which she believes to be near.

Sensitive mood; weeping after mild reproach.

Disturbed state of mind, also religious, with taciturnity, haughtiness, voluptuousness and cruelty.

Neuralgic headaches in hysterical persons; pains gradually increase and as gradually decrease.

Spasmodic twitching of the eyelids.

Sense of coldness in eyes.

Sensation of coldness and numbness in ears, nose and face; crampy pain.

The pains of Platinum come gradually and leave gradually; followed by a sensation of numbness.

Painter's colic; pain in the umbilical region, extending through into the back.

Constipation; after lead poisoning; while traveling; frequent urging, only expelling a small portion of fæces, with great straining.

Stools seem to adhere to the rectum like soft clay.



Excessive sexual desire with violent erections, especially at night.

Morbid excitement inducing onanism, especially if prepubic.

Nymphomania, worse lying; titillation from genitals up into abdomen.

Sexual organs exceedingly sensitive, cannot bear to be touched; cannot endure coition.

Vaginismus, spasms and contraction.

Indurated uterus.

Inflamed and burning ovaries.

Menses too early and too profuse.

Leucorrhœa like white of an egg, only by day, after urination, and after rising from a seat.

Puritis vulvæ; voluptuous tingling, with anxiety and palpitation of the heart.

Cramp-like pains; numbness in limbs and joints.

Physical symptoms disappear and mental symptoms appear, and *vice versa*.

Lies in morning on waking with legs spread apart.

PLUMBUM METALLICUM.

(*Plŭm'-bŭm Mě-tăl'-lĭ-kŭm.*)

Metallic Lead.

Pb.

There is a general interstitial inflammation, with proliferation of connective tissue.



Especial action on the spinal chord and nerves, causing colic; violent contraction of intestines and abdominal walls with obstinate constipation.

Degeneration of the nerves, which produces paralysis of the flexor extremities, with violent pains and emaciation.

Degeneration of the brain destroying the mental powers, imbecility and epilepsy.

Nerve centers are found indurated or softened, kidney, heart, and liver.

Quiet and melancholic mood.

Depression of spirits, especially with the colic.

Slowness of perception, memory lost, when talking he was unable to find the proper word.

Meningitis, chronic; when the paralyzed parts soon fall away in flesh, the limbs become painfully contracted; frequent spells of colic, with retraction of the abdomen.


Face pale, sallow, expression anxious and suffering, like a corpse.

Gums blue along margins; show a lead-colored line and bleed on the slightest touch.

Breath fetid; accumulation of sweetish saliva in the mouth.

Swelling of tonsils and accumulation of tough mucus in fauces and posterior nares with difficult swallowing.

Violent colic; abdomen drawn in, as by a string to the spine; intermittent boring pains in the umbilical region extending over the whole body.



Radiating pains from the umbilicus to the lumbar region and iliac fossa.

Severe pain in the ilio-cæcal region, painful to touch and motion.

Incarcerated hernia; intussusception with colic and fecal vomiting.

Constipation, stools hard, lumpy, like sheep's dung; with urging and terrible pain from constriction or spasm of the anus.

Urine passed in drops; strangury; will not pass as from atony of the bladder, dribbles; it is high colored and fetid.

Morbus brightii, contracted kidney.

Increased sexual desire with violent erections, genitals swollen and inflamed; testicles feel constricted and drawn up.

Menorrhagia with characteristic colic.

Tearing pains in the limbs worse at night.

Paralytic weakness in the extremities.

Paralysis; preceded by mental derangement, trembling, spasms, or by shooting, tearing pains; parts emaciate; wrist drop; caused by apoplexy, sclerosis of the brain or progressive muscular atrophy; alternating with colic.

PODOPHYLLUM PELTATUM.

(*Pöd-o-fil'-lüm Pël-tä'-tüm.*)

May Apple.

Berberidaceæ.

Podophyllum, an active cathartic acting prominently upon the duodenum, rectum, and intestinal canal; congests the liver and increases the secretion of bile.

It produces symptoms like dysentery and prolapsus of the rectum and uterus.

Depression of spirits in gastric affections.

Pain in the stomach causes weakness.

Faintness, with empty sensation in the abdomen after stool.

Head hot, rolling head from side to side, moaning. Dentition.

Headache alternating with diarrhœa; headache in winter, diarrhœa in summer.

Mouth and tongue dry; tongue furred with foul taste; yellow.

Nausea and vomiting, gagging. Infantile diarrhœa.

Desire for sour things.

Vomiting of mucus; of contents of stomach, then bile; dark green bile.

Fullness of right hypochondrium, with flatulence.

Chronic hepatitis; costive; jaundice; constantly



rubbing and stroking hypochondrium with hands.

Diarrhoea coming on 3 or 4 A. M., offensive, yellow, undigested stools mixed with mucus.

Frequent, watery, painless, fetid stools gushing out; greenish yellow; in morning during dentition.

Diarrhoea while being washed; after eating; dirty water soaking napkin through.

Prolapsus ani, with stool or from least exertion.

Piles, with prolapsus ani.

Pain in the right ovary.

Sensation as if genitals would come out during stool.

Prolapsus uteri; after lifting; after parturition; prolapsus ani; or constipation.

Pain between shoulders.

Pain under right scapula.

Chill 7 A. M., beginning with dull aching in the wrists and ankles.

Great loquacity during chill and heat; sleep during perspiration.

PSORINUM.

(*Sō-rī'-num.*)

A nosode.

Want of reactive powers; well selected remedies fail to relieve.

Want of reaction with great debility, after

acute diseases; pale, sickly look; body has a filthy smell which is not changed by bathing.

Despairs of recovery; thinks he will die; hopeless.

Religious melancholy.

Great sensitiveness to cold air; cannot have his head uncovered; wears a fur cap even in hot weather.

Fetid eruption on scalp, which looks dirty. Otorrhœa very offensive.

External ears, raw, red, oozing; scabs form; sore pain behind the ears.

Loss of appetite; or so hungry must eat bread in the middle of the night.

Blepharitis, photophobia, child cannot open its eyes, lies on its face.

All the excretions are horribly offensive, carion-like in odor; the diarrhœa, leucorrhœa, menses, and perspiration.

Skin dirty, greasy looking, with yellow blotches here and there.

Body itches intolerably; worse in bed and from warmth; scratches until it bleeds.


PULSATILLA.

(*Pŭl-sa-fil'-la.*)

Wind Flower.

Ranunculacœ.

It produces a decided action on all the mucous



membranes, eyes, nose, ears, respiratory tract, mouth and digestive tract, vagina and the urinary apparatus, testicles, spermatic cord, female sexual organs, veins especially of the lower extremities, and the joints.

A decided action upon the disposition; fair, flaxen, and fickle.

Symptoms rapidly changing like a typical April day.

Disposition changeable, peevish, easily moved to tears or laughter, silent mood, disgusted at everything.

Tears near the surface, ready for a cry at any time; any little resentment.

Headache from overloaded stomach; from pastry, fats, or ice cream.

Headache from abuse of mercury; worse in a warm room, better in the open air. Frontal headache; vertigo in morning on rising, or with general weakness.


Wishes to lie still and sleep again.

Ophthalmia, lachrymation worse in the wind or open air; profuse, thick, bland, yellow discharge.

Like a veil before the eyes from the secretion.

Rheumatic ophthalmia worse in the evening.

Otorrhoea, bland discharge of mucus and pus. Otalgia, with darting, tearing pains, and pulsating at night. Catarrh; green, fetid, nasal dis-



charge, with diminished taste and smell; chronic, thick, yellow, bland discharge.

Toothache, worse at night; evening in bed; when eating; when chewing; when sitting; from warm or cold things in the mouth; during pregnancy; better walking in the open air.

Tenaceous mucus in the throat and mouth, with foul taste in the mouth, especially in the morning. Thirstlessness with all complaints.

Gastric catarrh, from ice cream or pastries.

Diarrhœa; stools changeable, no two stools alike; greenish, yellow, slimy like bile, or white and bloody mucus.

Desire to urinate, cannot retain the urine; it is passed in drops, sitting or walking; involuntary when coughing, passing of gas, or during sleep; the latter especially in little girls.

Orchitis, with swelling of the scrotum; from cold, contusion, or checked gonorrhœa, drawing pain through the cord into the testicle. Enlarged prostate. Gonorrhœa, yellow, or yellowish discharge.

Menstruation too late, scanty, and short; flow thick, black, clotted, thin, watery, changeable.

Menses suppressed or flow intermittently.

Leucorrhœa; milky, yellow, greenish, with swollen vulva; or acrid burning, making the parts sore.

Cough, worse in the evening and at night; green or yellow mucous sputa.



Jerking, tearing, drawing in the muscles, shifting rapidly from place to place; worse at night, from warmth; better from uncovering.

Pains usually associated with chilliness, with thirst; a feeling as if the parts were dashed with cold water.

Chill, 4:00 P. M., no two chills alike; heat with red face, or one cheek red and one pale; sweat, one sided; only on face and head.

Hæmorrhages, blood dark, easily coagulated. Varicose veins.

Urticaria, burning itching here and there; measles.

Chlorosis, especially after large doses of iron.

After the physiological effects or abuse of sulphur.

RANUNCULUS BULBOSUS.

(*Ra-nūn'-kū-lūs Būl-bō'-sūs.*)

Buttercup.

Ranunculaceæ.

Produces a vesicular eruption, accompanied with violent neuralgic pains. Shingles.

Acute stabbing pains in the chest, worse moving, stooping, or inspiration, with pressure and tightness across the lower part.

Pleuritis with effusion.

Great anxiety and dyspnœa caused by the accumulation of the fluid and pain.

.

.

.

.

.

Rheumatic bruised feeling over the entire body, worse after eating, also by changes of temperature and alternations of warmth and cold.

Rheumatic headache, worse from changes of temperature.

Bruised pain in the region of the short ribs, with pain in the back, lassitude and ill humor.

Sticking pain and pressure on the top of the right shoulder. Muscular pains along the margins of the shoulder blades from using arm, as in writing or needle work.

Shingles having a dark bluish appearance, preceded or followed by neuralgia.

RHEUM.

(*Rē'-ūm.*)

Rhubarb.

Polygonacæ.

A cathartic, causing purging of fecal matter, without inflammation.

It produces a sour child; "sour" disposition; the entire body smells sour; sour stools.


Desire for various things, but cannot eat them. Repulsiveness of food.

Cutting pain and rumbling in the bowels.

Stool; brown and slimy; loose, fermented, turning green; sour, reddening the anus.

Chronic diarrhœa, sour, frothy.

Sweat on forehead and scalp after slight efforts.



RHODODENDRON CHRYSANTHEMUM.

(*Rō-do-dên'-drôn Krys-ân'-the-mŭm.*)

Golden Flowered Rhododendron. Ericaceæ.

Rhododendron has a marked action on the fibrous and serous tissues.

Pains in the limbs and joints, especially the forearm, hand, leg and foot.

Pains located in the bone or periosteum.

Pains attack a small extent of limbs at once; they capriciously disappear and reappear, and are worse on the approach of bad weather, by motion and toward morning.

Pains worse before a thunder storm possibly due to electrical charges.

Headache in forehead and temples as if in the bones. Headache worse before a storm, cold, wet weather, and from wine.

Violent boring, tearing pains in the eyes before a storm.

Earache and toothache on change of weather.

Diarrhœa; in cold, damp weather; after fruit.

Food passed undigested; loose, but sluggish.

Urine increased, pale, of offensive acrid odor.

Testicles swollen, drawn up. and painful.

Swollen, hard testicles with painful drawing in the cord to the abdomen and thighs.

Cutting, sticking, drawing in the testicles, pains extending to perineum, to anus, thighs, and abdomen.

Orchitis worse on right side. Hydrocele.

Rheumatic stiffness in the cervical muscles, neck stiff in morning.

Drawing, tearing, in lumbar region; worse in wet weather and at rest; better from motion.

Pains in the extremities as if in the bones or periosteum, mostly in spots; worse on change of weather.

Fibrous deposits in great toe joints; gout.

RHUS TOXICODENDRON.

(*Rūs Tōx-i-ko-dēn'-drōn.*)

Poison Ivy.


Anacardiaceæ.

Rhus displays its action upon the mucous membranes, the lymphatic glands, on the organs of organic life, the tissues that go to make up the joints and the skin, where it develops some of its most powerful and characteristic symptoms.

Absence of mind; forgetful; difficult of comprehension.

Low, mild delirium, thinks he is roaming over a field, or hard at work.

Low spirited; inclined to weep; worse in the evening; desires to be alone.



Apprehension at night, cannot remain in bed.
Restless mood.

Impatient, and easily vexed at trifles.

Vertigo in the morning as if intoxicated; on rising, vertigo even to falling forward and backward.

Headache with rush of blood to the head, face red; restless, moving about.

Meningitis in eruptive fevers, after getting wet; high fever; restlessness.

Inflammation of the eyes; photophobia, profuse acrid lachrymation. Chemosis.

Agglutination of the lids, with purulent mucus in the morning.

Eyelids cedematous, erysipelatous, watery vesicles.

Paralysis of the muscles of the eye or upper lid, from getting wet. Ptosis.

Otalgia; otorrhœa with bloody pus from ears. Parotitis, especially during scarlet fever.

Nasal discharge, thick, yellow, offensive; yellow ichor; crusts under the nose.

Bleeding of the nose in night or when stooping.

Pale, sickly look, with sunken eyes.

Lips cracked, dry, covered with crusts.

Vesicular eruption at corners of the mouth with biting soreness on touch.

Cramp-like pain in joint of jaw; pain as if it would be dislocated during yawning.

Tongue dry, red, cracked; has a triangular red tip.

Mouth dry with much thirst.

Saliva running from the mouth, sometimes bloody, during sleep.

Submaxillary and parotid glands swollen.

Thirst; with dry tongue, mouth, and throat.

Great difficulty in swallowing on account of choking.

No appetite, wants dainties; aversion to bread and meat.

Nausea after eating and drinking, especially after ice water.

Abdomen bloated, colic, enteritis or peritonitis, with typhoid symptoms.

Diarrhœa, liquid, with mucus, red and yellow, gelatinous; at times involuntary, with tenesmus or pains in the thighs.

Tearing pain in the region of the kidneys after exposure to wet.

Urine dark and scanty, turbid, hot, with tenesmus.

Œdema of the scrotum.

Eruption on the genitals, scrotum, and thigh, with intolerable itching.

Dark, red erysipelatous swelling of the glands and prepuce.

Menses early, profuse, and protracted, acrid, causing biting pain in the vulva.



Backache when standing or walking, with bearing down, better when lying on something hard.

Hoarseness and roughness in the larynx, with soreness in the chest.

Cough, with tickling in the bronchi.

Expectoration bloody, acrid pus, bad smelling.

Painful stiffness, in the neck, shoulders and back, as from a sprain. Spinal membranes inflamed from getting wet or sleeping on damp ground.

Rheumatoid pains in limbs; also with numbness and tingling; joints weak, stiff, or red; shining swelling of joints, stitches when touched; worse on beginning to move; after 12 P. M.; and in wet, damp weather or places; better from continued motion.

Paralysis; after parturition; getting wet; from sexual excesses.

Great restlessness, must change position.

The debility, soreness, stiffness, worse on beginning to move; better from continued motion, but soon fatigued, requiring rest again.

Cough during chill in intermittents.

Acts on fibrous tissues.

Cellulitis, indurated, hot, painful, swollen, suppurating glands.

Red, measly rash all over body with intolerable itching.

Eczema; surface raw, excoriated; thick crusts, oozing and offensive.

A wet weather remedy.

RUMEX CRISPUS.

(*Roo'-mëx Krîs'-pûs.*)

Yellow Dock.

Polygonacæ.

Rumex acts markedly on the skin, respiratory organs and bowels.

Epistaxis, violent sneezing and painful irritation of the nostrils.

Sneezing with fluent coryza; worse evening and night.

Diarrhœa; painless, offensive, profuse; brown or black, thin or watery; preceded by colic; before stool, sudden urging, driving him out of bed in the morning.

Morning diarrhœa, with cough and tickling in the throat pit.

Constant desire to hawk from mucus in the larynx.

Violent, incessant cough, dry and fatiguing, with very little or no expectoration; aggravated by pressure, talking, and especially by inspiring cold air, and at night.

Must put his hand over the mouth, or cover his head with the bed clothes to make the air warmer, which relieves the cough.

Burning, sticking pains in the left chest near the heart; worse from deep breathing and lying down in bed at night.

Vesicular eruption; itching when uncovered and exposed to cold air.

Itching in various parts, worse on lower limbs, while undressing.

Generally worse; from cold change of weather; when riding in the cold wind; in cold, damp, raw weather.

RUTA GRAVEOLENS.

(*Roo'-ta Gra-vě'-o-lěnz.*)

Rue.

Rutacæ.

Ruta acts upon the periosteum, bones, joints, cartilages; producing rheumatoid pains. Marked action upon the eyes. Stupefying headache.

Periosteum from temples to occiput pains as if bruised.


Eyes burn, ache, feel strained, slight blur, from fine sewing; reading too much or otherwise overtaxing them; using them in the evening.

Vision weak as if eyes were strained.

Pain as if bruised, in cartilage of ear and under the mastoid process.

Stool soft, discharged with difficulty from inactivity of the rectum; rectum protrudes, immediately on attempting a passage.

Frequent unsuccessful urging with prolapsus ani.



Pressure on bladder as if continually full; could hardly retain urine; if forcibly retained it could not be voided.

Spasmodic stricture of neck of the bladder.

Pain in the bones as if bruised.

Bruised feeling all over, as from a fall, blow, worse in limbs and joints.

Bruises and other mechanical injuries of bones and periosteum; sprains; periostitis.

Bruised in all parts on which he lies.

Restless so that he does not know where to put his legs.

The rheumatoid pains are worse in wet weather.

SABADILLA.

(*Săb-a-dîl'-la.*)

Cevadilla.

Liliacæ.

A cathartic and an emetic.

A decided action upon the nose causing a violent influenza.

Lack of heat; lack of thirst, even with fever.

Relief in open air is noticed throughout the symptomatology.

Very sensitive to cold, which aggravates.

He imagines strange things about his own body; himself sick; parts swollen; shrunken.

Headache from forced attention; thinking.

Vertigo; reeling sensation making him stagger.



Lachrymation when in open air; looking at light, sneezing, coughing, yawning, or as soon as pain is felt in any part of the body.

Itching; titillation in the nose with violent sneezing.

Spasmodic sneezing, with copious, thickish, whitish, transparent mucus.

Frequent blowing of the nose; nose full of viscid, yellowish, grayish mucus. Bleeding.

Face feels hot, as after wine.

Can hardly open mouth from pain in the joints and muscles, with sore throat.

Sensation as of a lump in throat with a continued desire to swallow.

More tough phlegm in throat; must hawk.

Sore throat; left side, extending to right.

Disgust for meat; sour things; coffee.

Desire for hot drinks.

Nausea; vomiting; pyrosis.

Pinching, turning, and twisting through the whole abdomen.

Burning, boring, twisting, whirling in region of navel; as if everything were turning around in the abdomen.

Stool:—Violent, urging stool; with much noise and rumbling, then passing immense quantities of flatus.

Diarrhoea; of brown, fermented stool, swimming on the water.

Crawling, itching in anus; ascarides.



Cough; worse at night, from cold; becoming cold; as soon as he lies down.

Short, dry cough from scraping in throat.

Weakness and paralytic drawing through all the limbs; worse toward evening, obliging one to lie down.

Chill afternoon or evening, returning at the same hour.

Chill predominates; particularly on the extremities, with heat of face.

Chill always runs from below upward.

Hot sweat on face, rest of body cold.

Complaints return at exactly the same hour.

SABINA.

(*Sa-bi'-na.*)

Savin.


Coniferæ.

Acts upon the circulatory system, setting up a congestion of the head, lungs, and kidneys.

It has a marked influence over the pelvic organs, producing a strangury in front, bloody stools behind, between metritis, with hæmorrhage and tending to abortion, especially third month.

Melancholy mood.

Congestion in the head, frontal headache, pressing down over eyes, worse on rising in the morning, better in the open air.



Throbbing toothache worse from heat of bed.
Bloatedness of abdomen; rumbling. Soreness of muscles of abdomen.

Stools; of blood and mucus; diarrhœic, with much flatulence.

Hæmorrhoids, bright red blood, causing pain in the back, from sacrum to pubis.

Vesical irritability, urine diminished; urging to urinate with burning. Strangury.

Violent, and continuous erections with great sexual desire.

Sycotic excrescences.

Menses; too profuse, too early, mixed with fluid, and clotted; flows in paroxysms, with labor-like pains; with pains from sacrum to pubis; with pains in joints. Flow increased by least motion.

Metritis with hæmorrhage.

Leucorrhœa; thick, yellow, with itching in the pudenda.

Arthritic stiffness and swelling of wrist joint, worse when the hand hangs down.

General heaviness of legs.

Stinging pains in hip joints.

Joints swollen, red, shining, worse in warm room, better in cool air.

SAMBUCUS NIGRA.

(*Sām-bū'-kūs Nī'-gra.*)

European Elder.

Caprifoliaceæ.

Fright, followed by suffocative attacks, with blue, cyanotic face.

Nose stuffed, can scarcely breathe, especially in infants. Snuffles.

Burning, red, hot face, hot body, with cold hands and feet during sleep. On waking, face breaks out in a profuse sweat, which extends over the body; on going to sleep the dry heat returns.

Loud, wheezing, crowing respiration.


Suffocating attacks after midnight, when child awakens, sits up in bed, gasping for breath, with cyanotic face.

Regular inhalations, but sighing exhalations.

Spasms of the larynx and chest causing deep, suffocative cough, with expectorations of a small quantity of mucus.

Awakens in a fright, with trembling, and dyspnœa.

Profuse night sweats.



SANGUINARIA CANADENSIS.

(*Săng-guǐ-nă'-rǐ-a Kăn-a-dě'n'-sīs.*)

Bloodroot.

Papaveraceæ.

A violent irritant to the mucous membranes, causing nasal and bronchial catarrh, also gastric irritation. Sick headache.

Irritable, morose, cannot bear a person to walk in the room.

Headache begins in the occiput, spreads upward and settles over the right eye.

Periodical sick headache; begins in the morning and increases during the day.

Determination of blood to the head; head feels as if it would burst; whizzing in the ears; with throbbing, lancinating pain through the brain, worse on right side, especially in forehead and vertex; followed by chills, nausea, vomiting of food or bile; must lie down and remain quiet; relieved by sleep.

Neuralgia in and over right eye, with dilated pupils.

Eyeballs sore with darting through them and dim vision.

Fluent coryza, with frequent sneezing, worse on right side.

Nasal polypi, with mucus discharge.

Fluent coryza, with sneezing. Rose cold.

Distension of veins of face, circumscribed redness of one or both cheeks.

Loss of taste with a burnt feeling on tongue. Tongue burns as if scalded with hot coffee.

Rawness and soreness in throat with difficult swallowing.

Gastritis, with burning, vomiting, and headache. Goneness, with sick headache.

Liver torpid; skin yellow; colic.

Climacteric disorders, especially flashes of heat and leucorrhœa. Fetid, corrosive leucorrhœa with ulcerated os uteri; uterine polypi.

Sick headache during menstrual period, with offensive smelling flow; face red and hot.

Chronic dryness of throat, with an occasional expectoration of thick mucus.

Dry, teasing cough, from tickling in the throat pit. Compels him to sit up in bed; better from discharging flatus upward and downward.

Sputa, thick mucus; rust colored; offensive, purulent.

Burning in the chest with sticking pain; he lies on back; sputum rust colored; pulse quick and small; face and limbs cold, or hands and feet burning hot, with circumscribed spots on cheeks; with dyspnoea. Pneumonia.

Rheumatic pain in right arm and shoulder; worse at night; by motion.

Decidedly a right-sided remedy.



SARSAPARILLA..

(*Sār-sa-pa-rīl'-la.*)

Sarsaparilla.

Smilacææ.

General weakness with emaciation.

Skin shriveled and hangs in folds.

Headache in forehead, temples, and occiput; periosteal pains. From abuse of mercury, syphilis, or suppressed gonorrhœa.

Scabby on ear lobe and under the nose.

Pimples, itching eruption on the forehead.

Want of appetite, even the thoughts of food disgust him.

Constipation, with violent urging to urinate.

Great desire, with contraction of the intestine, and an excessive pressure from above downward, as if the bowels would be pressed out, when a small stool is passed, and then the same phenomena recur again.

Tenesmus of the bladder, with a discharge of white mucus and pus.


White sand in the urine or diaper, child screams before and during urination.

Severe pain at the conclusion of urination.

The least excitement causes seminal emission.

Offensive odor about the genitals, with herpes on the prepuce.

Gonorrhœa, checked by cold, wet weather, or by mercury; followed by rheumatism.



Menses scanty, preceded by urging to urinate; acrid discharge, soreness inside of thighs.

Itching eruption on the forehead previous to menses.

Gripping in the pit of the stomach, in direction of the small of the back during menses.

Pain conclusion in urinating.

Base of eruption is much inflamed; child cries much, and is very uneasy; crusts become detached in open air and the skin adjoining chapped.

SECALE CORNUTUM.

(*Se-kā'-lē Kōr-nū'-tūm.*)

Eye Ergot.


Fungi.

Secale produces a marked effect upon the involuntary muscular fibres, especially muscular fibres that have a circular or transverse direction; this action being brought about by its influence upon the vaso-motor nerves.

Through the nervous system we notice first a muscular twitching beginning in the face and extending over the entire body.

The circulation being affected by the contraction of the involuntary muscular fibres causes the extremities to look as if the blood had settled there, a bluish black.

Face pale, pinched, earthy looking; blue rings around the eyes.



Burning all through the abdomen, liver and spleen.

Unquenchable thirst. Wants lemonade. Vomiting; mucus green, offensive; with great weakness; anxiety and burning at the pit of the stomach.

Stools; watery and slimy; yellowish; olive green; gushing; involuntary; sudden attack; skin cold, bluish, shriveled.

Cramps in hands and toes.

Sudden and great exhaustion.

Icy coldness of the extremities; at the same time cannot bear to be covered; aversion to heat.

Menses too profuse and lasting too long; with colic, cold extremities, cold sweat, and great weakness.


Passive hæmorrhages in thin, scrawny, flabby, lax, cachetic women, or in old decrepit persons; worse from slightest motion.

Passive hæmorrhage of very fetid, dark blood.

Leucorrhœa brownish and offensive; from weakness and venous congestion.

Tingling and numb feeling in the fingers and toes. Gangrene.

May feel cold, but will not be covered; aversion to heat.



SEPIA.*(Sē-plā.)***Ink of Cuttle Fish.****Mollusca.**

Almost the entire organism is affected by it, the effects of a single dose often lasting for many weeks.

It exerts a peculiar action upon the sexual organs of women, the gastro-intestinal tract and its appendages, the glands and skin, and the sympathetic nervous system.

Sadness, with weeping.

Sadness; anxiety with fear, flushes of heat over the face; about real or imaginary troubles.

Paroxysms of hemicrania; pulsating, bursting headache as if eyes would fall out, or head burst, worse from stooping, motion, coughing, or shaking the head; but continued hard motion relieves.

Face pale or yellow.

Yellow saddle across nose, also yellow spots on face; with uterine troubles.

Gums dark red, painful, swollen, bleeding from slightest touch.

Taste; bitter, saltish; food tastes too salt.

Much hawking of mucus in the morning.

Nothing tastes good, aversion to food, particularly meat. Desire for wine; vinegar.

Nausea; after eating; in the morning; from smell of food; when riding in a carriage.



Painful sensation of emptiness in stomach and abdomen.

Pain and heaviness in stomach after the simplest kind of food.

Pain in rectum during, and long after stool; hard, knotty, insufficient stool, mixed or covered with mucus; unsuccessful urging to stool.

Swelling, burning, and heat, with oozing of moisture from rectum.

Urging to urinate; frequent micturition. Enuresis, especially during first sleep. Turbid urine, with mucus; blood red; red sand; very offensive, with much white sediment; or dark brown admixture.

Gleet; that "last drop" staining the linen yellow.

Increased sexual desire, at the same time weakness of genitals, with sweat of scrotum; with itching.

Pain in uterus, bearing down, comes from back to abdomen, causes oppression of breathing; crosses limbs to prevent protrusion of parts.

Prolapsus; of uterus; vagina; with constipation; tenderness of genitals; coition painful.

Metrorrhage at climateric period, with flashes of heat.

Bad smelling leucorrhæa; yellow or greenish water, accompanied by much itching in genital organs.

Spasmodic cough resembling whooping cough, produced by tickling in the chest.

Expectoration profuse, purulent, offensive, green, tasting salty only in the morning.

Palpitation of the heart; congestion of blood to chest. Reflex.

Weakness and pain in small of back from disease of the uterus.

Any slight exertion fatigues her very much, then circulation changes; hot flashes.

Humid tetter, especially in bends of knees, itching; when scratching changes to burning. Brown spots over the body.

SILICEA.

(*Sil'-ish'-e-a.*)

Silica.

SiO₂.

Silicea possesses an inherent property of preventing nutrition, whereby the tissues break down very readily, with a tendency to suppurative processes.

Marked irritation of the nervous system, causing extreme sensitiveness.

Sensitive spine, with reflex pains.

Face is pale, cachectic; earthy; yellow. Face pinched, and old looking; presents a picture of weakness.



Nervous; exceedingly sensitive, weak, faint-hearted; "hasn't any sand;" "lost his grit."

General aggravation from cold, and decidedly ameliorated by warmth.

Headache, worse from mental exertion; excessive study; noise; motion, even jarring of room from footstep; light; stooping; talking; cold air; touch. Better from wrapping head up warmly; hot compresses; in warm room; and lying down in the dark.

Open fontanelles; head too large and rest of body emaciated, with pale face.

Lumps raise on head, hair falls out, scalp very sensitive, even to the hat. Profuse head sweat; likes wrapping up.

Swelling in region of lachrymal gland and sack. *Fistulæ lachrymalis*.

Ulceration of cornea.

Otorrhœa, with offensive, watery, curdy discharge. Caries of the mastoid process.

Hard swelling of the parotid; suppuration, especially if slow, painless.

Alternately dry and fluent coryza; acrid, watery discharge; making nose sore.

Caries of the lower jaw, teeth worse at night and in cold air; better by warmth. Dental fistulæ.

Tonsilitis, when the suppurating gland will not heal.

Pricking, sticking in the throat, as from a splinter or pin, causing cough.

Constipation; stools large, hard lumps; expelled with difficulty from inactivity of the rectum; when partly expelled, slip back again.

Painful hæmorrhoids; protruding during stool, becoming incarcerated; suppuration; fistula in ano.

Nocturnal enuresis; in children, with worms or chorea.

Soreness and stitches in the chest, with expectoration of profuse, purulent sputa.

Offensive foot sweat, with rawness between the toes; bad effects from suppressed foot sweat.

Night sweats; sour or offensive, debilitating; mostly after midnight.

Small wounds heal with difficulty, and easily suppurate.

Useful in nervous, irritable persons, with dry skin, profuse saliva, diarrhœa, and night sweats.

SPIGELIA.

(*Spî-gĕ'-lî-a.*)

Pink Root.

Longaniacœ.

Its chief action is upon the nervous system, producing neuralgic pains of the head, chest, and heart.



Semi-lateral neuralgic headaches involving the eye, chiefly in the left side.

Prosopalgia involving the eye, zygoma, the cheek, teeth, and temple.

Pericarditis and endocarditis with stitches and violent pulsation.

Rheumatic sclerotitis.

Unfit for mental exertion. Easily irritated or offended. Afraid of pointed things, as pins.

Periodical headaches beginning at cerebellum, spreading over left eye; causing violent, pulsating pain; periodical, boring pains in the superciliary ridge; worse in change of weather. Rheumatic ophthalmia.


Periodical, left-sided neuralgia; with red face; palpitation.

Constriction in the chest; with stitches, worse from least motion or breathing.

Violent beating in the morning as soon as he sat down after rising, with weight upon the chest above the point where the beating was felt, with cutting and digging in the hypogastrium as from incarcerated flatus, which lasted longer than palpitation.

Heart beats audible and visible through the clothes.

Aggravation from motion; better by rest.



SPONGIA.*(Spün'-jĭ-a.)***Sponge.****Porifera.**

Chief action is upon the respiratory organs; glandular structures and circulation.

Congestion of blood to head, with throbbing and pressure in forehead.

Nose stuffed up; bleeding; whooping cough.

Great swelling of thyroid gland; with suffocative cough at night.

Hard swelling of the testicles, with stitching up into cord; any motion brings on throbbing.

Inflammation of the larynx, trachea, and bronchi; with hoarse cough.


Dyspnœa; wheezing; anxious, worse during inhalation, with violent laboring of abdominal muscles; whistling, sawing, between coughs. Croup.

Sensation as if he had to breath through a dry sponge.

Respiration difficult, as if a plug were sticking in the larynx, and the breath could not get through on account of the constriction of the larynx.

Pain when coughing, and in trachea, with rawness in the throat.

Palpitation of the heart; violent, with pain,



gasping respiration; suddenly awakened after midnight, with suffocation and anxiety.

Rheumatic endocarditis, loud blowing with each heart beat.

Pains in chest, heat, suffocation; Angina pectoris.

SQUILLA.

Scilla Maritima.

(*Sil'-la Ma-rit'-i-ma.*)

Squill.

Liliacæ.

Child sneezes during cough; eyes water; rubs eyes and nose. Measles.

Acrid, corrosive, fluent coryza in morning.

Moist eruption under nose, with itching.

Bread tastes bitter.

Thirst, but the dyspnœa allows her to take but a sip at a time.

Painful sensitiveness over region of bladder.


Stools watery, offensive, during measles.

Urine pale, increased, with frequent urging.

Involuntary urination when coughing.

Dry night cough; short, rattling; spasmodic from mucus in the trachea; the loose morning cough is more fatiguing than the dry evening cough.

During the cough the child sneezes, waters at the eyes and nose; the child constantly rubs its



eyes, nose, and face, with its fists during cough.
Stitches in chest caused by coughing.

Pain in chest worse in morning.

Cold foot sweat. Sweats only on toes. Soles red and sore when walking.

Heat of whole body, with cold hands and feet, with aversion to being uncovered.

Whenever he uncovers himself during heat he suffers from chilliness and pains.

STANNUM METALLICUM.

(*Stăn'-nũm Mě-tăl'-lĩ-kũm.*)

Metallic Tin.

Sn.

Very sad. Feels wretched, not enough energy to do anything. Complete hopelessness.

Pain across forehead, sensation as if constricted by a band; increasing and decreasing gradually.

Prosopalgia; pains increase and decrease gradually.

Cardialgia, pains gradually come and go; better from pressure; sickly expression;

Sinking, "gone" sensation in the stomach.

Menses too early and too profuse; with sadness; pain in malar bones; great weakness.

Leucorrhœa; yellow; white or transparent, with great weakness.

Laryngeal phthisis, with constant, short hack-

UoM

ing cough and aphonia; with great weakness in chest.

Dry cough in the evening until midnight; during the day with copious green, like white of an egg, or sweetish, expectoration; at times, salty or sour smelling.

Hæmoptysis, with tendency to copious expectoration.

Much soreness in chest.

Chest so weak he cannot talk.

Great weakness and weariness of the extremities.

Exhausting night sweats after 4 A. M.

Extreme exhaustion of mind and body.

STAPHYSAGRIA.

(*Stäf-îs-â'-grî-a.*)

Stavisacro.

Ranunculaceæ.

It has a marked effect upon the sexual organs; skin; and the osseous system.

Weakness; limbs pain as if bruised and as if there was no strength in them. After every exertion, after eating, there is sleepiness; wants to lie down.

Peevish in the morning, wishes to throw away everything which he has in his hands.

Peevish, disinclined to mental work. Indifference to his surroundings, with mental exhaustion.

Weakness of mind and body.

Very irritable with violent temper. Colic and other bad effects of anger.

Very sensitive, takes offense at the slightest thing.

Symptoms corresponding, useful for physical and mental effects of onanism and sexual excesses. From pride, envy, and chagrin.

Child ill-humored, quarrelsome; cries for everything and then pushes it away when offered.

General stupefying headache, with feeling as if brain were squeezed.

Sensation as of a ball of lead in the forehead, which would not loosen on shaking head.

Itching and scurfy eruption above and behind ears. Hair falls out.

Eczema, oozing yellow acrid fluid forming crusts. Scratching relieves itching in one place but it appears in another place.

Eyes sunken with blue rings around them. Itching of the margin of the lids.


Styes which leave hard nodosities. Chalazæ.

Teeth turn black and decay early. Gums bleed easily. Scorbutic cachexia.

Sensation of great weakness in the stomach; feels as if the stomach were relaxed and hanging down like a bag.

Colic after coeliotomy.

Pressure upon bladder, urging, passing only a small quantity, mostly dark yellow, red; thin



stream, or dribbling with sensation as if the bladder were not emptied. Burning in the urethra during micturition, also when not urinating; far back when sitting. Prostatic troubles.

Female sexual organs exceedingly sensitive; can scarcely wear a napkin.

Effects from dwelling upon sexual subjects.

Seminal emissions and effects of sexual excesses even with impotency.

Spermatorrhœa with backache, weariness, and weakness.

Backache worse in morning before rising.

Extremities feel beaten and painful as after a long walk.

Stiffness and sensation of fatigue in all the joints. Arthritic nodosities.

Fig warts; dry, pedunculated; after the abuse of mercury.

STRAMONIUM.

(*Stra-mō'-nī-ŭm.*)

Thorn Apple.

Solanaceæ.

Stramonium is a neurotic, producing a peculiar cerebral excitement; suppression of all secretions.

Stramonium does not produce pain in many of its actions; painlessness is characteristic.

Wild delirium, face bright red; eyes have a wild and suffused look. He sees objects rising

up from every place, animals, which terrify him. Eyes open; pupils widely dilated.

Great fear of the dark.

Bright objects cause furious delirium, spasms of throat, and convulsions.

Awakens terrified, screams with fright; if a child, clings to its mother.

Loquacious, talks all the time.

Rush of blood to the head; throbbing vertigo, staggering as if he would fall forward and to the left.

Eyes seem prominent; staring; wide open; pupils dilated, insensible, with injected conjunctiva.

Loss of vision; complained that it was dark and called for a light.

Hardness of hearing; roaring and ringing.

A general expression of terror.

Speech difficult; stammering; makes great effort to speak.

Dryness and redness of lips, mouth, and tongue. Dribbling of viscid, glairy saliva.

Aversion to fluids; water, even sight of it causes spasms; constriction of the throat, froth, spitting; hydrophobia.

Discharge of coagulated blood from bowels; hæmorrhoids.

Stools black, fluid; very foul smelling. Cholera infantum; foul stools; strabismus; awakes with fright; face pale.



Bladder empty. Suppression, micturition only after twelve hours.

Child constantly has hands on genitals; onanism, causing spasms; epilepsy; nymphomania; loud talking; singing obscene songs.

Metrorrhagia, with great loquacity, singing, praying, etc.

Puerperal mania, unceasing talking, many hallucinations.

Suffocating, croupy cough; voice lost; she could only utter a hoarse, croaking sound, that alternated with a sonorous, croupy, barking cough and inability to swallow, from spasm of muscles of deglutination.

Sense of tightness and oppression across the chest, with desire for the open air.

Sudden jerks and twitchings through the body and limbs.


Nervous shock, causing chorea; hysteria; spasms; epilepsy.

Shining, red rash; scarlatina.

Sleepiness; deep sleep, with snoring.

Coldness and pallor, except of head and face, which were red and hot.

Face red and swollen, with muttering delirium.



SULPHUR.*(Sül'-fur.)***Sulfur.****S.**

Sulphur possesses an inherent property of affecting every tissue of the body.

The skin and mucous membranes are the parts which manifest its distinctive action.

The great anti-psoric remedy.

Dirty, filthy, nasty people, with skin affections; they are wearing on everything except soap and water; averse to being washed. "The great unwashed."

Want of reaction, or their troubles are continually relapsing.

Sulphur patients cannot stand, standing position becomes uncomfortable immediately.

Ill humor, impatience; quarrelsome; out of sorts with everything; worse in the evening. Despondent; weary of life.

Much confusion and bewilderment of the sensorium. Weakened memory.

Sense of fulness, or rush of blood to the head.

Jerking, tensive, or hammering pain in the head, worse in the evening, or in the morning when rising.

A feeling as if the head were encircled by an iron hoop; worse at night. Hair falls out.



Humid, offensive eruption, with thick pus, yellow crusts, itching, bleeding, and burning; worse at night.

Agglutination of lids in the morning.

Dim vision, with weakness of eyes and confused dark spots floating before the eyes.

Purulent, offensive otorrhœa.

Roaring in the ears, with rush of blood to the head; worse in the evening in bed.

Inflammation and itching of nostrils with burning.

Coryza; sneezing; worse in evening and morning. Offensive odor of mucus on blowing the nose.


Face has a sickly look; eyes sunken, with "red flannel" edges; herpes on chin and corners of the mouth; rough and burning. Lips are very bright red; in children. Tongue white, with red tip and border; in acute cases; white or yellow; brown and dry in chronic cases.

Burning, *burning*, BURNING; the burning thread through all the symptomatology. Burning of the outer skin and burning of the inner skin (mucous membranes).

An empty, gone, or faint feeling in the stomach about 11 A. M.

Swelling and stitching pain in the liver and spleen.

Ravenous appetite, if he does not eat; headache, lassitude and weakness compels him to lie



down. Or the appetite is lost as soon as he sees food, and he feels full in the abdomen, and aversion to food when he begins to eat.

Diarrhœa; an early morning call, bowels seem too weak to retain contents. Stools excoriate; burning.

Hæmorrhoids; violent bearing down pains from small of back to anus; burning.

Frequent desire to urinate; enuresis. Burning when urinating.

Weak sexual powers; impotence; seminal emissions; with burning in the urethra.

Menses too late; blood thick, dark, acrid; makes thighs sore; burning.

Dry, choking cough; caused by tickling in the larynx; worse evenings and nights.

Stitches through chest; much rattling of mucus; expectoration of thick mucus; or greenish lumps; having a flat, saltish, or putrid taste.

Exudation, after pneumonia.

Congestion of blood to the chest; burning.

Bruised pain in back and limbs preventing sleep.

Extremities cold, head warm with burning on the vertex; or feet burn at night, must put them out of bed on something cool.

Eyes red, burning; coryza with burning in nose; burning of head and face (hot flashes); burning of tongue, mouth and throat; burning through the entire alimentary canal and all its outlets.



All discharges cause burning; and all outlets are red and congested.

Don't forget the burning of Sulphur.

SULPHURIC ACID.

(*Sŭl-fŭ'-ric Ās'-id.*)

Oil of Vitriol.

H_2SO_4 .

Sulphric acid produces great weakness with a tendency to hæmorrhages; breaking down of the mucous tissues; with a distinct sense of internal trembling, and a hurried feeling.

Pains gradually increase and stop suddenly.

Aggravation; forenoon; evening; open air and left side.

Strength fails rapidly with desire for stimulants.

Hasty mood, she can finish nothing quickly enough; avoids speaking to anyone.

Inflammation and swelling of submaxillary glands.

Thick, yellow membrane on fauces and tonsils; sticks like glue; preventing deglutition.

Sour eructations; sour vomiting; vomiting and ailments from drinking brandy.

Diarrhœa with great weakness and a sense of internal trembling.

Pain in the bladder if the desire to urinate is not immediately satisfied.

Hæmorrhages; black blood; from all the outlets of the body.

Ecchynoses after mechanical injuries with a tendency to gangrene.

TABACUM.

(*Tăb'-a-kûm.*)

Tobacco.

Solanaceæ.

Tobacco is a narcotic; depressant.

Acts upon the emetic centres, causing nausea and vomiting; pale face; cold and perspiring skin; coldness; salivation; faintness; sinking at stomach; small, frequent, and irregular pulse; vertigo; delirium; and collapse.

Palpitation and intermittent action of the heart.

Amaurosis from atrophy of the optic nerve.

The pale face is covered with cold sweat; eyes sunken and surrounded by blue rings; nausea; great sense of weakness in the stomach.

Nausea and vomiting on least motion. Vomiting as in sea-sickness, with vertigo and cold sweat; better on deck and in fresh air.

Extremities; hands and feet icy cold. Body cold, abdomen hot. Child wants the abdomen uncovered, which relieves the nausea and vomiting.



TEREBINTHINA.

(*Těr-e-bĩn'-thĩ-ne.*)

Oil of Turpentine.

It produces an inflammation of the urinary organs; hæmorrhages; strangury.

Acts also on the bronchial and intestinal mucous membranes.

Dullness; stupefaction; inability to fix attention. Coma.

Face pale, sunken features.

Distended abdomen; frequent colic; constipation.

Foul breath, choking sensation, hacking cough; burning and tingling at anus as from worms.

Inflammation of the bowels with diarrhœa and nephritis.

Hæmorrhage from the bowels with ulceration. Typhoid fever.

Watery, mucus stools; with violent burning in rectum and anus after stool.

Inflammation of the kidneys, bladder, and urethra. Strangury, bloody urine, soreness of bladder.

Urethritis, with painful erections.

Urine; dark, scanty, turbid, epithelial sediments; albuminous urine.

Burning in urethra; during micturition. Urine smelling of violets.



Breathing, short and hurried; lungs seem over-distended; expectoration streaked with blood.

Burning, drawing pain in the region of the kidneys; burning and drawing from right kidney to hip.

THUJA OCCIDENTALIS.

(*Thū'-ya Ōk-sī-dēn-tā'-līs.*)

Arbor Vitæ.

Coniferæ.

It produces a marked influence upon the genito-urinary organs, anus, and skin.

Collects his thoughts and speaks slowly, seeks for words while talking.

Loathing of life. Ill humor, with an indisposition to do anything.

Tearing pain in the forehead, temples, and occiput; worse at night; better by walking in the open air.

Pain in the vertex as from nail; worse from 3 to 4 A. M.

Chronic conjunctivitis.

Dry, bran-like tinea ciliaris.

Purulent otorrhœa, smelling like spoiled meat.

Discharge from nose of green mucus mixed with blood and pus; later scabs form.

Face ache, from left malar to ear, teeth, nose, and head; the painful parts burn like fire. Teeth

decay at roots (as in sycosis) the crown remaining sound.

Rumbling of flatus in bowels.

Stools; pale yellow, watery; forcibly expelled; copious; gurgling like water from a bung-hole.

Diarrhœa; after breakfast; after coffee; after vaccination.

Red growth like condylomata on inner surface of prepuce.

Sycotic, moist excrescences on prepuce and glands.

Chancres, with splinter-like pains.

Gonorrhœa; urethra swollen, scalding urine; yellow, green or watery discharge. For bad results from checked gonorrhœa.

Menses too short and too early.

Condylomata; moist, bleed easily, and offensive.

VERATRUM ALBUM.

(*Vě-rā'-trūm Āl'-būm.*)

White Hellebore.

Melanthaceæ.

Veratrum produces copious, watery vomiting and purging; terrible colic and cramps; great prostration, with pinched features, weak heart, cold skin, cold sweat; thready, irregular pulse and collapse.

The picture it produces is decidedly choleraic.



Inconsolable over fancied misfortune; runs about the room howling and screaming, looking upon the ground, or sits brooding in the corner, wailing and weeping in an inconsolable manner.

Mania; desire to cut and tear her clothes with lewdness.

Violent pains in the head; great prostration; cold sweat and great thirst; nausea, vomiting, and diarrhœa.

Cold sweat on the forehead with many complaints.

Face purple, bluish; nose pinched; or leaden blue; red in bed, becomes pale on rising.

Tearing pain in the cheeks, temples, and eyes, with heat and redness.

Violent toothache, with cold sweat on forehead.

Great thirst for cold drinks.


Great pain and anguish in the stomach; vomiting continuous, nausea and great prostration, with cold sweat on the forehead.

Stools; rice water discharges, profuse, gushing, with tonic cramps, commencing in the hands and feet and spreading all over; with cold sweat on the forehead. Constipation; on account of hardness and large size of stool.

Nymphomania of lying-in women; also before menses.

Asthma, with cold sweat of upper part of body and on forehead.

A complete picture of collapse.



Cold, clammy sweat, especially on forehead, pinched features and wrinkled skin, remaining in folds when pinched; the entire body being icy cold.

VERATRUM VIRIDE.

(*Ve-rā'-trūm V'ir'-ī-dē.*)

American Hellebore.

Melanthaceæ.

It produces a congestion at the base of the brain; the upper part of the spine; the lungs; and vomiting.

Cerebral hyperæmia; mental confusion.

Puerperal mania; silent; suspicious; fears being poisoned; persons seem to terrify her.

Congestion and pain in the base of the brain, fullness in head, and throbbing arteries.

Face flushed; cerebral congestion.


Face pale, pinched and cold.

Puerperal convulsions; furious delirium; arterial excitement.

Congestion of chest and lungs, with rapid respiration, nausea, vomiting, and dull burning in region of heart.

Heart's beat; loud, strong, with great arterial excitement; low and feeble; fluttering.

Pulse suddenly increases and decreases; irregular, intermittent.



Yellow-coated tongue, with a red streak down the middle.

Acute rheumatism, high fever, full, hard pulse; scanty, red urine.

High fever, flushed face; child seems as if frightened and on the verge of a spasm.

VIBURNUM OPULUS.

(*Vî-bur'-nŭm Ō-pŭ-lŭs.*)

High Cranberry.

Caprifoliaceæ.

Threatened miscarriage, pain comes down the lower part of the abdomen and goes into thighs.

Sudden pain in the womb and hypogastrium before menstruation.

Congested feeling in the pelvic organs, in ovarian region, before menses.

Bearing down pain in the pelvic organs before menses.


Pain in the back as if it would break, during menses.

Menstrual pain, with feeling as if breath would leave her body and heart would cease to beat.

Complete inactivity of the rectum, no inclination for stool.

Stool hard, large, painful and so difficult that mechanical assistance was necessary.

Inability to lie on the affected side.



XANTHOXYLUM.

(*Zăn-thỗx'-i-lũm.*)

Prickly Ash.

Rutacæ.

Neuralgic dysmenorrhœa, pain going down the anterior part of the thighs, mostly left-sided.

Menses too early and painful, great bearing down in the abdomen, pain in the back and down the legs, the flow thick, scanty, and dark.

ZINCUM.

(*Zĩng-kũm.*)

Zinc.

Zn.

Weak memory; repeats all questions before answering them.

Unconscious; signs of effusion into brain; feet constantly moving; often from undeveloped eruptions.

Pressure on root of nose as if it would be pressed into head.

Pain; deep in head, mostly semi-lateral, or in sinciput or occiput; worse from wine; or caused from even a small quantity of wine.

Sensitive; sore scalp; hair falls out, causing complete baldness.

Iritis (syphilitic), worse at night, with hot, scalding tears.

Conjunctivitis, pains worse at night; inflammation more in inner canthus. Pterygium.

Heavy, paralyzed sensation of upper lids.

Pale, sickly look in face; alternating with redness.

Flatulent colic. rumbling in abdomen; retraction of abdomen; worse from wine, toward evening, or during night. Lead colic.

Constipation; dry, hard stools; inertia of rectum.

Diarrhœa involuntary, with stupor.

Violent pressure on bladder; sits with legs crossed, and, though bladder feels full, none passes.

Can only pass water while sitting bent backward; much sand in urine. Involuntary urination while walking, coughing or sneezing.


Boring pain in left ovarian region, better from pressure, but entirely relieved only during menstrual flow. Sexual desire increased.

Pruritis vulvæ causes masturbation.

Spasmodic cough with pain in the chest; spasmodic, child puts hands to genitals.

Sputa; yellow; blood streaked; metallic or putrid taste.

Pain in cardiac region; irregular pulse, or small and frequent evenings, slow mornings; increased by wine.



Burning along whole spine.

Dull, aching pain about the last dorsal vertebra, worse while sitting than when walking.

Pains in the back; sensitiveness of the soles of the feet; formication, numbness, and coldness of legs; sensation as of a band around the abdomen; cramps and twitching of muscles.

In cases where nature is too weak to assert itself, a condition of non-reaction; but if nature is relieved the condition is better, as we find pains in the ovaries relieved by the menstrual flow; asthma, relieved as soon as the patient expectorates; spinal irritation, or self-abuse, may be temporarily relieved by seminal discharge; when the baby cuts its teeth it is relieved; in eruptive diseases, when the eruptions come out.

All conditions are made worse by wine.

Constant, fidgety motion of feet.

Hunger; great greediness when eating; cannot eat fast enough.

Automatic motion of some part of body; as rolling head, hand, feet, or legs.



INDEX.

| | PAGE. |
|----------------------------------|-------|
| Abies Nigra, | 17 |
| Artemesia Abrotanum, | 18 |
| Acetic Acid, | 18 |
| Aconitum Napellus, | 19 |
| Æsculus Hippocastanum, | 21 |
| Æthusa Cynapium, | 22 |
| Agaricus Muscarius, | 23 |
| Agnus Castus, | 24 |
| Ailanthus Glandulosus, | 25 |
| Allium Cepa, | 26 |
| Aloe Socotrina, | 27 |
| Alumina, | 28 |
| Ambra, | 30 |
| Ammonium Carbonicum, | 31 |
| Ammonium Muriaticum, | 32 |
| Anacardium Orientale, | 33 |
| Antimonium Crudum, | 34 |
| Antimonium Tartaricum, | 35 |
| Apis Mellifica, | 36 |
| Apocynum Cannabinum, | 38 |
| Argentum Metallicum, | 39 |
| Argentum Nitricum, | 40 |
| Arnica Montana, | 42 |
| Arsenicum Album, | 44 |
| Arsenicum Iodatum, | 46 |
| Arum Triphyllum, | 47 |
| Asafoetida, | 48 |
| Aurum Metallicum, | 49 |

| | |
|----------------------------------|----|
| Badiaga, | 50 |
| Baptisia Tinctoria, | 51 |
| Baryta Carbonica, | 52 |
| Baryta Iodide, | 54 |
| Belladonna, | 55 |
| Benzoic Acid, | 58 |
| Berberis Vulgaris, | 58 |
| Borax, | 59 |
| Bovista, | 60 |
| Bromium, | 61 |
| Bryonia Alba, | 63 |
| Cactus Grandiflorus, | 66 |
| Calcarea Carbonica, | 67 |
| Calcarea Phosphorica, | 69 |
| Camphora, | 70 |
| Cannabis Indica, | 71 |
| Cannabis Sativa, | 72 |
| Cantharis, | 74 |
| Capsicum, | 75 |
| Carbo Animalis, | 77 |
| Carbo Vegetabilis, | 78 |
| Carduus Marianus, | 80 |
| Caulophyllum, | 81 |
| Causticum, | 82 |
| Ceanothus Americanus, | 84 |
| Cedron, | 86 |
| Chamomilla Matricaria, | 86 |
| Chelidonium Majus, | 88 |
| Chimaphila Umbellata, | 90 |
| Cicuta Virosa, | 91 |
| Cimicifuga Racemosa, | 92 |
| Cina, | 93 |
| Cinchona Officinalis, | 94 |
| Clematis Erecta, | 96 |
| Cocculus Indicus, | 97 |

| | |
|--------------------------------------|-----|
| Coccus Cacti, | 98 |
| Coffee Cruda, | 99 |
| Colchicum Autumnale, | 100 |
| Collinsonia Canadensis, | 102 |
| Colocynth, | 102 |
| Conium Maculatum, | 104 |
| Copaiba officinalis, | 105 |
| Corallium Rubrum | 106 |
| Creosotum, | 106 |
| Crocus Sativus, | 108 |
| Crotalus, | 109 |
| Croton Tiglium, | 110 |
| Cuprum, | 111 |
| Digitalis Purpurea, | 112 |
| Dioscorea Villosa, | 113 |
| Dolichos Pruriens, | 114 |
| Drosera Rotundifolia, | 115 |
| Dulcamara, | 115 |
| Erigeron Canadense, | 117 |
| Equisetum Hyemale, | 117 |
| Eupatorium Perfoliatum, | 118 |
| Euphrasia Officinalis, | 119 |
| Ferrum Metallicum, | 120 |
| Fluoric Acid, | 121 |
| Gambogia, | 123 |
| Gelsemium Sempervirens, | 124 |
| Glonoinum, | 126 |
| Graphites, | 127 |
| Gratiola Officinalis, | 129 |
| Hamamelis Virginica, | 129 |
| Helleborus Niger, | 130 |
| Helonias Dioica, | 131 |
| Hepar Sulphuris Calcareum, | 132 |

| | |
|-------------------------------------|-----|
| Hydrastis Canadensis, | 134 |
| Hyoscyamus Niger, | 135 |
| Hypericum Perforatum, | 137 |
| Ignatia Amara, | 138 |
| Iodium, | 139 |
| Ipecacuanha, | 141 |
| Iris Versicolor, | 143 |
| Jalapa, | 144 |
| Jatropha Curcas, | 145 |
| Kali Bichromicum, | 145 |
| Kali Bromatum, | 147 |
| Kali Carbonicum, | 148 |
| Kali Chloricum, | 149 |
| Kali Iodatum, | 150 |
| Kali Nitricum, | 152 |
| Kalmia Latifolia, | 153 |
| Lachesis, | 154 |
| Ledum Palustre, | 155 |
| Leptandra Virginica, | 156 |
| Lilium Tigrinum, | 157 |
| Lithium Carbonicum, | 158 |
| Lycopodium Clavatum, | 159 |
| Lycopus Virginicus, | 161 |
| Magnesia Carbonica, | 162 |
| Magnesia Muriatica, | 163 |
| Magnesia Phosphorica, | 164 |
| Melilotus Alba, | 164 |
| Menyanthes Trifoliata, | 165 |
| Mercurius, | 166 |
| Mercurius Corrosivus, | 168 |
| Mercurius Cyanatus, | 169 |
| Mercurius Dulcis, | 169 |
| Mercurius Iodatus Flavus, | 170 |

| | |
|---------------------------------------|-----|
| Mercurius Iodatus Ruber, | 171 |
| Mezereum, | 171 |
| Millefolium, | 172 |
| Murex Purpurea, | 173 |
| Muriatic Acid, | 174 |
| Naja Tripudians, | 175 |
| Natrum Carbonicum, | 175 |
| Natrum Muriaticum, | 177 |
| Natrum Sulphuricum, | 179 |
| Nitric Acid, | 180 |
| Nux Moschata, | 182 |
| Nux Vomica, | 183 |
| Oleander, | 186 |
| Opium, | 187 |
| Oxalicum Acidum, | 189 |
| Petroleum, | 190 |
| Petroselinum Sativum, | 192 |
| Phosphorus, | 193 |
| Phosphoric Acid, | 196 |
| Phytolacca Decandra, | 199 |
| Picric Acid, | 200 |
| Plantago Major, | 202 |
| Platinum, | 202 |
| Plumbum Metallicum, | 204 |
| Podophyllum Peltatum, | 207 |
| Psorinum, | 208 |
| Pulsatilla, | 209 |
| Ranunculus Bulbosus, | 212 |
| Rheum, | 213 |
| Rhododendron Chrysanthemum, | 214 |
| Rhus Toxicodendron, | 215 |
| Rumex Crispus, | 219 |
| Ruta Graveolens, | 220 |